

Synthetic Minor Determination and/or Netting Determination

Permit To Install: 02-21580

A. Source Description:

Stainwood Products, 2803 Toledo Ave, Lorain, OH 44055. SIC code of 5031. Facility currently has permits for two flood coaters (R001 and R002) and one spray operation (R003). This PTI is to increase the allowable emissions from one flood coating operation (R001) and the spray operation (R003). After this PTI is issued, the total facility allowable emissions (R001, R002, and R003) will be 99.9 TPY of VOC.

B. Facility Emissions and Attainment Status:

Lorain County is non-attainment for ozone. Facility emissions will be maintained below Title V thresholds.

C. Source Emissions:

Each source is restricted by a 12-month rolling summation. The lone emissions unit that is not being modified (R002) is permitted to emit 56.4 TPY of VOC. In order to stay below Title V thresholds, this permit needed to limit emissions to 43.5 TPY. The 43.5 TPY was equally divided among the two emissions units (R001 and R003) (i.e. 21.75 TPY each) HAP emissions will be restricted facility-wide to 9.9 tons/year.

D. Conclusion:

Record keeping requirements are sufficient for facility to demonstrate compliance.



State of Ohio Environmental Protection Agency

**RE: DRAFT PERMIT TO INSTALL
LORAIN COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
Lazarus Gov.
Center

Application No: 02-21580

Fac ID: 0247081012

DATE: 7/25/2006

Stainwood Products
Terry Mulligan
2803 Toledo Ave.
Lorain, OH 44055

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$400** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NEDO

PUBLIC NOTICE

**ISSUANCE OF DRAFT PERMIT TO INSTALL 02-21580 FOR AN AIR CONTAMINANT SOURCE FOR
Stainwood Products**

On 7/25/2006 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Stainwood Products**, located at **2803 Toledo Ave., Lorain**, Ohio.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 02-21580:

Chapter 31 modification to PTI 02-20752 to increase the allowable emission limits.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Dennis Bush, Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087
[(330)425-9171]



AGENCY

STATE OF OHIO ENVIRONMENTAL PROTECTION

**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 02-21580

Application Number: 02-21580
Facility ID: 0247081012
Permit Fee: **To be entered upon final issuance**
Name of Facility: Stainwood Products
Person to Contact: Terry Mulligan
Address: 2803 Toledo Ave.
Lorain, OH 44055

Location of proposed air contaminant source(s) [emissions unit(s)]:
2803 Toledo Ave.
Lorain, Ohio

Description of proposed emissions unit(s):
Chapter 31 modification to PTI 02-20752 to increase the allowable emission limits.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written

Stainwood Products
PTI Application: 02-21580

Facility ID: 0247081012

Issued: To be entered upon final issuance

reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

Stainwood Products
PTI Application: 02-21580

Facility ID: 0247081012

Issued: To be entered upon final issuance

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

the Ohio EPA. Progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
- ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

13. Permit-To-Install

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

B. State Only Enforceable Permit-To-Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Authorization To Install or Modify

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of

Stainwood Products**Facility ID: 0247081012****PTI Application: 02-21580****Issued: To be entered upon final issuance**

installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

Stainwood Products**Facility ID: 0247081012****PTI Application: 02-21580****Issued: To be entered upon final issuance****C. Permit-To-Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	43.50
HAP	9.9
Particulates	2.41

Stainwood Products

Facility ID: 0247081012

PTI Application: 02-21580

Issued: To be entered upon final issuance

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R001) - Modification to Olympia Flood Coater

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	Volatile organic compounds (VOC) emissions shall not exceed 280.5 pounds per day. See section A.I.2.c below.
OAC rule 3745-21-07(G)(2)	See sections A.I.2.a and A.I.2.b below.
OAC rule 3745-31-05(C)	See sections A.I.2.c, A.I.2.e and A.II.1 below.

2. Additional Terms and Conditions

- 2.a The permittee shall not employ any photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit.
- 2.b The permittee shall only employ water and exempt solvents as cleanup material in this emissions unit.
- 2.c The VOC emissions from all coatings and cleanup materials shall not exceed 21.75 tons per year, based upon a rolling, 12-month summation.
- 2.d Total emissions from emissions units R001, R002 and R003, combined, shall not exceed 9.9 tons per year of each individual hazardous air pollutant (HAP), based upon a rolling, 12-month summation.
- 2.e The VOC content of each coating employed in this emissions unit shall not exceed 5.61 pounds per gallon, as applied.

II. Operational Restrictions

1. The maximum coating and cleanup material usage for this emissions unit, shall not cause emissions to exceed 21.75 tons of VOC per rolling, 12-months. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the emission levels specified in the following

table:

Month	Maximum Allowable VOC for R001 (tons)	Maximum Allowable Individual HAP for R001, R002 and R003, combined (tons)
1	1.81	0.82
1-2	3.62	1.65
1-3	5.43	2.47
1-4	7.25	3.30
1-5	9.06	4.12
1-6	10.87	4.95
1-7	12.68	5.77
1-8	14.5	6.60
1-9	16.31	7.42
1-10	18.12	8.25
1-11	19.93	9.07
1-12	21.75	9.90

2. After the first 12 calendar months of operation following the issuance of this permit, compliance with the rolling, 12-month limitations of VOC and individual HAP shall be based upon the rolling, 12-month summations of the emissions of VOC and individual HAP.

III. Monitoring and/or Record keeping Requirements

1. The permittee shall collect and record the following information for each day that the emissions unit is in operation:
 - a. the company identification for each coating and clean up material employed;
 - b. the VOC content of each coating, in pounds per gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed minus the number of gallons recovered;
 - d. the total VOC emission rate for each coating and cleanup material, in pounds per day [(b) times (c)]; and
 - e. the daily total VOC emission rate for the emissions unit, i.e., the summation of each coating and cleanup material; i.e., the summation of (d).

2. The permittee shall collect and record the following information each month for

Emissions Unit ID: R001

emissions units R001, R002 and R003, combined:

- a. the name and identification number of each coating and cleanup material, as applied;
 - b. the number of gallons of each coating and cleanup material employed;
 - c. the individual HAP content for each HAP of each coating and cleanup material, in pounds of individual HAP per gallon of coating, as applied;
 - d. the total individual HAP emissions for each HAP from all coatings and cleanup materials employed, in tons per month, i.e., for each HAP the sum of (b) times (c) for each coating and cleanup material, divided by 2000 pounds per ton; and
 - e. the rolling, 12-month summation of the emissions of each individual HAP from emissions units R001, R002 and R003, combined, for the previous 12-month period, and during the first 12 calendar months of operation following the issuance of the permit to install, the cumulative emissions from R001, R002 and R003, combined, i.e., the summation of (d) in tons per rolling, 12-month period.
3. The permittee shall maintain a monthly record of the rolling, 12-month summation of VOC emissions from this emissions unit for the previous 12-month period, and during the first 12 calendar months of operation following the issuance of the permit to install, the summation of VOC emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify any day during which a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), was employed.
2. The permittee shall submit deviation (excursion) reports that include the following information:
 - a. an identification of each day during which the daily VOC emissions from the coatings and cleanup materials exceeded 280.5 pounds per day, and the actual VOC emissions for each such day;
 - b. all exceedances of the rolling, 12-month emission limitation for each individual HAP and during the first 12 months of operation, after the issuance of this permit to install, all exceedances of each individual HAP cumulative emission limitation for emissions units R001, R002 and R003, combined; and
 - c. all exceedances of the rolling, 12-month VOC emission limitation for this emissions unit.

Issued: To be entered upon final issuance

The quarterly deviation reports shall be submitted in accordance with the General Terms and Conditions. These reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

3. The permittee shall submit annual reports that summarize the following information:
 - a. the emissions of VOC from this emissions unit; and
 - b. the emissions of each individual HAP from this emissions unit and from emissions units R001, R002 and R003, combined.

The annual reports shall also include the emission calculations. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

V. Testing Requirements

1. Compliance with the emission limitations in sections A.I.1 and A.I.2 of these terms and conditions shall be determined in accordance with the following methods:
 - 1.a Emission Limitation:

280.5 pounds per day of VOC

Applicable Compliance Method:

Compliance shall be demonstrated based upon the record keeping requirements specified in section A.III.1.
 - 1.b Emission Limitation:

21.75 tons per year of VOC per rolling, 12-month period from all coatings and cleanup material

Applicable Compliance Method:

Compliance shall be demonstrated based upon the record keeping requirements specified in section A.III.3
 - 1.c Emission Limitation:

9.9 tons per year of any individual HAP, based upon a rolling, 12-month summation for

Stainwood Products

PTI Application: 02-21590

Facility ID: 0247081012

Emissions Unit ID: R001

emissions units R001, R002 and R003, combined

Applicable Compliance Method:

Compliance shall be demonstrated based upon the record keeping requirements specified in section A.III.2.

VI. Miscellaneous Requirements

1. The terms and conditions for this emissions unit supercede and replace the terms and conditions for emissions unit R001 in PTI 02-20752.

Issued: To be entered upon final issuance

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R001) - Modification to Olympia Flood Coater

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R003) - Modification to Portable Spray Coater

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	<p>Volatile organic compounds (VOC) emissions shall not exceed 280.5 pounds per day.</p> <p>Visible particulate emissions shall not exceed 5% opacity as a 3-minute average.</p> <p>See section A.I.2.c below.</p>
OAC rule 3745-21-07(G)(2)	See sections A.I.2.a and A.I.2.b below.
OAC rule 3745-31-05(C)	See sections A.I.2.c, A.I.2.e and A.II.1 below.
OAC rule 3745-17-11	Particulate emissions shall not exceed 0.551 pound per hour.
OAC rule 3745-17-07	The emission limitation required by this applicable rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a The permittee shall not employ any photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit.
- 2.b The permittee shall only employ water and exempt solvents as cleanup material in this emissions unit.
- 2.c The VOC emissions from all coatings and cleanup materials shall not exceed 21.75 tons per year, based upon a rolling, 12-month summation.
- 2.d Total emissions from emissions units R001, R002 and R003, combined, shall not exceed 9.9 tons per year of each individual hazardous air pollutant (HAP),

Issued: To be entered upon final issuance

based upon a rolling, 12-month summation.

- 2.e** The VOC content of each coating employed in this emissions unit shall not exceed 5.61 pounds per gallon, as applied.

II. Operational Restrictions

1. The maximum coating and cleanup material usage for this emissions unit, shall not cause emissions to exceed 21.75 tons of VOC per rolling, 12-months. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the emission levels specified in the following table:

Month	Maximum Allowable VOC for R003 (tons)	Maximum Allowable Individual HAP for R001, R002 and R003, combined (tons)
1	1.81	0.82
1-2	3.62	1.65
1-3	5.43	2.47
1-4	7.25	3.30
1-5	9.06	4.12
1-6	10.87	4.95
1-7	12.68	5.77
1-8	14.5	6.60
1-9	16.31	7.42
1-10	18.12	8.25
1-11	19.93	9.07
1-12	21.75	9.90

2. After the first 12 calendar months of operation following the issuance of this permit, compliance with the rolling, 12-month limitations of VOC and individual HAP shall be based upon the rolling, 12-month summations of the emissions of VOC and individual HAP.
3. The permittee shall employ a dry filtration system any time this emissions unit is in operation.

III. Monitoring and/or Record keeping Requirements

Emissions Unit ID: R003

1. The permittee shall collect and record the following information for each day that the emissions unit is in operation:
 - a. the company identification for each coating and cleanup material employed;
 - b. the VOC content of each coating, in pounds per gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed minus the number of gallons recovered;
 - d. the total VOC emission rate for each coating and cleanup material, in pounds per day [(b) times (c)];
 - e. the daily total VOC emission rate for the emissions unit, i.e., the summation of each coating and cleanup material; i.e., the summation of (d); and
 - f. any time this emissions unit is in operation and the dry filtration system is not employed.
2. The permittee shall collect and record the following information each month for emissions units R001, R002 and R003, combined:
 - a. the name and identification number of each coating and cleanup material, as applied;
 - b. the number of gallons of each coating and cleanup material employed;
 - c. the individual HAP content for each HAP of each coating and clean up material, in pounds of individual HAP per gallon of coating, as applied;
 - d. the total individual HAP emissions for each HAP from all coatings and cleanup materials employed, in tons per month, i.e., for each HAP the sum of (b) times (c) for each coating and cleanup material, divided by 2000 pounds per ton; and
 - e. the rolling, 12-month summation of the emissions of each individual HAP from emissions units R001, R002 and R003, combined, for the previous 12-month period, and during the first 12 calendar months of operation following the issuance of the permit to install, the cumulative emissions from R001, R002 and R003, combined, i.e., the summation of (d) in tons per rolling, 12-month period.
3. The permittee shall maintain a monthly record of the rolling, 12-month summation of VOC emissions from this emissions unit for the previous 12-month period, and during the first 12 calendar months of operation following the issuance of the permit to install, the summation of VOC emissions.

IV. Reporting Requirements

Issued: To be entered upon final issuance

1. The permittee shall submit deviation (excursion) reports that identify any day during which a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), was employed.
2. The permittee shall submit deviation (excursion) reports that include the following information:
 - a. an identification of each day during which the daily VOC emissions from the coatings and cleanup materials exceeded 280.5 pounds per day, and the actual VOC emissions for each such day;
 - b. all exceedances of the rolling, 12-month emission limitation for each individual HAP and during the first 12 months of operation, after the issuance of this permit to install, all exceedances of each individual HAP cumulative emission limitation for emissions units R001, R002 and R003, combined;
 - c. all exceedances of the rolling, 12-month VOC emission limitation for this emissions unit; and
 - d. any time this emissions unit was in operation and the dry filtration system was not employed.

The quarterly deviation reports shall be submitted in accordance with the General Terms and Conditions. These reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

3. The permittee shall submit annual reports that summarize the following information:
 - a. the emissions of VOC from this emissions unit; and
 - b. the emissions of each individual HAP from this emissions unit and from emissions units R001, R002 and R003, combined.

The annual reports shall also include the emission calculations. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

V. Testing Requirements

1. Compliance with the emission limitations in sections A.I.1 and A.I.2 of these terms and conditions shall be determined in accordance with the following methods:

Stainwood Products

DTI Application: 02 21590

Facility ID: 0247081012

Emissions Unit ID: R003

1.a Emission Limitation:

280.5 pounds per day of VOC

Applicable Compliance Method:

Compliance shall be demonstrated based upon the record keeping requirements specified in section A.III.1.

Issued: To be entered upon final issuance

1.b Emission Limitation:

21.75 tons per year of VOC per rolling, 12-month period from all coatings and cleanup material

Applicable Compliance Method:

Compliance shall be demonstrated based upon the record keeping requirements specified in section A.III.3

1.c Emission Limitation:

9.9 tons per year of any individual HAP, based upon a rolling, 12-month summation for emissions units R001, R002 and R003, combined

Applicable Compliance Method:

Compliance shall be demonstrated based upon the record keeping requirements specified in section A.III.2.

1.d Emission Limitation:

0.551 pound per hour of particulate emissions

Applicable Compliance Method:

To determine the actual worst case particulate emission rate, the following equation shall be used:

$$E = (M) * (1-TE) * (1-CE)$$

where:

E = particulate emission rate (lbs/hr)

M = maximum coating solids usage rate (lbs/hr)

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used

CE = control efficiency of the control equipment - If more than one piece of control

Emissions Unit ID: R003

Issued: To be entered upon final issuance

equipment is used in series, the equation should be multiplied by additional (1-CE) terms for each additional piece of equipment.

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

Issued: To be entered upon final issuance

1.e Emission Limitation:

Visible particulate emissions shall not exceed 5% opacity as a 3-minute average.

Applicable Compliance Method:

If required, compliance shall be demonstrated based upon visible particulate emission observations performed in accordance with the requirements specified in Method 9 of 40 CFR Part 60, Appendix A.

VI. Miscellaneous Requirements

1. The terms and conditions for this emissions unit supercede and replace the terms and conditions for emissions unit R003 in PTI 02-20752.

Issued: To be entered upon final issuance

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R003) - Modification to Portable Spray Coater

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None