



Environmental
Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

11/9/2011

SCOT ASVESTAS
UNIVAR USA INC.
21600 DRAKE RD.
Strongsville, OH 44149

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 1318557875
Permit Number: P0108051
Permit Type: Renewal
County: Cuyahoga

Certified Mail

| | |
|-----|------------------------------------|
| No | TOXIC REVIEW |
| No | PSD |
| No | SYNTHETIC MINOR TO AVOID MAJOR NSR |
| No | CEMS |
| No | MACT/GACT |
| No | NSPS |
| No | NESHAPS |
| No | NETTING |
| No | MAJOR NON-ATTAINMENT |
| No | MODELING SUBMITTED |
| Yes | SYNTHETIC MINOR TO AVOID TITLE V |
| Yes | FEDERALLY ENFORCABLE PTIO (FEPTIO) |
| No | SYNTHETIC MINOR TO AVOID MAJOR GHG |

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Cleveland Division of Air Quality at (216)664-2297 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: CDAQ



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
UNIVAR USA INC.**

| | |
|----------------|------------|
| Facility ID: | 1318557875 |
| Permit Number: | P0108051 |
| Permit Type: | Renewal |
| Issued: | 11/9/2011 |
| Effective: | 11/9/2011 |
| Expiration: | 11/9/2016 |



Division of Air Pollution Control
Permit-to-Install and Operate
for
UNIVAR USA INC.

Table of Contents

Authorization 1
A. Standard Terms and Conditions 5
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 6
2. Who is responsible for complying with this permit? 6
3. What records must I keep under this permit? 6
4. What are my permit fees and when do I pay them?..... 6
5. When does my PTIO expire, and when do I need to submit my renewal application? 6
6. What happens to this permit if my project is delayed or I do not install or modify my source? 7
7. What reports must I submit under this permit? 7
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 7
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 7
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 8
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 8
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 8
13. Can I transfer this permit to a new owner or operator? 9
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 9
15. What happens if a portion of this permit is determined to be invalid? 9
B. Facility-Wide Terms and Conditions..... 10
C. Emissions Unit Terms and Conditions 12
1. Emissions Unit Group -1. Transport Loading (Bulk): J001,J002,J003,..... 13
2. Emissions Unit Group -2. Drum Filling Station: P001,P002,P003,..... 19
3. Emissions Unit Group - 3. Mixing Tanks: P004,P005, 25

Authorization

Facility ID: 1318557875
Application Number(s): A0041779
Permit Number: P0108051
Permit Description: Renewal FEPTIO for a chemical storage, blending and distribution facility that purchases chemical products from various manufacturers for resale to industrial users. Facility receives bulk products via tank trucks or railcars that are stored in various service storage tanks, T001 to T014. Products purchased in bulk are typically stored, at EUs T001 to T014, blended at EUs P004 (TM1) and P005 (TM2) and/or repackaged direct to tank trucks, at EUsJ001 to J003, or drums/totes/IBCs, EUs P001 to P003, prior to distribution and sale. Synthetic Minor PTI 13-03591 was issued on 5/29/2001.

Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 11/9/2011
Effective Date: 11/9/2011
Expiration Date: 11/9/2016
Permit Evaluation Report (PER) Annual Date: Oct 1 - Sept 30, Due Nov 15

This document constitutes issuance to:

UNIVAR USA INC.
21600 DRAKE RD.
STRONGSVILLE, OH 44149

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Cleveland Division of Air Quality
2nd Floor
75 Erieview Plaza
Cleveland, OH 44114
(216)664-2297

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Scott J. Nally
Director



Authorization (continued)

Permit Number: P0108051

Permit Description: Renewal FEPTIO for a chemical storage, blending and distribution facility that purchases chemical products from various manufacturers for resale to industrial users. Facility receives bulk products via tank trucks or railcars that are stored in various service storage tanks, T001 to T014. Products purchased in bulk are typically stored, at EUs T001 to T014, blended at EUs P004 (TM1) and P005 (TM2) and/or repackaged direct to tank trucks, at EUs J001 to J003, or drums/totes/IBCs, EUs P001 to P003, prior to distribution and sale. Synthetic Minor PTI 13-03591 was issued on 5/29/2001.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Group Name: 1. Transport Loading Station

| | |
|-----------------------------------|---------------------------|
| Emissions Unit ID: | J001 |
| Company Equipment ID: | Transport Loading Station |
| Superseded Permit Number: | 13-03591 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | J002 |
| Company Equipment ID: | Transport Loading Station |
| Superseded Permit Number: | 13-03591 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | J003 |
| Company Equipment ID: | Transport Loading Station |
| Superseded Permit Number: | 13-03591 |
| General Permit Category and Type: | Not Applicable |

Group Name: 2. Drum Filling Station

| | |
|-----------------------------------|----------------------|
| Emissions Unit ID: | P001 |
| Company Equipment ID: | Drum filling station |
| Superseded Permit Number: | P0095985 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | P002 |
| Company Equipment ID: | Drum filling station |
| Superseded Permit Number: | P0095983 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | P003 |
| Company Equipment ID: | Drum filling station |
| Superseded Permit Number: | 13-03591 |
| General Permit Category and Type: | Not Applicable |

Group Name: 3. Mixing Tanks

| | |
|-----------------------------------|----------------|
| Emissions Unit ID: | P004 |
| Company Equipment ID: | Mixing tank |
| Superseded Permit Number: | 13-03591 |
| General Permit Category and Type: | Not Applicable |

| | |
|-----------------------------------|----------------|
| Emissions Unit ID: | P005 |
| Company Equipment ID: | Mixing tank |
| Superseded Permit Number: | 13-03591 |
| General Permit Category and Type: | Not Applicable |

Group Name: 4. Storage Tanks

| | |
|-----------------------------------|----------------|
| Emissions Unit ID: | T001 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095982 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T002 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095982 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T003 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095982 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T004 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095982 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T005 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095982 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T006 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T007 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T008 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T009 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T010 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T011 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T012 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |

| | |
|-----------------------------------|----------------|
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T013 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | T014 |
| Company Equipment ID: | Storage tank |
| Superseded Permit Number: | P0095984 |
| General Permit Category and Type: | Not Applicable |

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Cleveland Division of Air Quality in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹ Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. **This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).**
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.

C. Emissions Unit Terms and Conditions



1. Emissions Unit Group -1. Transport Loading (Bulk): J001,J002,J003,

Table with 2 columns: EU ID, Operations, Property and/or Equipment Description. Rows for J001, J002, and J003 describing tank truck loading racks.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b)(1)c., c)(2), d)(1), e)(2), f)(1)b., f)(1)c., f)(1)d.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Table with 2 columns: Applicable Rules/Requirements, Applicable Emissions Limitations/Control Measures. Row 'a' lists OAC rule 3745-31-05(A)(3) and PTI 13-03591 issued on 5/29/2001, with emissions limitations for organic compounds.



| | | |
|----|---|--|
| b. | OAC rule 3745-21-07(M) | See b)(2)b. below. |
| c. | OAC rule 3745-31-05(D)(1)(b) FEPTIO to avoid Title V | OC emissions shall not exceed 9.3 tons per rolling, 12-month period for each emissions unit. Facility-wide HAP emission limitations: 9.9 tons per rolling, 12-month period for any single hazardous air pollutant (HAP) and 24.9 tons per rolling 12-month period for total combined HAPs. |

(2) Additional Terms and Conditions

- a. The Best Available Technology (BAT) determination for this emissions unit is the use of submerged filling or bottom filling system for all tank trucks. The tank truck loading rack shall be equipped with submerged filling or bottom filling system.
- b. There are no applicable requirements for loading racks in OAC rule 3745-21-07(M).
- c. The emissions units at this facility that generate HAP emissions are the following: J001 – J003, P001 – P006, and T001 –T014.

c) Operational Restrictions

- (1) A means shall be provided to prevent drainage from the loading device when it is not in use or to accomplish complete drainage before the loading device is disconnected.
- (2) The emissions of OC from this emissions unit shall not exceed 9.3 tons per year, based upon a rolling, 12-month summation of the monthly emissions. The following equation shall be used to calculate monthly emissions:

AP-42, section 5.2, Table 5.2-1 (5/95);
 Loading losses = LL = (lbs/1000 gallons) = (12.46*S*P*M)/T
 lbs/month = (LL) * gallons/month

S= Saturation factor (0.6 for submerged filling dedicated normal service tank, and 0.5 for submerged filling clean tank);
 P= Vapor pressure of material loaded at T, in pounds per square inch absolute;
 M= Molecular weight of material loaded;
 T= Temperature of material loaded, degrees Rankine;

Apply the above equation to each OC product and then sum total the emissions to obtain total lbs/month of OC emissions. Then sum total the total lbs OC emissions/month to obtain a rolling, 12-month summation, each new month constitutes a new 12-month summation, divide by 2000 lbs.

Compliance with the annual emission limitation for OC shall be based upon a rolling, 12-month summation of the monthly emissions.

d) **Monitoring and/or Recordkeeping Requirements**

- (1) The permittee shall collect and maintain the following information, on a monthly basis, while each emissions unit (J001 to J003) is in operation:
 - a. the name and identification of each product;
 - b. identify each product that is a HAP;
 - c. the volume throughput of each product, in gallons;
 - d. the molecular weight of each product;
 - e. the vapor pressure of each product in pounds per square inch absolute;
 - f. the total OC emission rate for all products, in pounds per month calculated according to c)(2) above;
 - g. the total OC emission rate for all products, in tons per rolling, 12-months;
 - h. the number of days of operation during each month;
 - i. the average daily OC emission rate, in lbs/day, determined by dividing d)(1)f. by d)(1)h.;
 - j. the total HAPs emission rate for each single HAP, in tons per rolling, 12-months period using the formula in f)(1)c.; and
 - k. the total HAPs emission rate for total combined HAPs, in tons per rolling, 12-months period in accordance with f)(1)d..

e) **Reporting Requirements**

- (1) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (2) The permittee shall submit quarterly deviation (excursion) reports that identify:
 - a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
 - i. identification of each rolling, 12-month period during which any single HAP emissions from the list of emissions units identified in b)((2)e.



exceeded 9.9 tons, and the actual single HAP emissions for each such rolling, 12-month period;

- ii. identification of each rolling, 12-month period during which the combined HAP emissions from the list of emissions units identified in b((2)e. exceeded 24.9 tons, and the actual combined HAP emissions for each such rolling 12-month period; and
iii. identify all exceedances of the rolling, 12-month emission limitation for OC.
b. the probable cause of each deviation (excursion);
c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the Cleveland Division of Air Quality.

- (3) Unless other arrangements have been approved by the Director, all notifications and reports shall be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

234 pounds OC per day (as a monthly average)

Compliance Method:

Compliance shall be determined based on the record keeping requirements as specified in d)(1) and the following equation:

AP-42, section 5.2 (5/95), Table 5.2-1:

Loading losses = LL = (lbs/1000 gallons) = (12.46 * S * P * M) / T
lbs/day = (LL) * (gallons/month)/No. of days of operation

S= Saturation factor (0.6 for submerged filling dedicated normal service tank, and 0.5 for submerged filling clean tank);
P= Vapor pressure of material loaded at T, in pounds per square inch absolute;
M= Molecular weight of material loaded;
T= Temperature of material loaded, degrees Rankine.

b. Emission Limitation:

9.3 tons OC per rolling, 12-month period (for each emissions unit)

Compliance Method:

Compliance shall be determined based on a rolling, 12-month summation of OC emissions as determined from the record keeping in d)(1) above.

Sum total the monthly OC emissions (total lbs OC emissions/month) from emissions units J001 – J003 to obtain a rolling, 12-month summation for OC, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs.

c. Emission Limitation:

9.9 tons per rolling, 12-month period for any single HAP facility-wide for the list of emissions units in b)(2)c.

Applicable Compliance Method:

Compliance shall be based on the record keeping requirements for each HAP product as specified in d)(1) of these terms and conditions and the following equation for emissions units J001 - J003:

AP-42, section 5.2;

$$\text{Loading losses} = LL = (\text{lbs}/1000 \text{ gallons}) = 12.46 \frac{\text{SPM}}{T};$$

S= Saturation factor (0.6 for submerged filling dedicated normal service tank, (0.5 for submerged filling clean tank, Table 5.2-1);
P= Vapor pressure of material loaded at T, in pounds per square inch absolute;
M= Molecular weight of material loaded;
T= Temperature of material loaded, degrees Rankine;

$$\text{lbs/month} = (LL) * \text{gallons/month}$$

Apply the above equation to each single HAP from each emissions unit (J001 – J003).

Sum total the monthly emissions for each single HAP (total lbs HAP emissions/month) from emissions units J001 – J003 to obtain a rolling, 12-month summation for each HAP, after the first twelve (12) months, each new month

constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs. Repeat for each single HAP.

To determine the total facility-wide HAP emissions, sum the HAP emissions for all of the emissions units listed in b)(2)c.

d. Emission Limitation:

24.9 tons per rolling, 12-month period for total combined HAPs facility-wide for the list of emissions units in b)(2)c..

Applicable Compliance Method:

Compliance shall be based on a rolling, 12-month summation of all HAPs emissions calculated as follows:

Sum total individual HAPs emissions as calculated from f)(1)c. to obtain total tons HAPs emissions/month, sum total of the total monthly emissions (total tons HAPs emissions/month) to obtain a rolling, 12-month summation, after the first twelve (12), each new month constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs.

To determine the total facility-wide HAP emissions, sum the HAP emissions for all of the emissions units listed in b)(2)c..

g) **Miscellaneous Requirements**

(1) None.



2. Emissions Unit Group -2. Drum Filling Station: P001,P002,P003,

Table with 2 columns: EU ID and Operations, Property and/or Equipment Description. Rows include P001, P002, and P003 with their respective descriptions.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b)(1)c., d)(1), e)(2), f)(1)a., f)(1)b., f)(1)c.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Table with 2 columns: Applicable Rules/Requirements and Applicable Emissions Limitations/Control Measures. Row a includes OAC rule 3745-31-05(A)(3) and PTI 13-03591. Row b includes OAC rule 3745-21-07(M).

| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|--|---|
| c. | OAC rule 3745-31-05(D)(1)(b) FEPTIO to avoid Title V | Combined OC emissions (for P001-P003 and P006) shall not exceed 9.2 tons per rolling, 12-month period. Facility-wide HAP emission limitations: 9.9 tons per rolling, 12-month period for any single hazardous air pollutant (HAP) and 24.9 tons per rolling 12-month period for total combined HAPs. |

(2) Additional Terms and Conditions

- a. The Best Available Technology determination for each emissions unit is the use of submerged filling or bottom filling system for all containers and tote containers with a capacity greater than 55 gallons.
- b. The requirements of OAC rule 3745-21-07(M) do not apply to these emission units.
- c. The emissions units at this facility that generate HAP emissions are the following: J001 – J003, P001 – P006, and T001 –T014.

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and maintain the following information, on a monthly basis, while each emissions unit (P001 – P003) is in operation:
 - a. the name and identification of each product;
 - b. identify each product that is a HAP;
 - c. the volume throughput of each product in gallons;
 - d. the density of each product, in pounds per gallon;
 - e. the molecular weight of each product;
 - f. the vapor pressure of each OC product in pounds per square inch absolute;
 - g. the total OC emission rate for all products, in pounds per month, as determined in f)(1)c. below;

- h. the total OC emission rate for all products, in tons per rolling, 12-months as determined in f)(1)c. below;
- i. the total HAPs emission rate for each single HAP, in tons per rolling, 12-months period as determined in f)(1)d. below; and
- j. the total HAPs emission rate for total combined HAPs, in tons per rolling, 12-months period as determined in f)(1)e. below.

e) Reporting Requirements

- (1) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (2) The permittee shall submit quarterly deviation (excursion) reports that identify:
 - a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
 - i. identification of each rolling, 12-month period during which any single HAP emissions from the list of emissions units in b)(2)d. exceeded 9.9 tons, and the actual single HAP emissions for each such rolling, 12-month period;
 - ii. identification of each rolling, 12-month period during which the combined HAP emissions from the list of emissions units in b)(2)d. exceeded 24.9 tons, and the actual combined HAP emissions for each such rolling 12-month period; and
 - iii. identify all exceedances of the rolling, 12-month emission limitation for OC.
 - b. the probable cause of each deviation (excursion);
 - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September),

unless an alternative schedule has been established and approved by the Cleveland Division of Air Quality.

- (3) Unless other arrangements have been approved by the Director, all notifications and reports shall be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

9.2 tons OC per rolling, 12-month period (combined total for P001-P003 and P006)

Compliance Method:

Compliance shall be determined based on a rolling, 12-month summation of OC emissions based on the record keeping in d)(1) above and calculated as follows:

AP-42, section 5.2 (5/95), Table 5.2-1:

$$L_L = (\text{lbs}/1000 \text{ gallons}) = 12.46 \frac{\text{SPM}}{T}$$

$$\text{lbs/month} = (LL) * (\text{gallons/month})$$

where:

L_L = loading loss, pounds per 1000 gallons (lb/1000 gal) of liquid loaded;

S = a saturation factor (see Table 5.2-1);

P = true vapor pressure of liquid loaded, pounds per square inch absolute (psia);

M = molecular weight of vapors, pounds per pound-mole (lb/lb-mole)

T = temperature of bulk liquid loaded, °R (°F + 460)

Sum the total lbs OC emissions/month to obtain a rolling, 12-month summation, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling 12-month summation by 2000 lbs. Sum the OC emissions from P001-P003 with the OC emissions from P006 to determine the total combined emissions.

b. Emission Limitation:

9.9 tons per rolling, 12-month period for any single HAP facility-wide for the list of emissions units in b)(2)c.

Applicable Compliance Method:

Compliance shall be based on the record keeping requirements for each HAP product as specified in d)(1) of these terms and conditions and the following equation for P001-P003:

AP-42, section 5.2;

$$\text{Loading losses} = LL = (\text{lbs}/1000 \text{ gallons}) = 12.46 \frac{\text{SPM}}{T};$$

S= Saturation factor (0.6 for submerged filling dedicated normal service tank,
(0.5 for submerged filling clean tank, Table 5.2-1);

P= Vapor pressure of material loaded at T, in pounds per square inch absolute;

M= Molecular weight of material loaded;

T= Temperature of material loaded, degrees Rankine;

$$\text{lbs/month} = (LL) * \text{gallons/month}$$

Apply the above equation to each single HAP from each emissions unit (P001-P003).

Sum total the monthly emissions for each single HAP (total lbs HAP emissions/month) from emissions units P001-P003 to obtain a rolling, 12-month summation for each HAP, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs. Repeat for each single HAP.

To determine the total facility-wide HAP emissions, sum the HAP emissions for all of the emissions units listed in b)(2)c..

c. Emission Limitation:

24.9 tons per rolling, 12-month period for total combined HAPs for the list of emissions units in b)(2)c.

Applicable Compliance Method:

Compliance shall be based on a rolling, 12-month summation of all HAPs emissions as calculated as follows:

Sum total individual HAPs emissions as calculated from f)(1)b. to obtain total lbs HAPs emissions/month, sum total of the total monthly emissions (total lbs HAPs emissions/month) to obtain a rolling, 12-month summation, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs.

To determine the total facility-wide HAP emissions, sum the HAP emissions for all of the emissions units listed in b)(2)c..

g) Miscellaneous Requirements

1. The combined annual emission 9.2 TPY OC in b)(1) includes the emissions from P006 which was not permitted previously and the initial PTIO is to be processed in a separate permit action for emissions unit P006.



3. Emissions Unit Group - 3. Mixing Tanks: P004,P005,

Table with 2 columns: EU ID, Operations, Property and/or Equipment Description. Rows for P004 and P005.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b)(1)c., c)(1), d)(1), e)(2), f)(1)a., f)(1)b., f)(1)c.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Table with 2 columns: Applicable Rules/Requirements, Applicable Emissions Limitations/Control Measures. Rows for a and b.



| | Applicable Rules/Requirements PTI 13-03591 issued on 5/29/2001 | Applicable Emissions Limitations/Control Measures |
|----|---|---|
| c. | OAC rule 3745-31-05(D)(1)(b) | <p>Combined OC emissions (for P004 - P005) shall not exceed 2.0 tons per rolling, 12-month period.</p> <p>Facility-wide HAP emission limitations: 9.9 tons per rolling, 12-month period for any single hazardous air pollutant (HAP) and 24.9 tons per rolling 12-month period for total combined HAPs.</p> |

(2) Additional Terms and Conditions

- a. The Best Available Technology determination for this emissions unit is the use of submerged filling or bottom filling system for all containers and tote containers with a capacity greater than 55 gallons.
- b. There are no applicable requirements for these emissions units in OAC rule 3745-21-07(M).
- c. The list of emissions units at this facility that generate HAP emissions are the following: J001 – J003, P001 – P006, and T001 – T014.

c) Operational Restrictions

- (1) The emissions of OC from emissions units P004 – P005 combined shall not exceed 2.0 tons per year, based upon a rolling, 12-month summation of the monthly emissions. The following equation shall be used to calculate monthly emissions:

AP-42, section 5.2 (5/95),
 Loading losses = LL = (lbs/1000 gallons) = (12.46 * S * P * M)/T
 USEPA TANKS (worst case), Emission factors = EF = (lbs/1000 gallons)
 Equation = lbs/day = (LL + EF)*gallons/day

Apply the above equation to each OC product and then sum total the emissions to obtain total lbs/day of OC emissions. Sum total daily OC emissions to obtain total lbs OC emissions/month, then sum total the total lbs OC emissions/month to obtain a rolling 12-month summation, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling 12-month summation by 2000 lbs.

S= Saturation factor (0.6 for submerged filling dedicated normal service tank, and 0.5 for submerged filling clean tank, Table 5.2-1)

P= Vapor pressure of material loaded at T, in pounds per square inch absolute

M= Molecular weight of material loaded

T= Temperature of material loaded, degrees Rankine

EF= Emission factors (PPG Chemfill D-PS 3341 LT = 0.18 lbs/1000 gallons, PPG Chemfill Polypurge OH = 0.35 lbs/1000 gallons and others)

Compliance with the annual emission limitation for OC shall be based upon a rolling, 12-month summation of the monthly emissions.

d) **Monitoring and/or Recordkeeping Requirements**

- (1) The permittee shall collect and maintain the following information, on a monthly basis, while each emissions unit (P004 – P005) is in operation:
 - a. the name and identification of each product;
 - b. identify each product that is a HAP;
 - c. the volume throughput of each product in gallons;
 - d. the density of each product, in pounds per gallon;
 - e. the molecular weight of each product;
 - f. the vapor pressure of each OC product in pounds per square inch absolute;
 - g. the total OC emission rate for all products, in pounds per month determined in accordance with c)(1) above;
 - h. the total OC emission rate for all products, in tons per rolling, 12-months as determined in f)(1)a. below;
 - i. the total HAPs emission rate for each single HAP, in tons per rolling, 12-months period determined in accordance with f)(1)b.; and
 - j. the total HAPs emission rate for total combined HAPs, in tons per rolling, 12-months period determined in accordance with f)(1)c. below.

e) **Reporting Requirements**

- (1) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (2) The permittee shall submit quarterly deviation (excursion) reports that identify:
 - a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:

- i. identification of each rolling, 12-month period during which any single HAP emissions from the list of emissions units in b)(2)d. exceeded 9.9 tons, and the actual single HAP emissions for each such rolling, 12-month period;
 - ii. identification of each rolling, 12-month period during which the combined HAP emissions from the list of emissions units in b)(2)d. exceeded 24.9 tons, and the actual combined HAP emissions for each such rolling 12-month period; and
 - iii. identify all exceedances of the rolling, 12-month emission limitation for OC.
- b. the probable cause of each deviation (excursion);
 - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the Cleveland Division of Air Quality.

- (3) Unless other arrangements have been approved by the Director, all notifications and reports shall be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation:

Combined OC emissions (for P004-P005) shall not exceed 2.0 tons per rolling, 12-month period

- Compliance Method:

Compliance shall be based on a rolling 12-month summation of OC emissions as calculated as follows:

sum total monthly OC emissions as calculated from AP-42, section 5.2 (5/95),

$$\text{Loading losses} = LL = (\text{lbs}/1000 \text{ gallons}) = (12.46 * S * P * M) / T$$

$$\text{USEPA TANKS (worst case), Emission factors} = EF = (\text{lbs}/1000 \text{ gallons})$$

$$\text{lbs/month} = (LL + EF) * \text{gallons/month}$$

S= Saturation factor (0.6 for submerged filling dedicated normal service tank, and 0.5 for submerged filling clean tank, Table 5.2-1)
P= Vapor pressure of material loaded at T, in pounds per square inch absolute
M= Molecular weight of material loaded
T= Temperature of material loaded, degrees Rankine
EF= Emission factors (PPG Chemfill D-PS 3341 LT = 0.18 lbs/1000 gallons, PPG Chemfill Polypurge OH = 0.35 lbs/1000 gallons and others)

Apply the above equation to each OC product and then sum total the emissions to obtain total lbs/month of OC emissions. Then sum total the lbs OC emissions/month to obtain a rolling 12-month summation, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling 12-month summation by 2000 lbs.

b. Emission Limitation:

9.9 tons per rolling, 12-month period for any single HAP facility-wide for the list of emissions units in b)(2)c.

Applicable Compliance Method:

Compliance shall be based on the record keeping requirements for each HAP product as specified in d)(1) of these terms and conditions and the following equation for P004 - P005:

AP-42, section 5.2;

$$\text{Loading losses} = LL = (\text{lbs}/1000 \text{ gallons}) = 12.46 \frac{\text{SPM}}{T};$$

$$\text{USEPA TANKS (worst case), Emission factors} = EF = (\text{lbs}/1000 \text{ gallons})$$

S = Saturation factor (0.6 for submerged filling dedicated normal service tank, (0.5 for submerged filling clean tank, Table 5.2-1);
P = Vapor pressure of material loaded at T, in pounds per square inch absolute;
M = Molecular weight of material loaded;
T = Temperature of material loaded, degrees Rankine;
EF = Emission factors (PPG Chemfill D-PS 3341 LT = 0.18 lbs/1000 gallons, PPG Chemfill Polypurge OH = 0.35 lbs/1000 gallons and others)

$$\text{lbs/month} = (LL + EF) * \text{gallons/month}$$

Apply the above equation to each single HAP from each emissions unit.

Sum total the monthly emissions for each single HAP (total lbs HAP emissions/month) from emissions units P004-P005 to obtain a rolling, 12-month summation for each HAP, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs. Repeat for each single HAP.

To determine the total facility-wide HAP emissions, sum the HAP emissions for all of the emissions units listed in b)(2)c.

c. Emission Limitation:

24.9 tons per rolling, 12-month period for total combined HAPs facility-wide for the list of emissions units in b)(2)c..

Applicable Compliance Method:

Compliance shall be based on a rolling 12-month summation of all HAPs emissions as calculated as follows:

Sum total individual HAPs emissions as calculated from f)(1)d. to obtain total lbs HAPs emissions/month, sum total the monthly emissions (total lbs HAPs emissions/month) to obtain a rolling, 12-month summation, after the first twelve (12) months, each new month constitutes a new 12-month summation, divide the rolling, 12-month summation by 2000 lbs.

To determine the total facility-wide HAP emissions, sum the HAP emissions for all of the emissions units listed in b)(2)c..

g) **Miscellaneous Requirements**

- (1) The permittee shall develop additional emission factor(s) for product(s) being employed in emissions unit (P004), provided the new emission factor(s) are mutually agree upon from the Director/the Cleveland Division of Air Quality and Univar USA, Inc..