



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
MAHONING COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov.
Center

Application No: 02-13601

DATE: 9/12/2002

Baird Brothers Sawmill Inc
Tim Baird
7060 Croy Rd
Canfield, OH 44406

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

NEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 9/12/2002
Effective Date: 9/12/2002**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 02-13601

Application Number: 02-13601
APS Premise Number: 0250000989
Permit Fee: **\$200**
Name of Facility: Baird Brothers Sawmill Inc
Person to Contact: Tim Baird
Address: 7060 Crory Rd
Canfield, OH 44406

Location of proposed air contaminant source(s) [emissions unit(s)]:
**7060 Crory Rd
Ellsworth Twp, Ohio**

Description of proposed emissions unit(s):
Administrative modification to PTI 02-13601 to allow for changes in the paints used.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.10 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition

declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are

required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete

within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	71.04
PE	37.40

11

Baird Brothers Sawmill Inc

PTI Application: **02-13601**

Modification Issued: 9/12/2002

Facility ID: **0250000989**

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Wood working area #1 and saw dust silo with two baghouses	OAC rule 3745-31-05 (A)(3)	PE: 0.01 grain per dry standard cubic feet of exhaust gases, 6.15 pounds per hour and 26.89 tons per year.
	OAC rule 3745-17-07 (A)	Visible PE shall not exceed twenty-percent opacity as a six minute average, except as provided by the rule.
	OAC rule 3745-17-07 (B)	Visible fugitive PE shall not exceed twenty-percent, as a three-minute average.
	OAC rule 3745-17-08	Less stringent than limit from OAC rule 3745-31-05.

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

- 1. The pressure drop across each baghouse shall be maintained within the range of 2 to 4 inches of water while the emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall operate and maintain equipment to monitor the pressure drop across each baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouses on a daily basis.

Modification Issued: 9/12/2002

2. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible emissions from the stack(s) and fugitive egress point(s) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emissions incident; and
 - e. any corrective action(s) taken to eliminate the visible emissions.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouses did not comply with the allowable range specified above.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack or fugitive egress point(s) serving this emissions unit and (b) describe any corrective action(s) taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous six-month period.

V. Testing Requirements

1. Emissions Limitation:
PE: 0.01 grain per dry standard cubic foot of exhaust gases and 6.15 pounds per hour

Applicable Compliance Method:

If required by the Ohio EPA, compliance with the particulate emission rate shall be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures outlined in OAC rule 3745-17-03.

2. Emissions Limitation:
PE: 26.89 tons per year

15

Baird I

PTI A₁

Modification Issued: 9/12/2002

Emissions Unit ID: F001

Applicable Compliance Method:

This limit is based on the allowable hourly emissions rate (6.15 lbs/hr) multiplied by the maximum possible operating hours (8760 hr/yr), and divided by 2000 lb/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

3. Emissions Limitation:
Twenty-percent opacity, as a six-minute average except as provided by the rule.

Applicable Compliance Method:

Compliance with the allowable visible emissions limitations shall be determined in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures outlined in OAC rule 3745-17-03.

4. Emissions Limitation:
Twenty-percent opacity, as a three-minute average.

Applicable Compliance Method:

Compliance with the visible emission limitation for the fugitive particulate emissions shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(3) and (B)(3)(b) of OAC rule 3745-17-03.

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Wood working area #1 and saw dust silo with two baghouses	OAC rule 3745-31-05	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

18

Baird I

PTI A₁

Modification Issued: 9/12/2002

Emissions Unit ID: F001

Modification Issued: 9/12/2002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Wood working area #2 with baghouse	OAC rule 3745-31-05 (A)(3)	PE: 0.01 grain per dry standard cubic feet of exhaust gases, 2.40 pounds per hour and 10.51 tons per year.
	OAC rule 3745-17-07 (A)	Visible PE shall not exceed twenty-percent opacity as a six minute average, except as provided by the rule.
	OAC rule 3745-17-07 (B)	Visible fugitive PE shall not exceed twenty-percent, as a three-minute average.
	OAC rule 3745-17-08	Less stringent than limit from OAC rule 3745-31-05.

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 2 to 4 inches of water while the emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

Modification Issued: 9/12/2002

1. The permittee shall operate and maintain equipment to monitor pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.
2. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible emissions from the stack(s) and fugitive egress point(s) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emissions incident; and
 - e. any corrective action(s) taken to eliminate the visible emissions.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack or fugitive egress point(s) serving this emissions unit and (b) describe any corrective action(s) taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous six-month period.

V. Testing Requirements

1. Emissions Limitation:
PE: 0.01 grain per dry standard cubic foot of exhaust gases and 2.40pounds per hour

Applicable Compliance Method:

If required by the Ohio EPA, compliance with the particulate emission rate shall be determined in

Emissions Unit ID: F002

accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures outlined in OAC rule 3745-17-03.

2. Emissions Limitation:
PE: 10.51 tons per year

Applicable Compliance Method:

This limit is based on the allowable hourly emissions rate (6.15 lbs/hr) multiplied by the maximum possible operating hours (8760 hr/yr), and divided by 2000 lb/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

Modification Issued: 9/12/2002

- 3. Emissions Limitation:
Twenty-percent opacity, as a six-minute average except as provided by the rule.

Applicable Compliance Method:

Compliance with the allowable visible emissions limitations shall be determined in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures outlined in OAC rule 3745-17-03.

- 4. Emissions Limitation:
Twenty-percent opacity, as a three-minute average.

Applicable Compliance Method:

Compliance with the visible emission limitation for the fugitive particulate emissions shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(3) and (B)(3)(b) of OAC rule 3745-17-03.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Wood working area #2 with baghouse	OAC rule 3745-31-05	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
UV spray booth #1 -Modified	OAC rule 3745-31-05 (A)(3)	OC: 14.64 pounds per hour and 14.26 tons per year
	OAC rule 3745-21-07 (G)(2)	The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07 (G)(2). See A.2.a.

2. **Additional Terms and Conditions**

- 2.a This emissions unit shall not employ any photochemically reactive materials, as defined in OAC rule 3745-21-01 (C)(5), as coatings or clean up materials.

II. Operational Restrictions

The permittee shall use dry filters whenever this emissions unit is in operation for the control of the overspray.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records that document any time period(s) when the dry filters were not in service when the emissions unit was in operation.

2. The permittee shall maintain monthly records of the following information:
 - a. The name and identification number of each coating and clean up material employed;
 - b. The amount of each coating and clean up material used, in gallons per month;
 - c. The OC content of each coating and clean up material, in pounds of OC per gallon;
 - d. The water content, in percent by volume of each coating;
 - e. The solids content, in percent by volume of each coating;
 - f. The total OC's , in pounds per month;
 - g. The total number of hours of operation per month for the emissions unit; and
 - h. The pounds of OC emitted per hour, calculated by dividing the monthly emissions by the hours of operation for the emissions unit (i.e., g/f).
3. The permittee shall maintain daily records that document any time periods when any coating or clean up material employed is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports in accordance with paragraph 3.b of the General Terms and Conditions of this permit.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record that documents any time period(s) when the dry filters were not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the occurrence.
3. The permittee shall submit deviation (excursion) reports which include the following information identifying each day a photochemically reactive material was employed.
4. The permittee shall submit annual reports which summarize the following information:
 - a. Total emissions of OC from this emissions unit and
 - b. Total coating usage of this emissions unit, in gallons per year.

V. Testing Requirements

1. Emission Limitation:

Modification Issued: 9/12/2002

OC: 14.64 pounds per hour

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III. 2. The OC content of each coating and cleanup material used shall be based upon formulation data or U.S. EPA Method 24.

2. Emission Limitation:

OC: 14.26 tons per year

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III. 2.

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R001 - UV spray booth # 1 - Modified	OAC rule 3745-31-05	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit R001 was evaluated based on the actual materials(typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the Screen 3.0 model (or other Ohio EPA approved model).). The predicted 1-hour ground-level concentration from the use of the Screen 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Ethanol

TLV (mg/m3): 1884

Maximum Hourly Emission Rate (lbs/hr): 1.60

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 2101

MAGLC (ug/m3): 44,900

Pollutant: isopropyl acetate

TLV (mg/m3): 1044

Maximum Hourly Emission Rate (lbs/hr): 0.83

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 2101

MAGLC (ug/m3): 24,900

Pollutant: n-butyl acetate

TLV (mg/m3): 712.6

Maximum Hourly Emission Rate (lbs/hr): 3.66

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 2101

MAGLC (ug/m3): 17,000

Pollutant: isobutyl acetate

TLV (mg/m3): 712.6

Maximum Hourly Emission Rate (lbs/hr): 2.39

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 2101

MAGLC (ug/m3): 17,000

Pollutant: toluene

TLV (mg/m³): 188.4

Maximum Hourly Emission Rate (lbs/hr): 0.39

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 4500

Pollutant: xylene

TLV (mg/m³): 434.2

Maximum Hourly Emission Rate (lbs/hr): 0.23

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 10,300

Pollutant: methyl ethyl ketone(MEK)

TLV (mg/m³): 589.8

Maximum Hourly Emission Rate (lbs/hr): 0.06

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 14,000

Pollutant: 2-butoxyethanol

TLV (mg/m³): 96.7

Maximum Hourly Emission Rate (lbs/hr): 0.05

Modification Issued: 9/12/2002

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 2300

Pollutant: methanol

TLV (mg/m³): 262.1

Maximum Hourly Emission Rate (lbs/hr): 0.16

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 6200

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. consequently, prior to making any change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coating or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled " American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increase/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01

Modification Issued: 9/12/2002

(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Moulding spray booth #1 - Modified	OAC rule 3745-31-05 (A)(3) OAC rule 3745-21-07 (G)(2)	OC: 11.52 pounds per hour and 30.82 tons per year The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07 (G)(2). See A.2.a.

2. Additional Terms and Conditions

- 2.a This emissions unit shall not employ any photochemically reactive materials, as defined in OAC rule 3745-21-01 (C)(5), as coatings or clean up materials.

II. Operational Restrictions

The permittee shall use dry filters whenever this emissions unit is in operation for the control of the overspray.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records that document any time period(s) when the dry filters were not in service when the emissions unit was in operation.
2. The permittee shall maintain monthly records of the following information:

Modification Issued: 9/12/2002

- a. The name and identification number of each coating employed;
 - b. The amount of each coating used, in gallons per month; and
 - c. The OC content of each coating and clean up material, in pounds of OC per gallon;
 - d. The water content, in percent by volume of each coating;
 - e. The solids content, in percent by volume of each coating;
 - f. The total OC's , in pounds per month;
 - g. The total number of hours of operation per month for the emissions unit; and
 - h. The pounds of OC emitted per hour, calculated by dividing the monthly emissions by the hours of operation for the emissions unit (i.e., g/f).
3. The permittee shall maintain daily records that document any time periods when any coating or clean up material employed is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports in accordance with paragraph 3.b of the General Terms and Conditions of this permit.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record that documents any time period(s) when the dry filters were not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the occurrence.
3. The permittee shall submit deviation (excursion) reports which include the following information identifying each day a photochemically reactive material was employed.
4. The permittee shall submit annual reports which summarize the following information:
 - a. Total emissions of OC from this emissions unit and
 - b. Total coating usage of this emissions unit, in gallons per year.

Baird Brothers Sawmill Inc
PTI Application: 02-12601
Modif

Facility ID: 0250000989

Emissions Unit ID: R002

V. Testing Requirements

1. Emission Limitation:
OC: 11.52 pounds per hour

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III.2. The OC content of each coating and cleanup material used shall be based upon formulation data or U.S. EPA Method 24.

Baird Brothers Sawmill Inc
PTI Application: 02-12601
Modif

Facility ID: 0250000989

Emissions Unit ID: R002

2. Emission Limitation:
OC: 30.82 tons per year

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III.2.

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R002 - Moulding spray booth # 1 - Modified	OAC rule 3745-31-05	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit R002 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the Screen 3.0 model (or other Ohio EPA approved model). The predicted 1-hour ground-level concentration from the use of the Screen 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Ethanol

TLV (mg/m³): 1884

Maximum Hourly Emission Rate (lbs/hr): 3.50

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 44,900

Pollutant: isopropyl acetate

TLV (mg/m³): 1044

Maximum Hourly Emission Rate (lbs/hr): 1.81

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 24,900

Pollutant: n-butyl acetate

TLV (mg/m³): 712.6

Maximum Hourly Emission Rate (lbs/hr): 0.21

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 17,000

Pollutant: isobutyl acetate

TLV (mg/m³): 712.6

Maximum Hourly Emission Rate (lbs/hr): 5.22

Predicted 1-Hour Maximum Ground-Level

Concentration (ug/m³): 2101

MAGLC (ug/m³): 17,000

Pollutant: toluene

TLV (mg/m³): 188.4

Maximum Hourly Emission Rate (lbs/hr): 0.85

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 4500

Pollutant: xylene

TLV (mg/m³): 434.2

Maximum Hourly Emission Rate (lbs/hr): 1.06

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 10,300

Pollutant: methyl ethyl ketone(MEK)

TLV (mg/m³): 589.8

Maximum Hourly Emission Rate (lbs/hr): 0.13

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 14,000

Pollutant: 2-butoxyethanol

TLV (mg/m³): 96.7

Maximum Hourly Emission Rate (lbs/hr): 0.12

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 2300

Pollutant: methanol

TLV (mg/m³): 262.1

Maximum Hourly Emission Rate (lbs/hr): 0.35

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 6200

Pollutant: methyl isoamyl ketone

TLV (mg/m³): 233.54

Maximum Hourly Emission Rate (lbs/hr): 0.47

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 2101

MAGLC (ug/m³): 5560.42

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. consequently, prior to making any change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that

Modification Issued: 9/12/2002

the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coating or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled " American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increase/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 (VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

IV. Reporting Requirements

Baird Brothers Sawmill Inc
PTI Application: 02-13601
Modif

Facility ID: 0250000989

Emissions Unit ID: R002

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R003 - Door line spray booth # 1 - Modified	OAC rule 3745-31-05 (A)(3)	OC: 16.42 pounds per hour and 23.71 tons per year
	OAC rule 3745-21-07 (G)(2)	The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07 (G)(2). See A.2.a.

2. Additional Terms and Conditions

- 2.a This emissions unit shall not employ any photochemically reactive materials, as defined in OAC rule 3745-21-01 (C)(5), as coatings or clean up materials.

II. Operational Restrictions

The permittee shall use dry filters whenever this emissions unit is in operation for the control of the overspray.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records that document any time period(s) when the dry filters were not in service when the emissions unit was in operation.
2. The permittee shall maintain monthly records of the following information:

Modification Issued: 9/12/2002

- a. The name and identification number of each coating employed;
 - b. The amount of each coating used, in gallons per month; and
 - c. The OC content of each coating and clean up material, in pounds of OC per gallon;
 - d. The water content, in percent by volume of each coating;
 - e. The solids content, in percent by volume of each coating;
 - f. The total OC's , in pounds per month;
 - g. The total number of hours of operation per month for the emissions unit; and
 - h. The pounds of OC emitted per hour, calculated by dividing the monthly emissions by the hours of operation for the emissions unit (i.e., g/f).
3. The permittee shall maintain daily records that document any time periods when any coating or clean up material employed is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports in accordance with paragraph 3.b of the General Terms and Conditions of this permit.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record that documents any time period(s) when the dry filters were not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the occurrence.
3. The permittee shall submit deviation (excursion) reports which include the following information identifying each day a photochemically reactive material was employed.
4. The permittee shall submit annual reports which summarize the following information:
 - a. Total emissions of OC from this emissions unit and
 - b. Total coating usage of this emissions unit, in gallons per year.

Baird Brothers Sawmill Inc
PTI Application: 02-13601
Modif

Facility ID: 0250000989

Emissions Unit ID: R003

V. Testing Requirements

1. Emission Limitation:
OC: 16.42 pounds per hour

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III. 2. The OC content of each coating and cleanup material used shall be based upon formulation data or U.S. EPA Method 24.

46

Baird I

PTI A₁

Modification Issued: 9/12/2002

Emissions Unit ID: R003

2. Emission Limitation:
OC: 23.71 tons per year

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III. 2.

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Door line spray booth #1 - Modified	OAC rule 3745-31-05	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit R003 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the Screen 3.0 model (or other Ohio EPA approved model). The predicted 1-hour ground-level concentration from the use of the Screen 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Ethanol

TLV (mg/m³): 1884

Maximum Hourly Emission Rate (lbs/hr): 2.60

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 380.5

MAGLC (ug/m³): 44,900

Pollutant: isopropyl acetate

TLV (mg/m³): 1044

Maximum Hourly Emission Rate (lbs/hr): 1.40

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 380.5

MAGLC (ug/m³): 24,900

Pollutant: n-butyl acetate

TLV (mg/m³): 712.6

Maximum Hourly Emission Rate (lbs/hr): 4.1

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 380.5

MAGLC (ug/m³): 17,000

Pollutant: isobutyl acetate

TLV (mg/m³): 712.6

Maximum Hourly Emission Rate (lbs/hr): 3.88

Predicted 1-Hour Maximum Ground-Level

Baird Brothers Sawmill Inc
PTI Application: 02-12601
Modif

Facility ID: 0250000989

Emissions Unit ID: R003

Concentration (ug/m3): 380.5

MAGLC (ug/m3): 17,000

Pollutant: toluene

TLV (mg/m3): 188.4

Maximum Hourly Emission Rate (lbs/hr): 1.15

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 380.5

MAGLC (ug/m3): 4500

Pollutant: xylene

TLV (mg/m3): 434.2

Maximum Hourly Emission Rate (lbs/hr): 1.48

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 380.5

MAGLC (ug/m3): 10,300

Pollutant: methyl ethyl ketone(MEK)

TLV (mg/m3): 589.8

Maximum Hourly Emission Rate (lbs/hr): 0.09

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 380.5

MAGLC (ug/m3): 14,000

Pollutant: 2-butoxyethanol

TLV (mg/m3): 96.7

Maximum Hourly Emission Rate (lbs/hr): 0.09

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 380.5

MAGLC (ug/m3): 2300

Pollutant: methanol

TLV (mg/m3): 262.1

Maximum Hourly Emission Rate (lbs/hr): 0.26

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 380.5

MAGLC (ug/m3): 6200

Pollutant: acetone

TLV (mg/m3): 1187.12

Maximum Hourly Emission Rate (lbs/hr): 1.90

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 90.83

MAGLC (ug/m3): 28264

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. consequently, prior to making any change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coating or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled " American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was

Modification Issued: 9/12/2002

proposed in the application and modeled; and

- c. physical changes to the emissions unit or its exhaust parameters (e.g., increase/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 (VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Manual spray booth #1 - Modified	OAC rule 3745-31-05 (A)(3)	OC: 1.78 pounds per hour and 2.25 tons per year The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07 (G)(2).
	OAC rule 3745-21-07 (G)(2)	See A.2.a.

2. Additional Terms and Conditions

- 2.a This emissions unit shall not employ any photochemically reactive materials, as defined in OAC rule 3745-21-01 (C)(5), as coatings or clean up materials.

II. Operational Restrictions

The permittee shall use dry filters whenever this emissions unit is in operation for the control of the overspray

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records that document any time period(s) when the dry filters were not in service when the emissions unit was in operation.
2. The permittee shall maintain monthly records of the following information:

- a. The name and identification number of each coating employed;
 - b. The amount of each coating used, in gallons per month; and
 - c. The OC content of each coating and clean up material, in pounds of OC per gallon;
 - d. The water content, in percent by volume of each coating;
 - e. The solids content, in percent by volume of each coating;
 - f. The total OC's , in pounds per month;
 - g. The total number of hours of operation per month for the emissions unit; and
 - h. The pounds of OC emitted per hour, calculated by dividing the monthly emissions by the hours of operation for the emissions unit (i.e., g/f).
3. The permittee shall maintain daily records that document any time periods when any coating or clean up material employed is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports in accordance with paragraph 3.b of the General Terms and Conditions of this permit.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record that documents any time period(s) when the dry filters were not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the occurrence.
3. The permittee shall submit deviation (excursion) reports which include the following information identifying each day a photochemically reactive material was employed.
4. The permittee shall submit annual reports which summarize the following information:
 - a. Total emissions of OC from this emissions unit and
 - b. Total coating usage of this emissions unit, in gallons per year.

V. Testing Requirements

1. Emission Limitation:
 OC: 1.78 pounds per hour

54

Baird I

PTI A₁

Modification Issued: 9/12/2002

Emissions Unit ID: R004

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III. 2. The OC content of each coating and cleanup material used shall be based upon formulation data or U.S. EPA Method 24.

55

Baird I

PTI A₁

Modification Issued: 9/12/2002

Emissions Unit ID: R004

2. Emission Limitation:
OC: 2.25 tons per year

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section A.III. 2.

VI. Miscellaneous Requirements

None

Modification Issued: 9/12/2002

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Manual spray booth #1 - Modified	OAC rule 3745-31-05	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit R004 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the Screen 3.0 model (or other Ohio EPA approved model). The predicted 1-hour ground-level concentration from the use of the Screen 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Ethanol

TLV (mg/m³): 1884

Maximum Hourly Emission Rate (lbs/hr): 0.23

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 530.1

MAGLC (ug/m3): 44,900

Pollutant: isopropyl acetate

TLV (mg/m3): 1044

Maximum Hourly Emission Rate (lbs/hr): 0.12

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 530.1

MAGLC (ug/m3): 24,900

Pollutant: n-butyl acetate

TLV (mg/m3): 712.6

Maximum Hourly Emission Rate (lbs/hr): 0.01

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 530.1

MAGLC (ug/m3): 17,000

Pollutant: isobutyl acetate

TLV (mg/m3): 712.6

Maximum Hourly Emission Rate (lbs/hr): 0.35

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 530.1

MAGLC (ug/m3): 17,000

Pollutant: toluene

TLV (mg/m³): 188.4

Maximum Hourly Emission Rate (lbs/hr): 0.06

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 530.1

MAGLC (ug/m³): 4500

Pollutant: xylene

TLV (mg/m³): 434.2

Maximum Hourly Emission Rate (lbs/hr): 0.03

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 530.1

MAGLC (ug/m³): 10,300

Pollutant: methyl ethyl ketone(MEK)

TLV (mg/m³): 589.8

Maximum Hourly Emission Rate (lbs/hr): 0.009

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 530.1

MAGLC (ug/m³): 14,000

Pollutant: 2-butoxyethanol

TLV (mg/m³): 96.7

Maximum Hourly Emission Rate (lbs/hr): 0.007

Modification Issued: 9/12/2002

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 530.1

MAGLC (ug/m³): 2300

Pollutant: methanol

TLV (mg/m³): 262.1

Maximum Hourly Emission Rate (lbs/hr): 0.02

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 530.1

MAGLC (ug/m³): 6200

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. consequently, prior to making any change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coating or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled " American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increase/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

Modification Issued: 9/12/2002

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 (VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 02-13601 Facility ID: 0250000989

FACILITY NAME Baird Brothers Sawmill Inc

FACILITY DESCRIPTION Administrative modification to PTI 02-13601 to allow for changes in the paints used CITY/TWP Ellsworth Twp

SIC CODE 2431 SCC CODE 3-07-020-98 EMISSIONS UNIT ID F001

EMISSIONS UNIT DESCRIPTION Wood working area No. 1 and saw dust silo with two baghouses

DATE INSTALLED 9/89

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	6.15 lb/hr	8.97	6.15 lb/hr	26.89
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination PE 0.01 gr/dscf of exhaust gases and a baghouse.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 02-13601

Facility ID: 0250000989

FACILITY NAME Baird Brothers Sawmill Inc

FACILITY DESCRIPTION Administrative modification to PTI 02- CITY/TWP Ellsworth Twn

Emissions Unit ID: R004

SIC CODE 2431

SCC CODE 02-07-020-98

EMISSIONS UNIT ID F002

EMISSIONS UNIT DESCRIPTION Wood working area No. 2 with baghouse

DATE INSTALLED 7/90

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	2.4 lb/hr	3.5	2.4 lb/hr	10.51
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination PE 0.01 gr/dscf of exhaust gases and a baghouse.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 02-13601

Facility ID: 0250000989

FACILITY NAME Baird Brothers Sawmill Inc

FACILITY DESCRIPTION Administrative modification to PTI 02- CITY/TWP Ellsworth Twn

Emissions Unit ID: R004

SIC CODE 2431

SCC CODE 4-02-019-01

EMISSIONS UNIT ID R001

EMISSIONS UNIT DESCRIPTION UV spray booth No. 1

DATE INSTALLED 1/00

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	Attainment	7.1 lbs/hr	9.18	14.64 lbs/hr	14.26
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Use of non-photochemically reactive coatings and the OC emission limits of this permit.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*?

X

YES

NO

IDENTIFY THE AIR CONTAMINANTS:

ethanol, isopropyl acetate, n-butyl acetate, isobutyl acetate, toluene, xylene, MEK, 2-butoxyethanol, and methanol

NEW SOURCE REVIEW FORM B

PTI Number: 02-13601

Facility ID: 0250000989

FACILITY NAME Baird Brothers Sawmill Inc

FACILITY DESCRIPTION Administrative modification to PTI 02- CITY/TWP Ellsworth Twn

Emissions Unit ID: R004

SIC CODE 2431

SCC CODE 4-02-019-01

EMISSIONS UNIT ID R002

EMISSIONS UNIT DESCRIPTION Moulding spray booth No. 1

DATE INSTALLED 1/00

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	Attainment	8.46 lbs/hr	10.8	11.52 lbs/hr	30.82
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Use of non-photochemically reactive coatings and the OC emission limits of this permit.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*?

X

YES

NO

IDENTIFY THE AIR CONTAMINANTS:

ethanol, isopropyl acetate, n-butyl acetate, isobutyl acetate, toluene, xylene, MEK, 2-butoxyethanol, and methanol

NEW SOURCE REVIEW FORM B

PTI Number: 02-13601

Facility ID: 0250000989

FACILITY NAME Baird Brothers Sawmill Inc

FACILITY DESCRIPTION Administrative modification to PTI 02- CITY/TWP Ellsworth Twn

Emissions Unit ID: R004

SIC CODE 2431

SCC CODE 4-02-019-01

EMISSIONS UNIT ID R003

EMISSIONS UNIT DESCRIPTION Door line spray booth No. 1

DATE INSTALLED 5/99

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	Attainment	9.88 lbs/hr	12.09	16.42 lbs/hr	23.71
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Use of non-photochemically reactive coatings and the OC emission limits of this permit.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? X YES NO

IDENTIFY THE AIR CONTAMINANTS:

ethanol, isopropyl acetate, n-butyl acetate, isobutyl acetate, toluene, xylene, MEK, 2-butoxyethanol, methanol, and acetone

NEW SOURCE REVIEW FORM B

PTI Number: 02-13601 Facility ID: 0250000989

FACILITY NAME Baird Brothers Sawmill Inc

FACILITY DESCRIPTION Administrative modification to PTI 02- CITY/TWP Ellsworth Twn

Emissions Unit ID: R004

SIC CODE 2431 SCC CODE 4-02-019-01 EMISSIONS UNIT ID R004

EMISSIONS UNIT DESCRIPTION Manual spray booth No. 1

DATE INSTALLED 5/99

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	Attainment	1.47 lbs/hr	2.00	1.78 lbs/hr	2.25
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Use of non-photochemically reactive coatings and the OC emission limits of this permit.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? X YES NO

IDENTIFY THE AIR CONTAMINANTS: ethanol, isopropyl acetate, n-butyl acetate, isobutyl acetate, toluene, xylene, MEK, 2-butoxyethanol, and methanol