



State of Ohio Environmental Protection Agency

RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
TRUMBULL COUNTY

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
Lazarus Gov.
Center

Application No: 02-14399

DATE: 2/13/2001

Ellwood Engineered Castings Co
Alex Pimpinella
4158 Hubbard-Masury Rd
Hubbard, OH 44425

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

NEDO

WV

Mahoning-Trumbull APC



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

Issue Date: February 13, 2001

FINAL PERMIT TO INSTALL 02-14399

Application Number: 02-14399
APS Premise Number: 0278000025
Permit Fee: **\$600**
Name of Facility: Ellwood Engineered Castings Co
Person to Contact: Alex Pimpinella
Address: 4158 Hubbard-Masury Rd
Hubbard, OH 44425

Location of proposed air contaminant source(s) [emissions unit(s)]:

**7158 Hubbard-Masury Rd
Hubbard, Ohio**

Description of proposed emissions unit(s):

Mechanical sand reclamation system.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS**A. State and Federally Enforceable Permit To Install General Terms and Conditions****1. Monitoring and Related Recordkeeping and Reporting Requirements**

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.11 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally

Ellwood Engineered Castings Co

PTI Application: 02-14399

Issued: February 13 , 2001

Facility ID: 0278000025

applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.

- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete

Ellwood Engineered Castings Co

Facility ID: 0278000025

PTI Application: 02-14399

Issued: February 13 , 2001

Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35 , the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Ellwood Engineered Castings Co

Facility ID: 0278000025

PTI Application: 02-14399

Issued: February 13 , 2001

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

5. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

6. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

7. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

8. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

9. Construction Compliance Certification

Ellwood Engineered Castings Co
PTI Application: 02-14399
Issued: February 13 , 2001

Facility ID: 0278000025

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

10. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM-10	14.4

Ellwood Engineered Castings Co

PTI Application: 02-14399

Issued: February 13 , 2001

Facility ID: 0278000025

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F005 - Crusher with baghouse	OAC rule 3745-31-05 (A)(3)	PE: 0.03 grain per dry standard cubic feet of exhaust gases and 2.3 pounds per hour. The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(A) and (B) and 3745-35-07.
	OAC Rule 3745-35-07	4.8 tons PE per year.
	OAC rule 3745-17-07 (A)	Visible PE shall not exceed twenty-percent opacity as a six minute average, except as provided by the rule.
	OAC rule 3745-17-07 (B)	Visible fugitive PE shall not exceed twenty-percent, as a three-minute average.
	OAC rule 3745-17-08	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range established during the performance test while the emissions unit is in operation.

Issued: February 13 , 2001

2. The maximum annual operating hours for this emissions unit shall not exceed 4160.
3. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours levels specified in the following table:

<u>Month(s)</u>	<u>Cumulative Operating Hours</u>	<u>Maximum Allowable</u>
1	1040	
1-2	1040	
1-3	1040	
1-4	1387	
1-5	1733	
1-6	2080	
1-7	2427	
1-8	2773	
1-9	3120	
1-10	3467	
1-11	3813	
1-12	4160	

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a the annual summation of the operating hours.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall operate and maintain equipment to monitor the pressure drop across each baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouses on a daily basis.
2. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible emissions from the stack(s) and fugitive egress point(s) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the

operations log:

- a. whether the emissions are representative of normal operations;
 - b. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - c. the total duration of any visible emissions incident; and
 - d. any corrective action(s) taken to eliminate the visible emissions.
3. The permittee shall maintain monthly records of the operating hours for this emissions unit.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouses did not comply with the allowable range established during the performance testing.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack or fugitive egress point(s) serving this emissions unit and (b) describe any corrective action(s) taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the Ohio EPA Northeast District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous six-month period.
3. The permittee shall submit annual reports which identify any exceedances of the annual operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emissions limitation(s) in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation: 20% opacity, as a 6 minute average except as provided by the rule.

Applicable Compliance Method: Compliance with the allowable visible emissions limitations shall be determined in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures outlined in OAC rule 3745-17-03.

- b. Emission Limitation: 20% opacity, as a 3 minute average .

Applicable Compliance Method: Compliance with the visible emission limitation for the fugitive particulate emissions shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(3) and (B)(3)(b) of OAC rule 3745-17-03.

Ellwo

PTI A

Emissions Unit ID: F005

Issued: February 13 , 2001

- c. Emission Limitation: 2.3 lbs/hr particulate emissions and 0.03 grain per dry standard cubic feet of exhaust gases

Applicable Compliance Method: Compliance shall be based upon OAC rule 3745-17-03(B)(10).

- d. Emission Limitation: 4.8 tons/year particulate emissions

Applicable Compliance Method: To determine the maximum annual emission rate for particulate matter, the following equation shall be used:

$$E(PE) = ER \times HR/2000, \text{ where}$$

E is the maximum annual emission rate of particulate emissions(PE)

ER is the hourly mass emission rate for particulate emissions as determined in section A.V.2.,

HR is the annual hours of operation of this emissions unit, and

2000 is pounds per ton.

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- a. The emission testing shall be conducted within 3 months after completion of construction;
 - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rates for particulate matter .
 - c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): for particulate matter, Method 5 of 40 CFR Part 60, Appendix A.
 - d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Ohio EPA Northeast District Office.
 - e. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an

"Intent to Test" notification to the Ohio EPA Northeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA Northeast District Offices refusal to accept the results of the emission test(s).

- f. Personnel from the Ohio EPA Northeast District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA Northeast District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA Northeast District Office.

VI. Miscellaneous Requirements

- 1. The following Terms and Conditions have been incorporated into this permit in order to establish federally enforceable limitations on potential to emit, pursuant to OAC Rule 3745-35- 07: A.I., A.II., A.III., A.IV., and A.V.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F005 - Crusher with baghouse	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: February 13 , 2001

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F006 - Cooler-Classifer with silo, baghouse	OAC rule 3745-31-05 (A)(3)	PE: 0.03 grain per dry standard cubic feet of exhaust gases and 2.3 pounds per hour.
	OAC rule 3745-35-07	The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(A) and (B) and 3745-35-07.
	OAC rule 3745-17-07 (A)	4.8 tons PE per year. Visible PE shall not exceed twenty-percent opacity as a six minute average, except as provided by the rule.
	OAC rule 3745-17-07 (B)	Visible fugitive PE shall not exceed twenty-percent, as a three-minute average.
	OAC rule 3745-17-08	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range established during the performance test while the emissions unit is in operation.
2. The maximum annual operating hours for this emissions unit shall not exceed 4160.
3. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours levels specified in the following table:

<u>Month(s)</u>	<u>Cumulative Operating Hours</u>	<u>Maximum Allowable</u>
1	1040	
1-2	1040	
1-3	1040	
1-4	1387	
1-5	1733	
1-6	2080	
1-7	2427	
1-8	2773	
1-9	3120	
1-10	3467	
1-11	3813	
1-12	4160	

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a the annual summation of the operating hours.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall operate and maintain equipment to monitor the pressure drop across each baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouses on a daily basis.

Ellwood Engineered Castings Co**PTI Application: 02-14300****Issued****Facility ID: 0278000025**

Emissions Unit ID: F006

2. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible emissions from the stack(s) and fugitive egress point(s) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. whether the emissions are representative of normal operations;
 - b. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - c. the total duration of any visible emissions incident; and
 - d. any corrective action(s) taken to eliminate the visible emissions.

3. The permittee shall maintain monthly records of the operating hours for this emissions unit.

Ellwood

PTI A

Emissions Unit ID: F006

Issued: February 13 , 2001

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouses did not comply with the allowable range established during the performance testing.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack or fugitive egress point(s) serving this emissions unit and (b) describe any corrective action(s) taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the Ohio EPA Northeast District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous six-month period.
3. The permittee shall submit annual reports which identify any exceedances of the annual operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emissions limitation(s) in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation: 20% opacity, as a 6 minute average except as provided by the rule.

Applicable Compliance Method: Compliance with the allowable visible emissions limitations shall be determined in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures outlined in OAC rule 3745-17-03.

- b. Emission Limitation: 20% opacity, as a 3 minute average .

Applicable Compliance Method: Compliance with the visible emission limitation for the fugitive particulate emissions shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996,

and the modifications listed in paragraphs (B)(3) and (B)(3)(b) of OAC rule 3745-17-03.

- c. Emission Limitation: 2.3 lbs/hr particulate emissions and 0.03 grain per dry standard cubic feet of exhaust gases

Applicable Compliance Method: Compliance shall be based upon OAC rule 3745-17-03(B)(10).

- d. Emission Limitation: 4.8 tons/year particulate emissions

Applicable Compliance Method: To determine the maximum annual emission rate for particulate matter, the following equation shall be used:

$$E(PE) = ER \times HR/2000, \text{ where}$$

E is the maximum annual emission rate of particulate emissions

ER is the hourly mass emission rate for particulate emissions as determined in section A.V.2.,

HR is the annual hours of operation of this emissions unit, and

2000 is pounds per ton.

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- a. The emission testing shall be conducted within 3 months after completion of construction;
 - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rates for particulate matter .
 - c. The following test method(s) shall be employed to demonstrate compliance with the

Emissions Unit ID: F006
allowable mass emission rate(s): for
particulate matter, Method 5 of 40 CFR Part
60, Appendix A.

- d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Ohio EPA Northeast District Office.
- e. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA Northeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA Northeast District Offices refusal to accept the results of the emission test(s).
- f. Personnel from the Ohio EPA Northeast District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA Northeast District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA Northeast District Office.

VI. Miscellaneous Requirements

1. The following Terms and Conditions have been incorporated into this permit in order to

26

Ellwo

PTI A

Emissions Unit ID: F006

Issued: February 13 , 2001

establish federally enforceable limitations on potential to emit, pursuant to OAC Rule 3745-35-07: A.I., A.II., A.III., A.IV., and A.V .

Issued: February 13 , 2001

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F006 -Cooler-Classifier with silo, baghouse	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: February 13 , 2001

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F007 - Scrubber with silo, baghouse	OAC rule 3745-31-05 (A)(3)	PE: 0.03 grain per dry standard cubic feet of exhaust gases and 2.3 pounds per hour.
	OAC rule 3745-35-07	The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(A) and (B) and 3745-35-07.
	OAC rule 3745-17-07 (A)	4.8 tons PE per year. Visible PE shall not exceed twenty-percent opacity as a six minute average, except as provided by the rule.
	OAC rule 3745-17-07 (B)	Visible fugitive PE shall not exceed twenty-percent, as a three-minute average.
	OAC rule 3745-17-08	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range established during the performance test while the emissions unit is in operation.
2. The maximum annual operating hours for this emissions unit shall not exceed 4160.
3. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours levels specified in the following table:

<u>Month(s)</u>	<u>Cumulative Operating Hours</u>	<u>Maximum Allowable</u>
1	1040	
1-2	1040	
1-3	1040	
1-4	1387	
1-5	1733	
1-6	2080	
1-7	2427	
1-8	2773	
1-9	3120	
1-10	3467	
1-11	3813	
1-12	4160	

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a the annual summation of the operating hours.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall operate and maintain equipment to monitor the pressure drop across each baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouses on a daily basis.
2. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible emissions from the stack(s) and fugitive egress point(s) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the

operations log:

- a. whether the emissions are representative of normal operations;
 - b. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - c. the total duration of any visible emissions incident; and
 - d. any corrective action(s) taken to eliminate the visible emissions.
3. The permittee shall maintain monthly records of the operating hours for this emissions unit.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouses did not comply with the allowable range established during the performance testing.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack or fugitive egress point(s) serving this emissions unit and (b) describe any corrective action(s) taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the Ohio EPA Northeast District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous six-month period.
3. The permittee shall submit annual reports which identify any exceedances of the annual operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emissions limitation(s) in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation: 20% opacity, as a 6 minute average except as provided by the rule.

Applicable Compliance Method: Compliance with the allowable visible emissions limitations shall be determined in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures outlined in OAC rule 3745-17-03.

- b. Emission Limitation: 20% opacity, as a 3 minute average .

Applicable Compliance Method: Compliance with the visible emission limitation for the fugitive particulate emissions shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR Part 60 ("Standards of Performance for New Stationary Sources"),

Ellwood Engineered Castings Co
PTI Application: 02-14300
Issued

Facility ID: 0278000025

Emissions Unit ID: F007
as such Appendix existed on July 1, 1996,
and the modifications listed in paragraphs
(B)(3) and (B)(3)(b) of OAC rule
3745-17-03.

- c. Emission Limitation: 2.3 lbs/hr particulate emissions and 0.03 grain per dry standard cubic feet of exhaust gases

Applicable Compliance Method: Compliance shall be based upon OAC rule 3745-17-03(B)(10).

- d. Emission Limitation: 4.8 tons/year particulate emissions

Applicable Compliance Method: To determine the maximum annual emission rate for particulate matter, the following equation shall be used:

$$E(PE) = ER \times HR/2000, \text{ where}$$

E is the maximum annual emission rate of particulate emissions

ER is the hourly mass emission rate for particulate emissions as determined in section A.V.2.,

HR is the annual hours of operation of this emissions unit, and

2000 is pounds per ton.

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- a. The emission testing shall be conducted within 3 months after completion of construction;
 - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rates for particulate matter .
 - c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): for particulate matter, Method 5 of 40 CFR Part 60, Appendix A.
 - d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Ohio EPA Northeast District Office.
 - e. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an

"Intent to Test" notification to the Ohio EPA Northeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA Northeast District Offices refusal to accept the results of the emission test(s).

- f. Personnel from the Ohio EPA Northeast District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA Northeast District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA Northeast District Office.

VI. Miscellaneous Requirements

- 1. The following Terms and Conditions have been incorporated into this permit in order to establish federally enforceable limitations on potential to emit, pursuant to OAC Rule 3745-35- 07: A.I., A.II., A.III., A.IV., and A.V .

Issued: February 13 , 2001

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F007 - Scrubber with silo, baghouse	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 02-14399 Facility ID: 0278000025

FACILITY NAME Ellwood Engineered Castings Co

FACILITY DESCRIPTION Mechanical sand reclamation system CITY/TWP Hubbard

SIC CODE 3321 SCC CODE 30400350 EMISSIONS UNIT ID F005

EMISSIONS UNIT DESCRIPTION Crusher

DATE INSTALLED 3/2001

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment	2.3 lb/hr	2.4	2.3 lb/hr	4.8
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination hood and vent to baghouse

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$100000 total

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 02-14399

Facility ID: 0278000025

FACILITY NAME Ellwood Engineered Castings Co

FACILITY DESCRIPTION Mechanical sand reclamation svstem

CITY/TWP Hubbard

Emissions Unit ID: F007

SIC CODE 3321

SCC CODE 30400350

EMISSIONS UNIT ID F006

EMISSIONS UNIT DESCRIPTION Cooler-Classfierwith silo

DATE INSTALLED 3/2001

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment	2.3 lb/hr	2.4	2.3lb/hr	4.8
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination hooding with vent to baghouse

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*?

YES

x

NO

IDENTIFY THE AIR CONTAMINANTS:

38 NEW SOURCE REVIEW FORM B

PTI Number: 02-14399 Facility ID: 0278000025

FACILITY NAME Ellwood Engineered Castings Co

FACILITY DESCRIPTION Mechanical sand reclamation svstem CITY/TWP Hubbard

Emissions Unit ID: F007

SIC CODE 3321 SCC CODE 30400350 EMISSIONS UNIT ID F007

EMISSIONS UNIT DESCRIPTION Scrubber with silo

DATE INSTALLED 3/2001

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment	2.3 lb/hr	2.4	2.3 lb/hr	4.8
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination hooding with vent to baghouse

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

39 **NEW SOURCE REVIEW FORM B**

PTI Number: 02-14399

Facility ID: 0278000025

FACILITY NAME Ellwood Engineered Castings Co

FACILITY DESCRIPTION Mechanical sand reclamation svstem

CITY/TWP Hubbard

Emissions Unit ID: F007

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to **airpti@epa.state.oh.us**

Please fill out the following. If the checkbox does not work, replace it with an 'X'

	<u>Electronic</u>	<u>Additional information File Name Convention (your PTI # plus this letter)</u>	<u>Hard Copy</u>	<u>None</u>
<u>Calculations (required)</u>	<input type="checkbox"/>	0000000c.wpd	<input checked="" type="checkbox"/>	
<u>Modeling form/results</u>	<input type="checkbox"/>	0000000s.wpd	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PTI Application (complete or partial)*</u>	<input type="checkbox"/>	0000000a.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>BAT Study</u>	<input type="checkbox"/>	0000000b.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>Other/misc.</u>	<input type="checkbox"/>	0000000t.wpd	<input type="checkbox"/>	<input type="checkbox"/>

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

NSR Discussion

NONE

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

Synthetic Minor Determination and/or **Netting Determination**

Permit To Install **ENTER PTI NUMBER HERE**

A. Source Description

Ellwood Engineered Casting Co. is an existing foundry operation. They primarily make moulds used in the steel industry for making ingots. Ellwood is proposing to install a sand recycling system in the Engineered Castings Department. The system will consist of a sand crusher, a cooler/classifier and a sand scrubber which cleans and separates the sand prior to reuse. These sources will be controlled by hoods and vented to new baghouses also to be installed.

B. Facility Emissions and Attainment Status

Ellwood Engineering is currently a TV facility for particulate emissions. Ellwood is located in Trumbull county which is designated attainment for particulate.

C. Source Emissions

The three new emissions units will each have an allowable emission of 2.3 lbs. per hour coming from the control equipment, this is assumed to be all PM-10. The maximum potential to emit for these emission units would be 30.3 tons per year (TPY) of PM-10. This would be greater than the significant increase allowed by the Prevention of Significant Deterioration (PSD) policy of 15 TPY of PM-10. The permit will have a maximum yearly hours of operation, based on a potential of two work shifts per day. This maximum yearly hour restriction of 4160 hours per year will allow the new

40 NEW SOURCE REVIEW FORM B

PTI Number: 02-14399

Facility ID: 0278000025

FACILITY NAME Ellwood Engineered Castings Co

FACILITY DESCRIPTION Mechanical sand reclamation svstem

CITY/TWP Hubbard

Emissions Unit ID: F007

emission units to have a potential to emit of 14.4 TPY PM-10. Therefore, this installation will be below the PSD threshold limit and not subject to the PSD limits.

D. Conclusion

The installation of the new sand reuse system with fabric filter control and a permit limit of yearly hours of operation will keep maximum potential emissions at 14.4 TPY of PM-10. Testing will be done to show actual emission rate, and record keeping requirements in the permit will have the facility record hours of operation. This should prove to be well below the permit limit of 14.4 TPY. Therefore, the new emissions units will be below the PSD review level of 15 TPY of PM-10.

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant

Tons Per Year

PM-10

14.4