



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
WAYNE COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 02-22891

Fac ID: 0285010472

DATE: 1/24/2008

Orrville Woodworking
Paul Troyer
637 S. Carr Rd.
Orrville, OH 44667

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 1/24/2008
Effective Date: 1/24/2008**

FINAL PERMIT TO INSTALL 02-22891

Application Number: 02-22891
Facility ID: 0285010472
Permit Fee: **\$800**
Name of Facility: Orrville Woodworking
Person to Contact: Paul Troyer
Address: 637 S. Carr Rd.
Orrville, OH 44667

Location of proposed air contaminant source(s) [emissions unit(s)]:
**637 S. Carr Rd.
Orrville, Ohio**

Description of proposed emissions unit(s):
Woodworking equipment, diesel engine.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Orrville Woodworking
PTI Application: 02-22891
Issued: 1/24/2008

Facility ID: 0285010472

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Orrville Woodworking
PTI Application: 02-22891
Issued: 1/24/2008

Facility ID: 0285010472

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Orrville Woodworking
 PTI Application: 02-22891
 Issued: 1/24/2008

Facility ID: 0285010472

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	14.13
CO	3.07
SO ₂	0.94
OC	1.15
PE	11.51

7

Orrville Woodworking
PTI Application: 02-22891
Issued: 1/24/2008

Facility ID: 0285010472

Issued: 1/24/2008

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (B001) - 105 hp Perkins internal combustion diesel engine. Model number 19512500, YT81080*U722822F*

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (A)(3)	<p>Emissions generated by operating this emissions unit shall not exceed 3.23 pounds per hour and 14.13 tons per year of nitrogen oxides (NO_x); 0.70 pound per hour and 3.07 tons per year of carbon monoxide (CO); 0.26 pound per hour and 1.15 tons per year of organic compounds (OC); 0.21 pound per hour and 0.94 ton per year of sulfur dioxide (SO₂); and 1.0 tons per year of particulate emissions.</p> <p>Visible particulate emissions from the engine's exhaust shall not exceed 10% opacity, as a six-minute average.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-11(B)(5)(a).</p>
OAC rule 3745-17-07 (A)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).
OAC rule 3745-17-11 (B)(5)(a)	Permittee shall not cause or permit the particulate emissions from the engine's exhaust to exceed 0.310 pound per million Btu of actual heat input.
OAC rule 3745-18-06 (G)	Exempt. See section A.2.a of these terms and conditions.

2. Additional Terms and Conditions

- 2.a The hourly and annual emission limitations outlined above are based upon the potential to emit of the emissions unit. Therefore, no records are required to be maintained to demonstrate compliance with these limitations.

Issued: 1/24/2008

- 2.b** This emissions unit is exempt from the requirements of OAC rule 3745-18-06 pursuant to OAC rule 3745-18-06(B).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 3.23 lbs/hr of NO_x

Applicable Compliance Methods:

Compliance shall be determined by multiplying 0.031 lb/hp-hr, the emission factors specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 3.3-1 (10/96), by 105 hp, the power output rating of this unit.

- b. Emission Limitation: 0.70 lb/hr of CO

Applicable Compliance Methods:

Compliance shall be determined by multiplying 0.00668 lb/hp-hr, the emission factors specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 3.3-1 (10/96), by 105 hp, the power output rating of this unit.

- c. Emission Limitation: 0.26 lb/hr of OC

Applicable Compliance Methods:

Compliance shall be determined by multiplying 0.0025 lb/hp-hr, the emission factors specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table

Issued: 1/24/2008

3.3-1 (10/96), by 105 hp, the power output rating of this unit.

- d. Emission Limitation: 0.310 lb/MM Btu heat input

Applicable Compliance Methods:

Compliance shall be determined by multiplying 0.0022 lb/hp-hr, the emission factors specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 3.3-1 (10/96), by 10^6 Btu/MM Btu, and divided by 7000 Btu/hp-hr.

Emissions Unit ID: **B001**

- e. Emission Limitation: 0.21 lb/hr of SO₂

Applicable Compliance Method:

Compliance shall be determined by multiplying 0.00205 lb/hp-hr, the emission factors specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 3.3-1 (10/96), by 105 hp, the power output rating of this unit.

- f. Emission Limitations: 14.13 tons/yr of NO_x
3.07 tons/yr of CO
1.15 tons/yr of OC
0.94 ton/yr of SO₂

Applicable Compliance Methods:

The annual emission limitations specified above were developed by multiplying the hourly emission limitations by 8,760 hours/year and dividing by 2,000 lbs/ton; therefore, compliance with the hourly emission limitations is maintained, compliance with the annual emission limitations will be assumed.

- g. Emission Limitation: 1.0 ton/yr of particulate

Applicable Compliance Methods:

The annual emission limitations specified above was developed by multiplying the hourly emission limitations by 8,760 hours/year and the conversion factor of 7,000 Btu/hp-hr, and dividing by 2,000 lbs/ton and conversion factor of MM Btu/10⁶ Btu; therefore, compliance with the short term emission limitation is maintained, compliance with the annual emission limitations will be assumed.

- h. Emission Limitation: 10% opacity, as a six-minute average.

Applicable Compliance Method:

Compliance shall be determined by using Method 9 of 40 CFR, Part 60, Appendix A.

F. Miscellaneous Requirements

None

Issued: 1/24/2008

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P001) - 8 Woodworking machines controlled by a 5,100 cfm cyclone.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (A)(3)	<p>Particulate emissions generated from this emissions unit shall not exceed 0.055 grain per dry standard cubic foot of exhaust gas and 10.51 tons per year.</p> <p>Visible particulate emissions shall not exceed five percent (5%) opacity as a six-minute average from the exhaust of cyclone.</p> <p>See section B.1 of these terms and conditions.</p>
OAC rule 3745-17-07 (A)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).
OAC rule 3745-17-07 (B)	Exempt. See section A.2.a of these terms and conditions.
OAC rule 3745-17-08	Exempt. See section A.2.b of these terms and conditions.
OAC rule 3745-17-11	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).

2. Additional Terms and Conditions

- 2.a In accordance with OAC rule 3745-17-07 (B)(11)(d), OAC rule 3745-17-07 (B)(1) shall not apply to any fugitive emissions units which are exempted from the requirements of OAC rule 3745-17-08 (B).
- 2.b The facility is not located at Appendix A area of OAC rule 3745-17-08. In accordance with OAC rule 3745-17-08 (A)(1), this emissions unit is exempt from the requirements of OAC rule 3745-17-08 (B).

Issued: 1/24/2008

- 2.c** The hourly and annual emission limitations outlined above are based upon the potential to emit of the emissions unit. Therefore, no records are required to be maintained to demonstrate compliance with these limitations.

B. Operational Restrictions

1. During any unloading of sawdust into trucks from the cyclone dust collector hopper, every attempt shall be made to reduce or control fugitive dust emissions by minimizing the drop height to the truck, utilizing a truck with high side boards, or placing a covering over the discharge chute during the unloading process.

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.055 grain/dscf of PE

Applicable Compliance Methods:

Compliance shall be determined in accordance with OAC rule 3745-17-03 (B)(10), if required by Ohio EPA.

- b. Emission Limitation: 10.51 tons/yr of PE

Applicable Compliance Methods:

Compliance with this emission limitation shall be determined by the following equation:

$$PE = (ER)(FR)(60 \text{ min/hr})(8760 \text{ hr/yr})/(7000 \text{ gr/lb})(2000 \text{ lb/ton})$$

Orrville Woodworking

DTI Application: 02-22804

Facility ID: 0285010472Emissions Unit ID: **P001**

Where:

PE = Particulate emissions, in tons per year;

ER = Particulate emission rate which is 0.055 gr/dscf, AP-42, Woodworking
Waste Collection Operations, 2/80, Table 10.4-1; and

FR = Cyclone flow rate, which is 5,100 cubic foot per minute.

F. Miscellaneous Requirements

None

Orrville Woodworking
 PTI Application: 02-22891
 Issued: 1/24/2008

Facility ID: 0285010472

Emissions Unit ID: P001

SIC CODE 2511 SCC CODE 2-02-001-02 EMISSIONS UNIT ID B001
 EMISSIONS UNIT DESCRIPTION 105 hp Perkins internal combustion diesel engine. Model number 19512500, YT81080*U722822F*
 DATE INSTALLED 11/2003

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.23 lb/hr	0.33	0.310 lb/MM Btu heat input	1.0
PM ₁₀					
Sulfur Dioxide	Attainment	0.21 lb/hr	0.31	0.21 lb/hr	0.94
Organic Compounds	Attainment	0.26 lb/hr	0.38	0.26 lb/hr	1.15
Nitrogen Oxides	Attainment	3.23 lb/hr	4.61	3.23 lb/hr	14.13
Carbon Monoxide	Attainment	0.70 lb/hr	1.0	0.70 lb/hr	3.07
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination: (a) 3.23 lbs/hr and 14.13 tons/yr of NO_x; 0.70 lb/hr and 3.07 tons/yr of CO; 0.26 lb/hr and 1.15 tons per year of OC; 0.21 lb/hr and 0.94 ton/yr of SO₂; and 1.0 ton/yr of particulate; and (b) 10% opacity as a 6-minute average. The basis for the determination is the engineering analysis, knowledge of process, and the regulations governing this emissions unit.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED?* _____ YES X NO

Orrville Woodworking
PTI Application: 02-22891
Issued: 1/24/2008

Facility ID: 0285010472

Emissions Unit ID: P001

IDENTIFY THE AIR CONTAMINANTS: _____

Emissions Unit ID: **P001**

Issued: 1/24/2008

SIC CODE 2511 SCC CODE 3-07-020-03 EMISSIONS UNIT ID P001
 EMISSIONS UNIT DESCRIPTION 8 Woodworking machines controlled by a 5,100 cfm cyclone.
 DATE INSTALLED 11/2003

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	2.40 lbs/hr	2.65 tons/yr	0.055 gr/dscf	10.51 tons/yr
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
Enter Determination: (a) 0.055 gr/dscf and 10.51 tons/yr of particulate; (b) 5% opacity as a 6-minute average; and (c) reduce drop height when load out wood waste. The basis for the determination is the engineering analysis, knowledge of process, and the regulations governing this emissions unit.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

Orrville Woodworking
PTI Application: 02-22891
Issued: 1/24/2008

Facility ID: 0285010472

Emissions Unit ID: P001

IDENTIFY THE AIR CONTAMINANTS: _____