



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
WAYNE COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 02-09618

Fac ID: 0285030097

DATE: 2/28/2006

Frito-Lay, Inc.
Pam Carter
1626 Old Mansfield Rd.
Wooster, OH 44691

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 2/28/2006
Effective Date: 2/28/2006**

FINAL PERMIT TO INSTALL 02-09618

Application Number: 02-09618
Facility ID: 0285030097
Permit Fee: **\$0**
Name of Facility: Frito-Lay, Inc.
Person to Contact: Pam Carter
Address: 1626 Old Mansfield Rd.
Wooster, OH 44691

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1626 Old Mansfield Rd.
Wooster, Ohio**

Description of proposed emissions unit(s):
Administrative modification to PTI 02-09618, issued on Sept. 20, 1995, to correct particulate emission limits.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Frito-Lay, Inc.
PTI Application: 02-09618
Issued: 2/28/2006

Facility ID: 0285030097

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Frito-Lay, Inc.
PTI Application: 02-09618
Issued: 2/28/2006

Facility ID: 0285030097

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Frito-Lay, Inc.
PTI Application: 02-09618
Issued: 2/28/2006

Facility ID: 0285030097

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Frito-Lay, Inc.
 PTI Application: 02-09618
 Issued: 2/28/2006

Facility ID: 0285030097

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant	Tons Per Year
PE/PM10 (process)	15.29 TPY (no change)
PE/PM10 (combustion)	1.75 TPY (1.75 increase)
NO _x	19.14 TPY (no change)
CO	7.22 TPY (1.88 TPY increase)

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P001 - PC Fryer 1, 3000 lbs/hr potato chip fryer including a 20 MMBtu/hr natural gas burner and a standard efficiency oil mist eliminator	OAC rule 3745-31-05(A)(3)	See A.2.a, A.2.b, A.2.c A.2.d, A.2.f, B.1, B.2 and B.3 below.
Modified		The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A) and OAC rule 3745-17-10.
	OAC rule 3745-17-11	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-07(A)	See A.2.e below.
	OAC rule 3745-17-08	This emissions unit is exempt from this requirement pursuant to OAC rule 3745-17-08(A)(1).
	OAC rule 3745-17-07(B)	This emissions unit is exempt from this requirement pursuant to OAC rule 3745-17-07(B)(e).
	OAC rule 3745-17-10	See A.2.f below also.
	OAC rule 3745-18-06	

8

**Frito-
PTI A**

Issued: 2/28/2006

Emissions Unit ID: **P001**

This emissions unit is exempt from this requirement pursuant to OAC rule 3745-18-06(A).

2. Additional Terms and Conditions

- 2.a** Particulate Emissions (PE) and PM10 emissions shall not exceed 3.49 pounds per hour and 15.29 tons per year from the potato chip fryer.
- 2.b** Particulate Emissions (PE) and PM10 emissions shall not exceed 0.40 pounds per hour and 1.75 tons per year from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.c** Nitrogen oxide (NOx) emissions shall not exceed 4.37 pounds per hour and 19.14 tons per year from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.d** Carbon monoxide (CO) emissions shall not exceed 1.65 pounds per hour and 7.22 tons per year from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.e** Visible particulate emissions from any stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.
- 2.f** Particulate Emissions (PE) shall not exceed 0.02 pounds per million Btu of actual heat input from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.g** This emissions unit is exempt from OAC rule 3745-18-06(G) during any calendar day in which natural gas is the only fuel burned.

B. Operational Restrictions

- 1. The permittee shall operate the oil mist eliminator whenever this emissions unit is in operation.
- 2. The permittee shall burn only natural gas in this emissions unit.
- 3. The permittee shall use low NOx burners in this emissions unit.

C. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall maintain daily records that document any time periods when the oil mist eliminator was not in service when the emissions unit was in operation.
- 2. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this

emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day that the oil mist eliminator was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northeast District Office) within 30 days after the event occurs.
2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northeast District Office) within 30 days after the event occurs.
3. The reports contained in this permit shall be submitted in accordance with the reporting requirements specified in Part 1 - General Terms and Conditions, Section A of this permit.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 and A.2 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitations:
PE/ PM10 emissions shall not exceed 3.49 pounds per hour and 15.29 tons per year from the potato chip fryer.

Applicable Compliance Method:

Compliance with the hourly emission limitation is determined by multiplying 0.862 pound per thousand pounds of product (FritoLay Irving, Tx. US EPA Method 5 test 10/16/84 of a similar potato chip fryer) times three (the maximum production is three thousand pounds).

If required compliance shall be determined according to OAC rule 3745-17-03(B)(10), (Method 5, 40 CFR 60, Appendix A).

Compliance with the annual emission limitations shall be termed by multiplying the hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

Frito-Lay, Inc.

PTI Application: 02 00610

Issue

Facility ID: 0285030097

Emissions Unit ID: **P001**

- b. Particulate Emissions (PE) shall not exceed 0.02 pounds per million Btu of actual heat input from the 20.0 MMBtu/hr natural gas heat exchanger.

Applicable Compliance Method:

Compliance is determined by dividing 1.9 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-2 (2/98), by 1020 million standard cubic feet of gas per million Btu.

If required compliance shall be determined according to OAC rule 3745-17-03(B)(9), (Method 5, 40 CFR 60, Appendix A).

- c. Emission Limitation:
PE/ PM10 emissions shall not exceed 0.40 pounds per hour and 1.75 tons per year from 20.0 MMBtu/hr natural gas heat exchanger.

Applicable Compliance Method:

Compliance with the hourly emission limitation is determined by dividing 1.9 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-2 (2/98), by 1020 million standard cubic feet of gas per million Btu and multiplying by 20 MMBtu/hr.

Compliance with the annual emission limitations is determined by multiplying the hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

- d. Emission Limitations:
4.37 lbs/hr and 19.14 TPY of NO_x.

Applicable Compliance Methods:

Compliance with the hourly emission limitations above is determined by dividing 50 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-1 (2/98), by 1020 million standard cubic feet of gas per million Btu, and multiplying by the 20.0 MMBTU/hr, the heat input rating of this unit.

Compliance with the annual emission limitations is determined by multiplying the hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

- e. Emission Limitations:
1.65 lbs/hr and 7.22 TPY of CO.

Applicable Compliance Methods:

Compliance with the hourly emission limitations above is determined by dividing 84 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-1 (2/98), by 1020 million standard cubic feet of gas per million Btu, and multiplying by the 20.0 MMBTU/hr, the heat input rating of this unit.

Compliance with the annual emission limitations is termed by multiplying the

hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

- f. Emission Limitations:
Visible particulate emissions from the exhaust stacks serving this emissions unit shall not exceed 20% opacity, as a 6-minute average, except for a period of not more than 6 consecutive minutes in any 60-minute period. Visible particulate emissions shall not exceed 60% opacity, as a 6-minute average, at any time.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

No visible emission observations are specifically required to demonstrate compliance with these emission limitations but, if appropriate, may be required pursuant to OAC rule 3745-15-04(A).

F. Miscellaneous Requirements

None

15

Frito-

PTI A

Issued: 2/28/2006

Emissions Unit ID: **P002**

This emissions unit is exempt from this requirement pursuant to OAC rule 3745-18-06(A).

2. Additional Terms and Conditions

- 2.a** Particulate Emissions (PE) and PM10 emissions shall not exceed 3.49 pounds per hour and 15.29 tons per year from the potato chip fryer.
- 2.b** Particulate Emissions (PE) and PM10 emissions shall not exceed 0.40 pounds per hour and 1.75 tons per year from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.c** Nitrogen oxide (NOx) emissions shall not exceed 4.37 pounds per hour and 19.14 tons per year from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.d** Carbon monoxide (CO) emissions shall not exceed 1.65 pounds per hour and 7.22 tons per year from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.e** Visible particulate emissions from any stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.
- 2.f** Particulate Emissions (PE) shall not exceed 0.02 pounds per million Btu of actual heat input from the 20.0 MMBtu/hr natural gas heat exchanger.
- 2.g** This emissions unit is exempt from OAC rule 3745-18-06(G) during any calendar day in which natural gas is the only fuel burned.

B. Operational Restrictions

- 1. The permittee shall operate the oil mist eliminator whenever this emissions unit is in operation.
- 2. The permittee shall burn only natural gas in this emissions unit.
- 3. The permittee shall use low NOx burners in this emissions unit.

C. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall maintain daily records that document any time periods when the oil mist eliminator was not in service when the emissions unit was in operation.
- 2. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this

emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day that the oil mist eliminator was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northeast District Office) within 30 days after the event occurs.
2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northeast District Office) within 30 days after the event occurs.
3. The reports contained in this permit shall be submitted in accordance with the reporting requirements specified in Part 1 - General Terms and Conditions, Section A of this permit.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 and A.2 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitations:
PE/ PM10 emissions shall not exceed 3.49 pounds per hour and 15.29 tons per year from the potato chip fryer.

Applicable Compliance Method:

Compliance with the hourly emission limitation is determined by multiplying 0.862 pound per thousand pounds of product (FritoLay Irving, Tx. US EPA Method 5 test 10/16/84 of a similar potato chip fryer) times three (the maximum production is three thousand pounds).

If required compliance shall be determined according to OAC rule 3745-17-03(B)(10), (Method 5, 40 CFR 60, Appendix A).

Compliance with the annual emission limitations shall be termed by multiplying the hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

Frito-Lay, Inc.

PTI Application: 02 00610

Issue

Facility ID: 0285030097

Emissions Unit ID: **P002**

- b. Particulate Emissions (PE) shall not exceed 0.02 pounds per million Btu of actual heat input from the 20.0 MMBtu/hr natural gas heat exchanger.

Applicable Compliance Method:

Compliance is determined by dividing 1.9 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-2 (2/98), by 1020 million standard cubic feet of gas per million Btu.

If required compliance shall be determined according to OAC rule 3745-17-03(B)(9), (Method 5, 40 CFR 60, Appendix A).

- c. Emission Limitation:
PE/ PM10 emissions shall not exceed 0.40 pounds per hour and 1.75 tons per year from 20.0 MMBtu/hr natural gas heat exchanger.

Applicable Compliance Method:

Compliance with the hourly emission limitation is determined by dividing 1.9 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-2 (2/98), by 1020 million standard cubic feet of gas per million Btu and multiplying by 20 MMBtu/hr.

Compliance with the annual emission limitations is determined by multiplying the hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

- d. Emission Limitations:
4.37 lbs/hr and 19.14 TPY of NOx.

Applicable Compliance Methods:

Compliance with the hourly emission limitations above is determined by dividing 50 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-1 (2/98), by 1020 million standard cubic feet of gas per million Btu, and multiplying by the 20.0 MMBTU/hr, the heat input rating of this unit.

Compliance with the annual emission limitations is determined by multiplying the hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

- e. Emission Limitations:
1.65 lbs/hr and 7.22 TPY of CO.

Applicable Compliance Methods:

Compliance with the hourly emission limitations above is determined by dividing 84 lbs per million standard cubic feet of gas, the emission factor specified in AP-42 "Compilation of Air Pollutant Emission Factors," Table 1.4-1 (2/98), by 1020 million standard cubic feet of gas per million Btu, and multiplying by the 20.0 MMBTU/hr, the heat input rating of this unit.

Compliance with the annual emission limitations is termed by multiplying the

hourly emission rate determined above by the actual hours of operation (maximum 8760 hrs/yr), and dividing by 2,000 lbs/ton.

- f. Emission Limitations:
Visible particulate emissions from the exhaust stacks serving this emissions unit shall not exceed 20% opacity, as a 6-minute average, except for a period of not more than 6 consecutive minutes in any 60-minute period. Visible particulate emissions shall not exceed 60% opacity, as a 6-minute average, at any time.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

No visible emission observations are specifically required to demonstrate compliance with these emission limitations but, if appropriate, may be required pursuant to OAC rule 3745-15-04(A).

F. Miscellaneous Requirements

None