



State of Ohio Environmental Protection Agency

**RE: DRAFT PERMIT TO INSTALL
WAYNE COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
Lazarus Gov.
Center

Application No: 02-21711

Fac ID: 0285030223

DATE: 3/2/2006

Akron Brass
Alora Miller
343 Venture Blvd.
Wooster, OH 44691

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$3900** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NEDO

PUBLIC NOTICE

**ISSUANCE OF DRAFT PERMIT TO INSTALL 02-21711 FOR AN AIR CONTAMINANT SOURCE FOR
Akron Brass**

On 3/2/2006 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Akron Brass**, located at **1415 East Bowman St., Wooster**, Ohio.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 02-21711:

core machines, mold machines.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Dennis Bush, Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087
[(330)425-9171]



**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 02-21711

Application Number: 02-21711
Facility ID: 0285030223
Permit Fee: **To be entered upon final issuance**
Name of Facility: Akron Brass
Person to Contact: Alora Miller
Address: 343 Venture Blvd.
Wooster, OH 44691

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1415 East Bowman St.
Wooster, Ohio**

Description of proposed emissions unit(s):
Core machines, mold machines.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Akron Brass

Facility ID: 0285030223

PTI Application: 02-21711

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections,

Akron Brass**Facility ID: 0285030223****PTI Application: 02-21711****Issued: To be entered upon final issuance**

conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

Akron Brass**Facility ID: 0285030223****PTI Application: 02-21711****Issued: To be entered upon final issuance****9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available

Akron Brass

Facility ID: 0285030223

PTI Application: 02-21711

Issued: To be entered upon final issuance

Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	4.93
lead	0.10

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P004 - abrasive grinding, controlled by the #3 south dust collector	OAC rule 3745-31-05(A)(3)	0.12 lb/hr and 0.53 TPY of particulate emissions (PE)
		0.0083 lb/hr and 0.036 TPY of lead
		Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.
	OAC rules 3745-17-07(A) and 3745-17-11(B)	The emission limitations specified in these rules are less stringent than those established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a All PE from the abrasive blasting operations shall be captured and vented to the dust collector.

B. Operational Restrictions

1. The pressure drop across the dust collector shall be maintained within a range of 4 to 7 inches of water column.

C. Monitoring and/or Recordkeeping Requirements

Issued: To be entered upon final issuance

1. The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the dust collector while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the dust collector on a daily basis.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify that all periods of time during which the pressure drop across the dust collector did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- 1.a Emission Limitation:
0.12 lb/hr and 0.53 TPY of PE

Applicable Compliance Method:

Compliance with the hourly PE limitation shall be determined using the following equation:

$$PE = P \times EF \times (1 - CE)$$

where:

PE = hourly emission rate, in lbs/hr;

P = maximum hourly processing rate, 0.7 TPH;

EF = emission factor of 17 lbs/ton of material produced, from AP-42 Table 12.10-7; and

CE = fractional control efficiency, 0.99 (conservative as manufacturer estimates 0.999).

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

- 1.b Emission Limitation:
0.0083 lb/hr and 0.036 TPY of lead

Applicable Compliance Method:

Compliance with the hourly lead emission rate shall be determined using the equation

Akron Brass**PTI Application: 02-21711****Issue:****Facility ID: 0285030223****Emissions Unit ID: P004**

above for PE and then multiplying by an emission factor of 0.7 lb of lead/lb of brass.

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

- 1.c **Emission Limitation:**
Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.

Applicable Compliance Method:

Compliance with the above visible emission limitation shall be determined using Method 9 of 40 CFR, Part 60, Appendix A.

F. Miscellaneous Requirements

1. All terms and conditions of this permit shall be federally enforceable.

**Akror
PTI A**

Emissions Unit ID: **P009**

Issued: To be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P009 - pouring and cooling line, including mold transfer and pour pot, controlled by the #2 west dust collector	OAC rule 3745-31-05(A)(3) OAC rules 3745-17-07(A) and 3745-17-11(B)	0.089 lb/hr and 0.39 TPY of particulate emissions (PE) 0.0062 lb/hr and 0.027 TPY of lead Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average. The emission limitations specified in these rules are less stringent than those established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a All PE from the pouring and cooling operations shall be captured and vented to the dust collector.

B. Operational Restrictions

1. The pressure drop across the dust collector shall be maintained within a range of 1.5 to 6.5 inches of water column.

C. Monitoring and/or Recordkeeping Requirements

Issued: To be entered upon final issuance

1. The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the dust collector while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the dust collector on a daily basis.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify that all periods of time during which the pressure drop across the dust collector did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- 1.a Emission Limitation:
0.089 lb/hr and 0.39 TPY of PE

Applicable Compliance Method:

Compliance with the hourly PE limitation shall be determined using the following equation:

$$PE = P \times EF \times (1 - CE)$$

where:

PE = hourly emission rate, in lbs/hr;

P = maximum hourly processing rate, 2.11 TPH;

EF = emission factor of 4.2 lbs/ton of material processed, from AP-42 Table 12.10-7;
and

CE = fractional control efficiency, 0.99 (manufacturer's estimate).

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

- 1.b Emission Limitation:
0.0062 lb/hr and 0.027 TPY of lead

Akron Brass**PTI Application: 02 21711****Issue****Facility ID: 0285030223****Emissions Unit ID: P009**

Applicable Compliance Method:

Compliance with the hourly lead emission rate shall be determined using the equation above for PE and then multiplying by an emission factor of 0.7 lb of lead/lb of brass.

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

1.c Emission Limitation:

Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.

Applicable Compliance Method:

Compliance with the above visible emission limitation shall be determined using Method 9 of 40 CFR, Part 60, Appendix A.

F. Miscellaneous Requirements

1. All terms and conditions of this permit shall be federally enforceable.

**Akror
PTI A**

Emissions Unit ID: **P010**

Issued: To be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P010 - shakeout, including vibratory screen and vibratory conveyor, controlled by the #3 south dust collector	OAC rule 3745-31-05(A)(3)	0.42 lb/hr and 1.84 TPY of particulate emissions (PE) 0.0022 lb/hr and 0.0096 TPY of lead Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.
	OAC rules 3745-17-07(A) and 3745-17-11(B)	The emission limitations specified in these rules are less stringent than those established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a All PE from the shakeout operations shall be captured and vented to the dust collector.

B. Operational Restrictions

1. The pressure drop across the dust collector shall be maintained within a range of 4 to 7 inches of water column.

C. Monitoring and/or Recordkeeping Requirements

Issued: To be entered upon final issuance

1. The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the dust collector while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the dust collector on a daily basis.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify that all periods of time during which the pressure drop across the dust collector did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- 1.a Emission Limitation:
0.42 lb/hr and 1.84 TPY of PE

Applicable Compliance Method:

Compliance with the hourly PE limitation shall be determined using the following equation:

$$PE = P \times EF \times (1 - CE)$$

where:

PE = hourly emission rate, in lbs/hr;

P = maximum hourly processing rate, 13.1 TPH;

EF = emission factor of 3.2 lbs of PE/ton of sand handled, from AP-42 Table 12.10-7;
and

CE = fractional control efficiency, 0.99 (conservative as manufacturer estimates 0.999).

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

- 1.b Emission Limitation:
0.0022 lb/hr and 0.0096 TPY of lead

Akron Brass**PTI Application: 02 21711****Issue****Facility ID: 0285030223****Emissions Unit ID: P010**

Applicable Compliance Method:

Compliance with the hourly lead emission rate shall be determined using the equation above for PE and then multiplying by an emission factor of 0.00524 lb of lead/lb of sand.

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

Akror

PTI A

Emissions Unit ID: **P010**

Issued: To be entered upon final issuance

- 1.c Emission Limitation:
Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.

Applicable Compliance Method:

Compliance with the above visible emission limitation shall be determined using Method 9 of 40 CFR, Part 60, Appendix A.

F. Miscellaneous Requirements

1. All terms and conditions of this permit shall be federally enforceable.

**Akror
PTI A**

Emissions Unit ID: **P011**

Issued: To be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P011 - chip dryer, controlled by an oil mist filtration unit and the #6 chip dryer collector	OAC rule 3745-31-05(A)(3)	0.016 lb/hr and 0.070 TPY of particulate emissions (PE)
	OAC rules 3745-17-07(A) and 3745-17-11(B)	0.0036 lb/hr and 0.016 TPY of lead
		Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.
		The emission limitations specified in these rules are less stringent than those established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a All PE from the chip dryer shall be captured and vented to the control system.

B. Operational Restrictions

1. The pressure drop across the dust collector shall be maintained within a range of 0 to 10 inches of water column.

C. Monitoring and/or Recordkeeping Requirements

Issued: To be entered upon final issuance

1. The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the dust collector while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the dust collector on a daily basis.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify that all periods of time during which the pressure drop across the dust collector did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- 1.a Emission Limitation:
0.016 lb/hr and 0.070 TPY of PE

Applicable Compliance Method:

The hourly PE limit was created using an uncontrolled emission factor of 1.55 lbs of PE/hr, from a stack test performed on March 17, 1999 (highest run recorded) and a control efficiency of 99% (conservative as manufacturer estimates 99.9%).

The annual emission limitation was created by multiplying the hourly emission rate by 8,760 hrs/yr and dividing by 2,000 lbs/ton.

- 1.b Emission Limitation:
0.0036 lb/hr and 0.016 TPY of lead

Applicable Compliance Method:

The hourly PE limit was created using an uncontrolled emission factor of 0.36 lbs of PE/hr, from a stack test performed on March 17, 1999 (highest run recorded) and a control efficiency of 99% (conservative as manufacturer estimates 99.9%).

The annual emission limitation was created by multiplying the hourly emission rate by

**Akror
PTI A**

Emissions Unit ID: **P011**

Issued: To be entered upon final issuance

8,760 hrs/yr and dividing by 2,000 lbs/ton.

1.c Emission Limitation:

Visible emissions from this emissions unit shall not exceed zero percent (0%) opacity, as a six-minute average.

Applicable Compliance Method:

Compliance with the above visible emission limitation shall be determined using Method 9 of 40 CFR, Part 60, Appendix A.

F. Miscellaneous Requirements

1. All terms and conditions of this permit shall be federally enforceable.