Sta Ohio Environmental Protection Agency, Box 1049, 361 East Broad Street, Columbus, Ohio 43216 (614) 466-8565

SF

Re: Tuscarawas Co.
Dover Chemical
Ind. Air

James A. Rhodes
Governor
Ned E. Williams, P.E.
Director

Re: Dover
Application for Expansion of the existing 900 lb/hr. P-dichlorobenzene Processing Plant to 1500 lb/hr by the installation of a molding machine and auxiliary equipment
Received April 18, 1975
From Dover Chemical Corporation

May 21, 1975

CERTIFIED MAIL

OhioEPA

Dover Chemical Corporation
P. O. Box 40
Dover, Ohio 44622

Attention: Mr. Eric R. Beu, Plant Manager

LITIGATION DEVELOPMENT

Date Received 5-23-75

RECEIVED
MAY 23 1975
Ohio Environmental Protection Agency
SOUTHEAST District

Gentlemen:

Enclosed is the Ohio EPA Permit To Install which will allow you to install the described source in the manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

As indicated on the permit, you are required to pay a permit fee as provided for in Ohio EPA regulation EP-39-02. The exact amount of this fee is indicated on page 1 of the Permit To Install. This amount must be remitted within fifteen (15) days of the effective date of the Permit To Install. Checks should be made payable to: Treasurer, State of Ohio and sent to Ohio EPA, New Source Permits Record Section, 361 East Broad Street, Columbus, Ohio 43215.

Under Ohio Revised Code, Chapters 119 and 3704, this permit will take effect on the date indicated unless you or an objector requests an adjudication hearing within thirty (30) days of the date of issuance, as provided for by Ohio Environmental Protection Agency regulation EP-40-13. At an adjudication hearing you may appear in person, or be represented by your attorney, or by such other representative as is permitted to practice before this agency, or you may present your position, arguments, or contentions in writing. At the hearing you may present evidence and examine witnesses appearing for and against you. Requests for hearing shall be in writing and shall specify the issues of fact and law to be contested. Requests for hearing should be sent to the Hearing Clerk, Box 1049, 361 East Broad Street, Columbus, Ohio 43215.

The agency may withdraw this permit at any time before it takes effect.

100% Recycled Paper

If you have any questions, please contact the Ohio EPA District Office or local air pollution control agency to whom you submitted your application.

Very truly yours,

Douglas Shallcross

Douglas Shallcross, Chief
New Source Permit Record Section

Copy to Tuscarawas County Health Department
" " Southeast District Office, Engineering

OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

Application No. 06-141

Applicants Name: Dover Chemical Corporation Permit Fee: $130.00

Address: P. O. Box 40

City: Dover State: Ohio

Telephone: (216) 343-7711

Description of Proposed Source: Expansion of the existing 900 lb/hr P-dichlorobenzene Processing Plant to 1500 lb/hr by the installation of a molding machine and auxiliary equipment.

Issuance Date: May 21, 1975

Effective Date: July 7, 1975

The above named entity is hereby granted a permit to install for the above described source pursuant to Chapter EP-30 of the regulations of the Ohio Environmental Protection Agency. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source of pollutants will be granted the necessary operating permits. This permit is granted subject to the following conditions attached hereto:

Ohio Environmental Protection Agency

Ned E. Williams

by Ned E. Williams, P.E.
Director
361 East Broad Street
Columbus, Ohio 43215

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The proposed source shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

A permit fee specified above must be remitted within 15 days of the effective date of this permit to install, to the Treasurer, State of Ohio.

This permit shall apply only to the source shown on the plans approved by the Ohio Environmental Protection Agency.

The appropriate District Office of the Ohio Environmental Protection Agency, Division of Waste Management and Engineering shall be notified, in writing as to (a) the construction starting date (b) the construction completion date and (c) the date the facilities were placed into operation.

Should there be any questions regarding the requirements, meaning or interpretations of any of the above which we may clarify, please contact the Division of Waste Management and Engineering in the appropriate District Office of the Ohio Environmental Protection Agency.