



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

RE: **FINAL PERMIT TO INSTALL MODIFICATION** CERTIFIED MAIL
ALLEN COUNTY
Application No: 03-05319

DATE: 6/17/2003

BP Chemicals Inc
Charles Treloar
PO Box 628 1900 Fort Amanda Road
Lima, OH 458020628

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely

A handwritten signature in cursive script that reads "Michael W. Ahern".

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

NWDO



**Permit To Install
Terms and Conditions**

**Issue Date: 6/17/2003
Effective Date: 6/17/2003**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 03-05319

Application Number: **03-05319**
APS Premise Number: **0302020015**
Permit Fee: **\$100**
Name of Facility: **BP Chemicals Inc**
Person to Contact: **Charles Treloar**
Address: **PO Box 628 1900 Fort Amanda Road
Lima, OH 458020628**

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1900 Fort Amanda Rd
Lima, OHIO**

Description of modification:
administrative modification to delete quarterly reporting requirement for nitrogen oxides continuous emission monitor 100 ppm values for number 2 nitric acid plant.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Director

BP Chemicals Inc

Facility ID: **0302020015**

PTI Application: 03-05319

Modification Issued: 6/17/2003

GENERAL PERMIT CONDITIONS

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCES

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

BP Chemicals Inc
PTI Application: 03-05319
Modification Issued: 6/17/2003

Facility ID: **0302020015**

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION AND OPERATION AFTER COMPLETION OF CONSTRUCTION

If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

BP Chemicals Inc

PTI Application: 03-05319

Modification Issued: 6/17/2003

Facility ID: **0302020015**

BP Chemicals Inc
PTI Application: 03-05319
Modification Issued: 6/17/2003

Facility ID: **0302020015**

AIR EMISSION SUMMARY

The air contaminant emissions units listed below comprise the Permit to Install for **BP Chemicals Inc** located in **ALLEN** County. The emissions units listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
P070	400 ton/day Nitric Acid Plant (#2 Nitric Acid Unit)	Use of Catalytic Reduction; Compliance With Terms of This Permit	3745-31-05 3745-23-06	23.2 lbs No _x /hr (See Additional Special Terms and Conditions) 1.4 lbs No _x /ton of Acid Produced

SUMMARY TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
NO _x	101.6

NSPS REQUIREMENTS

The following sources are subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

BP Chemicals Inc
PTI Application: 03-05319
Modification Issued: 6/17/2003

Facility ID: **0302020015**

<u>Source Number</u>	<u>Source Description</u>	<u>NSPS Regulation (Subpart)</u>
P070	400 Ton/Day Nitric Acid Plant (#2 Nitric Acid Unit)	G

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

1. Construction date (no later than 30 days after such date);
2. Anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
3. Actual start-up date (within 15 days after such date); and
4. Date of performance testing (If required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Air Quality Modeling and Planning
P.O. Box 1049
Columbus, OH 43216-1049

and

Ohio EPA, Northwest District Office
Air Pollution Group
347 North Dunbridge Road
P.O. Box 466
Bowling Green, OH 43402

PERFORMANCE TEST REQUIREMENTS

The permittee shall conduct, or have conducted, performance testing on the air contaminant source(s) in accordance with procedures approved by the Agency. Two copies of the written report describing the test procedures followed and the results of such tests shall be submitted and signed by the person responsible for the test. The Director, or an Ohio EPA representative, shall be allowed to witness the test, examine testing

BP Chemicals Inc

Facility ID: **0302020015**

PTI Application: 03-05319

Modification Issued: 6/17/2003

equipment, and require the acquisition or submission of data and information necessary to assure that the source operation and testing procedures provide a valid characterization of the emissions from the source and/or the performance of the control equipment.

1. A completed Intent to Test form shall be submitted to the appropriate Ohio EPA District Office or Local Air Pollution Control Agency where the original permit application was filed. This notice shall be made 30 days in advance and shall specify the source operating parameters, the proposed test procedures, and the time, date, place and person(s) conducting such tests.
2. Two copies of the test results shall be submitted within 30 days after the completion of the performance test.

BP Chemicals Inc
PTI Application: 03-05319
Modification Issued: 6/17/2003

Facility ID: **0302020015**

3. Tests shall be performed for the following source(s) and pollutant(s):

<u>Source</u>	<u>Pollutant(s)</u>
P070	NO_x

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

MALFUNCTION/ABATEMENT

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the **Northwest District Office, 347 North Dunbridge Road, P.O. Box 466, Bowling Green, Ohio 43402.**

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

AIR POLLUTION NUISANCES PROHIBITED

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

NINETY DAY OPERATING PERIOD

The facility will be permitted to operate during a 90-day period in accordance with OAC Rule 3745-35-02(C)(4)(b). The purpose of this period of operation is to fulfill the performance tests conditions used in the determination of compliance with the provisions of this Permit to Install or other applicable Ohio EPA rules.

BP Chemicals Inc
PTI Application: 03-05319
Modification Issued: 6/17/2003

Facility ID: **0302020015**

BP Chemicals Inc

Facility ID: **0302020015**

PTI Application: 03-05319

Modification Issued: 6/17/2003

ADDITIONAL SPECIAL TERMS AND CONDITIONS

1. In accordance with 40 CFR 60.73(a), BP Chemicals, Inc. shall install a continuous monitoring system for the measurement of nitrogen oxides on Source P070. The monitoring equipment shall be installed and maintained in accordance with the applicable portions of 40 CFR Part 60 - Standards of Performance for New Stationary Sources.

Within 30 days after the installation of the continuous monitoring and recording equipment, this facility shall conduct a performance specification test of such equipment pursuant to section 3704-03(I) of the Ohio Revised Code and 40 CFR Part 60, Appendix B, Performance Specification Test 2. Personnel from the Ohio EPA field office shall be permitted to witness the performance specification tests, and two copies of the test results shall be submitted to the Ohio EPA Field office within 45 days after the test is completed.

2. In accordance with 40 CFR 60.72(a)(2), emissions from Source P070 shall exhibit less than 10 percent opacity.
3. Within six months of the operational startup of Source P070, BP Chemicals, Inc., shall have completed the permanent shutdown of the #1 Nitric Acid Unit, Source P030. BP Chemicals, Inc., shall submit written notification to the OEPA, Northwest District Office upon completion of the following milestone:
 - a. Actual date of operational startup of Source P070 (within 15 days after such date);
 - b. Actual shutdown date of Source P030.
4. BP Chemicals, Inc. shall conduct, or have conducted, an annual performance evaluation of Source P070. Such an evaluation shall include, but not be limited to the following information:
 - a. Actual production records
 - b. Control equipment efficiency and reliability including all down time.
 - c. Actual emissions based on continuous emission, monitoring data.
 - d. Methods investigated and/or implemented to improve control efficiency and/or reduce emissions.

This report shall be submitted by February 1 of each year and shall cover data obtained during the previous operating year.

5. The allowable limit of nitrogen oxides for this source is 1.4 lb No_x/ton acid produced. BP may request Ohio EPA to modify this limit if the company demonstrates that compliance with the 1.4 lb No_x/ton acid produce is technically infeasible.