K 001

**OhioEPA**

**State of Ohio Environmental Protection Agency**

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149

Toward A Cleaner Environment
15 Year Anniversary 1972 - 1987

Richard F. Celeste
Governor

Re: Permit to Install
STARK County
Application No.15-389

CERTIFIED MAIL

DECEMBER 16, 1987

STARK SANDBLASTING & PAINTING
15Ø1 RAFF RD SW, P.O. BOX 12
CANTON, OHIO 4471Ø

Attention: STEVE FLAMOS

Dear Sir:

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations Section
Division of Air Pollution Control

RECEIVED
JAN 06 1988
CITY OF CANTON
HEALTH DEPT.
AIR POLLUTION CONTROL DIVISION

TGR/gs

cc: US EPA
CANTON DIVISION OF AIR POLLUTION CONTROL

OhioEPA

State of Ohio Environmental Protection Agency

# Permit to Install
# Terms and Conditions

Application No. 15-389
APS Premise No. 1576Ø51568
Permit Fee: $2ØØ.

Name of Facility: STARK SANDBLASTING & PAINTING

Person to Contact: STEVE FLAMOS

Address: 15Ø1 RAFF RD SW, P.O. BOX 12
CANTON, OHIO 4471Ø

Location of proposed source(s): 15Ø1 RAFF RD SW
CANTON TWP, OHIO

Description of proposed source(s): MISC. METAL COATING OPERATION USING <1Ø GAL/DAY.

Date of Issuance: DECEMBER 16, 1987

Effective Date: DECEMBER 16, 1987

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Richard L. Shank

Director

EPA 3156

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

The specified permit fee must be remitted within 15 days of the effective date of this permit to install.

The proposed source shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for Stark Sandblasting & Painting located in Stark County. The sources listed below shall not exceed the emission limits/control requirements contained in the following table:

| Ohio EPA Source No. | Source Identification | BAT Determination | Applicable Ohio EPA rule | Allowable Emissions (lb/hr, lb/MMBTU, gr/DSCF,etc.) |
|---|---|---|---|---|
| K001 | Coating of misc. metal | Arrestor pad <10 gal/day | 3745-31-05<br>3745-21-09(U) | 7.3 TPY |

SUMMARY
TOTAL NEW SOURCE EMISSIONS

| Pollutant | Tons/Year |
|---|---|
| VOC | 7.3 |

This condition in no way limits the applicability of any other state or federal regulation.

PERMIT TO OPERATE APPLICATION

A Permit to Operate Application and a $15 application fee must be submitted to the appropriate field office for each source in this Permit to Install. In accordance with OAC rule 3745-35-02, the application shall be made at least ninety days prior to start-up of the source.

ADDITIONAL SPECIAL TERMS AND CONDITIONS

1. Coating usage is limited to a maximum amount of ten or less gallons per day.

2. Spray painting will only be conducted where arrestor pads can catch the overspray.