



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
ASHLAND COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
Lazarus Gov.
Center

Application No: 03-16030

DATE: 6/10/2004

Hedstrom Corporation
Kathy Ramsey
710 Orange Street
Ashland, OH 44805

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

NWDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

**Permit To Install
Terms and Conditions**

**Issue Date: 6/10/2004
Effective Date: 6/10/2004**

FINAL PERMIT TO INSTALL 03-16030

Application Number: 03-16030
APS Premise Number: 0303010045
Permit Fee: **\$3400**
Name of Facility: Hedstrom Corporation
Person to Contact: Kathy Ramsey
Address: 710 Orange Street
Ashland, OH 44805

Location of proposed air contaminant source(s) [emissions unit(s)]:

**710 Orange Street
Ashland, Ohio**

Description of proposed emissions unit(s):

(4) spray booths, (4) lacquer lines and (9) printers.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are

required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

4. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Organic Compounds (OC)	211.14
Non-PRM OC from Cleanup	66.50

11

Hedstrom Corporation

PTI Application: **03-16030**

Issued: 6/10/2004

Facility ID: **0303010045**

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS**A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions**

The emission units within this permit are subject to 40 CFR Part 63, Subpart PPPP, National Emission Standards for Hazardous Air Pollutants (NESHAP): for Surface Coating of Plastic Parts and Products. The permittee shall comply with all applicable requirements of 40 CFR Part 63, Subpart PPPP. The permittee shall also comply with all applicable requirements of 40 CFR Part 63, Subpart A (General Provisions) as identified in Table 2 of 40 CFR Part 63, Subpart PPPP. Compliance with all applicable requirements shall be achieved by the dates set forth in 40 CFR Part 63, Subpart PPPP and Subpart A.

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R006 - Hand Splatter Spray Booth, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations.
		7.30 tons organic compounds (OC)/yr from coating operations
		27.5 lbs organic compounds (OC)/month, 0.17 tons OC/yr from cleanup operations (see Sections A.I.2.e, A.II.1, and A.II.2).
	OAC rule 3745-31-05(C)	See Section A.I.2.d.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.c.
	OAC rule 3745-17-11(A)	See Section A.I.2.a.
	OAC rule 3745-17-07(A)	See Section A.I.2.b.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY

Issued

Emissions Unit ID: R006

**SPECIFIC TERMS AND
CONDITIONS.****2. Additional Terms and Conditions**

- 2.a** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).
- 2.b** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.d** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.e** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (see Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R006:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);

- c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R006:
- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded

in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**

Emissions Unit ID: R006

40 pounds/day of OC emissions from coating operations

Applicable Compliance Method

Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

d. **Emission Limitation**

27.5 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

Emission Limitation

0.17 tons OC/yr from cleanup operations

18

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R006

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

Issued: 6/10/2004

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R006 - Hand Splatter Spray Booth, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

20

Hedstrom Corporation

PTI Application: **02 16030**

Issued

Facility ID: **0303010045**

Emissions Unit ID: R006

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, - and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R007 - Semi-Automatic Spray Booth Decorator #1, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations. 7.30 tons organic compounds (OC)/yr from coating operations 27.5 lbs organic compounds (OC)/month, 0.17 tons OC/yr from cleanup operations (see Sections A.I.2.e, A.II.1, and A.II.2).
	OAC rule 3745-31-05(C)	See Section A.I.2.d.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.c.
	OAC rule 3745-17-11(A)	See Section A.I.2.a.
	OAC rule 3745-17-07(A)	See Section A.I.2.b.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND

CONDITIONS.

2. Additional Terms and Conditions

- 2.a** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).
- 2.b** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.d** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.e** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (see Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

- 1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
- 2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall collect and record the following information each day for coating usage in emissions unit R007:

- a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R007:
- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**
40 pounds/day of OC emissions from coating operations

Applicable Compliance Method
Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - c. **Emission Limitation**
7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.
 - d. **Emission Limitation**
27.5 lbs OC/month from cleanup operations

27

Hedstrom Corporation
PTI Application: 02 16030
Issued

Facility ID: 0303010045

Emissions Unit ID: R007

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

28

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R007

Emission Limitation

0.17 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R007- Semi-Automatic Spray Booth Decorator #1, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

30

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R007

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, - and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R008 - Semi-Automatic Spray Booth Decorator #2, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations. 7.30 tons organic compounds (OC)/yr from coating operations 27.5 lbs organic compounds (OC)/month, 0.17 tons OC/yr from cleanup operations (see Sections A.I.2.e, A.II.1, and A.II.2).
	OAC rule 3745-31-05(C)	See Section A.I.2.d.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.c.
	OAC rule 3745-17-11(A)	See Section A.I.2.a.
	OAC rule 3745-17-07(A)	See Section A.I.2.b.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND

CONDITIONS.**2. Additional Terms and Conditions**

- 2.a** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).
- 2.b** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.d** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.e** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (see Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R008:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);

- c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R008:
- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through

December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**
40 pounds/day of OC emissions from coating operations

Applicable Compliance Method
Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

d. **Emission Limitation**

27.5 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

Emission Limitation

0.17 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R008- Semi-Automatic Spray Booth Decorator #2, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

39

Hedstrom Corporation

PTI Application: **02 16030**

Issued

Facility ID: **0303010045**

Emissions Unit ID: R008

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R009 - Maintenance Decorator, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations. 7.30 tons organic compounds (OC)/yr from coating operations 27.5 lbs organic compounds (OC)/month, 0.17 tons OC/yr from cleanup operations (see Sections A.I.2.e, A.II.1, and A.II.2).
	OAC rule 3745-31-05(C)	See Section A.I.2.d.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.c.
	OAC rule 3745-17-11(A)	See Section A.I.2.a.
	OAC rule 3745-17-07(A)	See Section A.I.2.b.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND

CONDITIONS.

2. Additional Terms and Conditions

- 2.a** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).
- 2.b** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.d** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.e** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (see Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in

emissions unit R009:

- a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R009:
- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through

December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

Issued: 6/10/2004

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**
40 pounds/day of OC emissions from coating operations

Applicable Compliance Method
Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - c. **Emission Limitation**
7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.
 - d. **Emission Limitation**
27.5 lbs OC/month from cleanup operations

Hedstrom Corporation
PTI Application: 02 16030
Issued

Facility ID: 0303010045

Emissions Unit ID: R009

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

47

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R009

Emission Limitation

0.17 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R009- Maintenance Decorator, with dry filtration (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

49

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R009

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R027 - 6-inch 360 Degree Tampo Printer (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations. 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1, and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

Emissions Unit ID: R027

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (see Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R027:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material

usage in emissions unit R027:

- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40

pounds per day, and the actual organic compound emissions for each such day.

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**
40 pounds/day of OC emissions from coating operations

Applicable Compliance Method
Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - c. **Emission Limitation**
7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.
 - d. **Emission Limitation**
1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

55

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R027

Emission Limitation

7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R027- 6-inch 360 Degree Tampo Printer (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

57

Hedstrom Corporation

PTI Application: **02 16030**

Issued

Facility ID: **0303010045**

Emissions Unit ID: R027

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R031- 10-inch 360 Degree Printer- #3- Top (Modification of PTI 03-0174 issued on 9/3/97 to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

- 1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
- 2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall collect and record the following information each day for coating usage in emissions unit R031:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum

Emissions Unit ID: R031

- of "d" for all coatings);
- f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R031:
- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and

- b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. **Emission Limitation**

8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method

Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- b. **Emission Limitation**

40 pounds/day of OC emissions from coating operations

Applicable Compliance Method

Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- d. **Emission Limitation**

1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

Emission Limitation

7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R031- 10-inch 360 Degree Printer- #3- Top (Modification of PTI 03-0174 issued on 9/3/97 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

66

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R031

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R032 - 10-inch 360 Degree Printer- #3 Bottom (Modification of PTI 03-0174 issued on 9/3/97 to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

Emissions Unit ID: R032

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R032:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material

usage in emissions unit R032:

- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40

pounds per day, and the actual organic compound emissions for each such day.

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. **Emission Limitation**

8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method

Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- b. **Emission Limitation**

40 pounds/day of OC emissions from coating operations

Applicable Compliance Method

Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- d. **Emission Limitation**

1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

Emission Limitation

7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

73

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R032

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R032- 10-inch 360 Degree Printer- #3- Bottom (Modification of PTI 03-0174 issued on 9/3/97 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

75

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R032

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R033- 10-inch 360 Degree Printer- #1- Top (Modification of PTI 03-11354 issued on 10/15/98 to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).

- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R033:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").

Issued: 6/10/2004

2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R033:
 - a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and

Emissions Unit ID: R033

- b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. **Emission Limitation**

8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method

Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- b. **Emission Limitation**

40 pounds/day of OC emissions from coating operations

Applicable Compliance Method

Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III. 3.

- d. **Emission Limitation**

1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

Emission Limitation

7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

82

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R033

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R033- 10-inch 360 Degree Printer- #-1 Top (Modification of PTI 03-11354 issued on 10/15/98 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

84

Hedstrom Corporation

PTI Application: **02 16030**

Issued

Facility ID: **0303010045**

Emissions Unit ID: R033

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R034 - 10-inch 360 Degree Printer- #1- Bottom (Modification of PTI 03-11354 issued on 10/15/98 to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R034:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);

- f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R034:
 - a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40

pounds per day, and the actual organic compound emissions for each such day.

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):

a. **Emission Limitation**

8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method

Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

b. **Emission Limitation**

40 pounds/day of OC emissions from coating operations

Applicable Compliance Method

Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

d. **Emission Limitation**

1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

Emission Limitation

7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R034- 10-inch 360 Degree Printer- #1- Bottom (Modification of PTI 03-11354 issued on 10/15/98 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

92

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R034

V. Testing Requirements

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R035 - 10-inch Lacquer Line-#1, with dry filtration (Modification of PTI 03-13587 issued on 3/13/01 to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	16.0 lbs organic compounds (OC)/hr from coating operations
	OAC rule 3745-31-05(C)	99.0 lbs organic compounds (OC)/month, 0.59 tons OC/yr from cleanup operations (see Sections A.I.2.d, A.II.1. and A.II.2.)
	OAC rule 3745-21-07 (G)(2)	41.34 tons OC per rolling 12-month period from coating operations, see Section A.I.2.c.
	OAC rule 3745-17-11(A)	See Section A.II.1.
	OAC rule 3745-17-07(A)	See Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A.I.2.b.
		See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this emissions unit is

Emissions Unit ID: R035

exempt from the requirements of OAC rule 3745-17-11(B)(2).

- 2.b** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c** The permittee has requested a federally enforceable limitation of 41.34 tons of OC per rolling 12-month period based on hours of operation restriction (See B.II.3) for purposes of avoiding "Prevention of Significant Deterioration" applicability. For purposes of federal enforceability, a limitation on OCs effectively restricts VOCs.
- 2.d** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

- The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.
- The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.
- The maximum annual hours of operation for emissions unit R035 shall not exceed 5,168 hours per year, based upon a rolling 12-month summation of the operating hours.

To ensure enforceability during the first 12 calendar months of operation 5,168 hours, the permittee shall not exceed the operating hours levels specified in the following table:

Month(s)	Maximum Allowable Cumulative Operating Hours
1	431
1-2	862
1-3	1293
1-4	1724
1-5	2155
1-6	2586
1-7	3017
1-8	3448
1-9	3879
1-10	4310
1-11	4737
1-12	5168

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit, R035:
 - a. the company identification for each coating employed;
 - b. documentation of whether or not each coating employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. the number of gallons of each coating employed (gallons/month);
 - d. the organic compound content for each coating employed, in pounds per gallon;
 - e. the organic compound emissions from each coating employed, in lbs/month ("c" times "d");
 - f. the total organic compound emissions from all coating materials employed (sum of "e" for all coatings);
 - g. beginning the first month after the first 12 calendar months of operation (following the issuance of this permit) the rolling, 12- month summation of the emission rate for OC, in tons;
 - h. the total number of hours the emissions unit was in operation (hours/month);
 - i. during the first 12 calendar months of operation, (following the issuance of this permit) the cumulative hours of operation; and
 - j. beginning the first month after the first 12 calendar months of operation (following the issuance of this permit), the rolling 12 month summation of the hours of operation.
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R035:
 - a. the company identification of each cleanup material employed;

- b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emission rate for all cleanup materials employed (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which identify the following exceedances:
 - a. the rolling, 12-month hours of operation limitation;
 - b. the rolling, 12-month OC emissions limitation; and
 - c. for the first 12 calendar months of operation (following the issuance of this permit) all exceedances of the maximum allowable cumulative hours of operation.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule

Emissions Unit ID: R035

3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation:**
16.0 lbs OC/hr and 41.34 tons OC per rolling 12-month period from coating operations.

Applicable Compliance Method:

The hourly emission limitation represents the potential to emit* for this emissions unit. Therefore no hourly recordkeeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

*The potential to emit for this emissions unit is based on a maximum usage rate of 2.34 gallons of coating per hour and a maximum OC content of 6.83 pounds per gallon

Compliance with the OC per rolling 12-month period limitation shall be demonstrated by the recordkeeping requirements in Section A.III.1.

- b. **Emission Limitation**
99.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- c. **Emission Limitation**
0.59 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- d. **Emission Limitation**
The maximum annual hours of operation shall not exceed 5,168 hours per year, based upon a rolling 12-month summation of the operation hours

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.1.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R035- 10-inch Lacquer Line-#1- (Modification of PTI 03-13587 issued on 3/13/01 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit (R035) was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling

for the "worst case" pollutant(s):

Pollutant: Acetone

TLV (mg/m³): 1187

Maximum Hourly Emission Rate (lbs/hr): 3.36

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 781.4

MAGLC (ug/m³): 28,261

Pollutant: N-Butyl Acetate

TLV (mg/m³): 7126

Maximum Hourly Emission Rate (lbs/hr): 8

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 1875

MAGLC (ug/m³): 16,966

Pollutant: Cyclohexanone

TLV (mg/m³): 9629

Maximum Hourly Emission Rate (lbs/hr): 0.85

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 199.3

MAGLC (ug/m³): 22,926

Pollutant: Ethyl Acetate

TLV (mg/m³): 1441

Maximum Hourly Emission Rate (lbs/hr): 2.46

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 574.4

MAGLC (ug/m³): 34,309

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

103

Hedstrom Corporation
PTI Application: 02 16030
Issued

Facility ID: **0303010045**

Emissions Unit ID: R035

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, - and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R036 - 10-inch Lacquer Line- #2 with dry filtration (Modification of PTI 03-13587 issued on 3/13/01 to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	16.0 lbs organic compounds (OC)/hr from coating operations
	OAC rule 3745-31-05(C)	99.0 lbs organic compounds (OC)/month, 0.59 tons OC/yr from cleanup operations (see Sections A.I.2.d, A.II.1. and A.II.2.)
	OAC rule 3745- 21-07 (G)(2)	41.34 tons OC per rolling 12-month period from coating operations, see Section A.I.2.c.
	OAC rule 3745-17-11(A)	See Section A.II.1.
	OAC rule 3745-17-07(A)	See Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A.I.2.b.
		See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10

lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).

- 2.b** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c** The permittee has requested a federally enforceable limitation of 41.34 tons of OC per rolling 12-month period based on hours of operation restriction (See Section A.II.3.) for purposes of avoiding "Prevention of Significant Deterioration" applicability. For purposes of federal enforceability, a limitation on OCs effectively restricts VOCs.
- 2.d** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.
3. The maximum annual hours of operation for emissions unit R036 shall not exceed 5,168 hours per year, based upon a rolling 12-month summation of the operating hours.

To ensure enforceability during the first 12 calendar months of operation 5,168 hours, the permittee shall not exceed the operating hours levels specified in the following table:

Month(s)	Maximum Allowable Cumulative Operating Hours
1	431
1-2	862
1-3	1293
1-4	1724
1-5	2155
1-6	2586
1-7	3017

Issued: 6/10/2004

1-8	3448
1-9	3879
1-10	4310
1-11	4737
1-12	5168

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit, R036:
 - a. the company identification for each coating employed;
 - b. documentation of whether or not each coating employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. the number of gallons of each coating employed (gallons/month);
 - d. the organic compound content for each coating employed, in pounds per gallon;
 - e. the organic compound emissions from each coating employed, in lbs/month ("c" times "d");
 - f. the total organic compound emissions from all coating materials employed (sum of "e" for all coatings);
 - g. beginning the first month after the first 12 calendar months of operation (following the issuance of this permit) the rolling, 12- month summation of the emission rate for OC, in tons;
 - h. the total number of hours the emissions unit was in operation (hours/month);
 - i. during the first 12 calendar months of operation, (following the issuance of this permit) the cumulative hours of operation; and
 - j. beginning the first month after the first 12 calendar months of operation (following the issuance of this permit), the rolling 12 month summation of the hours of operation.

2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R036:
 - a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emission rate for all cleanup materials employed (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which identify the following exceedances:
 - a. the rolling, 12-month hours of operation limitation;
 - b. the rolling, 12-month OC emissions limitation; and
 - c. for the first 12 calendar months of operation (following the issuance of this permit) all exceedances of the maximum allowable cumulative hours of operation.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule

3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation:**
16.0 lbs OC/hr and 41.34 tons OC per rolling 12-month period from coating operations

Applicable Compliance Method:

The hourly emission limitation represents the potential to emit* for this emissions unit. Therefore no hourly recordkeeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

*The potential to emit for this emissions unit is based on a maximum usage rate of 2.34 gallons of coating per hour and a maximum OC content of 6.83 pounds per gallon

Compliance with the OC per rolling 12-month period limitation shall be demonstrated by the recordkeeping requirements in Section A.III.1.

- b. **Emission Limitation**
99.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- c. **Emission Limitation**
0.59 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- d. **Emission Limitation**
The maximum annual hours of operation shall not exceed 5,168 hours per year, based upon a rolling 12-month summation of the operation hours

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.1.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R036- 10-inch Lacquer Line-#2 (Modification of PTI 03-13587 issued on 3/13/01 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

- a. The permit to install for this emissions unit (R036) was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Acetone

TLV (mg/m3): 1187

Maximum Hourly Emission Rate (lbs/hr): 3.36

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 781.4

MAGLC (ug/m³): 28,261

Pollutant: N-Butyl Acetate

TLV (mg/m³): 7126

Maximum Hourly Emission Rate (lbs/hr): 8

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 1875

MAGLC (ug/m³): 16,966

Pollutant: Cyclohexanone

TLV (mg/m³): 9629

Maximum Hourly Emission Rate (lbs/hr): 0.85

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 199.3

MAGLC (ug/m³): 22,926

Pollutant: Ethyl Acetate

TLV (mg/m³): 1441

Maximum Hourly Emission Rate (lbs/hr): 2.46

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 574.4

MAGLC (ug/m³): 34,309

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

113

Hedstrom Corporation
PTI Application: 02 16030
Issued

Facility ID: 0303010045

Emissions Unit ID: R036

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R037 - 4-inch 360 Degree Play Ball Printer- #2 (Modification of PTI 03-13650 issued on 12/6/01 to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	1.0 lb organic compounds (OC)/hr, 4.38 tons OC/yr from coating operations
	OAC rule 3745-31-05(C)	1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c., A.II.1 and A.II.2.)
	OAC rule 3745-21-07(G)(2)	See Section A.I.2.b
	40 CFR Part 63, Subpart PPPP	See Section A.I.2.a
		See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.b This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 1.0 lb

OC per hour. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.

- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for coating usage in emissions unit R037:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/ day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/month ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/ day (sum of "d" for all coatings).
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R037:

Emissions Unit ID: R037

- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January through December; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the Terms and Conditions of this permit, which identify each day during which the average hourly organic compound emissions exceeded 1 pound per hour, and the actual average hourly organic compound emissions for each such day.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. **Emission Limitation:**
1.0 lb/hr OC emissions from coating operations

Applicable Compliance Method:

Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements in section A.III.1 of this permit.

- b. **Emission Limitation:**
4.38 tons/yr OC emissions from coating operations

Applicable Compliance Method:

Compliance shall be based upon the recordkeeping requirements specified in Section A.III.3.

- c. **Emission Limitation**
1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- d. **Emission Limitation**
7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R037- 4-inch 360 Degree Play Ball Printer- #2 (Modification of PTI 03-13650 issued on 12/6/01 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit (R037) was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Acetone

TLV (mg/m3): 1187

Maximum Hourly Emission Rate (lbs/hr): 39

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 1728

MAGLC (ug/m³): 28,261

Pollutant: Cyclohexanone

TLV (mg/m³): 9629

Maximum Hourly Emission Rate (lbs/hr): 6

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m³): 29.27

MAGLC (ug/m³): 22,926

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

Emissions Unit ID: R037

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R038 - 4-inch Lacquer Line with dry filtration (Modification of PTI 03-13650 issued on 12/6/01 to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	3.69 lbs organic compounds (OC)/hr, 16.16 tons OC/yr from coating operations
	OAC rule 3745-21-07(G)(2)	66.0 lbs organic compounds OC/month, 0.40 tons OC/yr from cleanup operations (see Sections A.I.2.d., A.II.1 and A.II.2.)
	OAC rule 3745-17-11(A)	See Section A.II.1.
	OAC rule 3745-17-07(A)	See Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A.I.2.b.
		See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).
- 2.b This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule

3745-17-11 is not applicable.

- 2.c** For purposes of federal enforceability, a limitation on OCs effectively restricts VOCs.
- 2.d** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for coating usage in emissions unit R038:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/month);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/month ("b" times "c"); and
 - e. the total organic compound emissions from all coating materials employed, in lbs/month (sum of "d" for all coatings).
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R038:
 - a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically

Emissions Unit ID: R038

reactive material, as defined in OAC rule 3745-21-01(C)(5);

- c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar month from January through December; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation:**
3.69 lb/hr OC emissions from coating operations

Applicable Compliance Method:

The hourly OC emission limitation is based on the emission units potential to emit*. Therefore, no hourly recordkeeping, deviation reporting, or compliance method calculations are required to demonstrate compliance.

* The potential to emit for this emissions unit was based on a maximum usage rate of 0.54 gallons/hr, and a maximum OC content of 6.83 lbs/gal.

- b. **Emission Limitation:**
16.16 tons/yr OC emissions from coating operations

Applicable Compliance Method:

Compliance shall be based upon the recordkeeping requirements specified in Section A.III.3.

- c. **Emission Limitation**
66.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- d. **Emission Limitation**
0.40 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R038- 4-inch Lacquer Line with dry filtration (Modification of PTI 03-13650 issued on 12/6/01 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R039 - 6-inch Lacquer Line with dry filtration (Modification of PTI 03-13761 issued on 3/26/02 to establish synthetic minor limitations)	OAC rule 3745-31-05(A)(3)	4.64 lbs organic compounds (OC)/hr, 20.32 tons OC/yr from coating operations
	OAC rule 3745-21-07(G)(2)	66.0 lbs organic compounds (OC)/month, 0.40 tons OC/yr from cleanup operations (see Sections A.I.2.d, A.II.1 and A.II.2.)
	OAC rule 3745-17-11(A)	See Section A.II.1.
	OAC rule 3745-17-07(A)	See Section A.I.2.a.
	40 CFR Part 63, Subpart PPPP	See Section A.I.2.b.
		See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), this unit is exempt from the requirements of OAC rule 3745-17-11(B)(2).
- 2.b This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule

3745-17-11 is not applicable.

2.c For purposes of federal enforceability, a limitation on OCs effectively restricts VOCs.

2.d The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for coating usage in emissions unit R039:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/month);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/month ("b" times "c"); and
 - e. the total organic compound emissions from all coating materials employed, in lbs/month (sum of "d" for all materials).
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R039:
 - a. the company identification of each cleanup material employed;

Issued

Emissions Unit ID: R039

- b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed, in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar month from January through December; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation:**

4.64 lb/hr OC emissions from coating operations

Applicable Compliance Method:

The hourly OC emission limitation is based on the emission units potential to emit*. Therefore, no hourly recordkeeping, deviation reporting, or compliance method calculations are required to demonstrate compliance.

* The potential to emit for this emissions unit was based on a maximum usage rate of 0.68 gallons/hr, and a maximum OC content of 6.83 lbs/gal.

- b. **Emission Limitation:**
20.32 tons/yr OC emissions from coating operations

Applicable Compliance Method:

Compliance shall be based upon the recordkeeping requirements specified in Section A.III.3.

- c. **Emission Limitation**
66.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- d. **Emission Limitation**
0.40 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R039- 6-inch Lacquer Line with dry filtration (Modification of PTI 03-13761 issued on 3/26/02 to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R040 - 9.5-inch Tampo Printer- #1 (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds(OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

- 1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
- 2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall collect and record the following information each day for coating usage in emissions unit R040:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);

Emissions Unit ID: R040

- f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R040:
 - a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

Issued: 6/10/2004

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**
40 pounds/day of OC emissions from coating operations

Applicable Compliance Method
Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - c. **Emission Limitation**
7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.
 - d. **Emission Limitation**
1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- e. **Emission Limitation**
7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R040- 9.5-inch Tampo Printer- #1 (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

139

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R040

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R041 - 9.5-inch Tampo Printer- #2 (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

Emissions Unit ID: R041

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R041:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);
 - f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material

usage in emissions unit R041:

- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);
 - c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
- a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.
3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):
 - a. **Emission Limitation**
8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method
Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - b. **Emission Limitation**
40 pounds/day of OC emissions from coating operations

Applicable Compliance Method
Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.
 - c. **Emission Limitation**
7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.
 - d. **Emission Limitation**
1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method
Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

145

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R041

- e. **Emission Limitation**
7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- 2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R041- 9.5-inch Tampo Printer- #2 (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

147

Hedstrom Corporation

PTI Application: **02 16030**

Issued

Facility ID: **0303010045**

Emissions Unit ID: R041

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R042 - 9.5-inch Tampo Printer- #3 (Modification of existing emissions unit to establish synthetic minor limitations)	OAC rule 3745-31-03(A)(3)	Emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day from coating operations 7.30 tons organic compounds (OC)/yr from coating operations 1181.0 lbs organic compounds (OC)/month, 7.09 tons OC/yr from cleanup operations (see Sections A.I.2.c, A.II.1 and A.II.2.)
	OAC rule 3745-31-05(C)	See Section A.I.2.b.
	OAC rule 3745-21-07(G)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3), see Section A.I.2.a
	40 CFR Part 63, Subpart PPPP	See Section A of Part II - FACILITY SPECIFIC TERMS AND CONDITIONS.

2. Additional Terms and Conditions

- 2.a** The requirements of OAC rule 3745-31-05(A)(3) that emissions of organic compounds (OC) shall not exceed 8 pounds/hour and 40 pounds/day applies on all days even when only non-photochemically reactive materials are used. Photochemically reactive materials is defined in OAC rule 3745-21-01(C)(5).
- 2.b** This permit establishes federally enforceable limitations on emissions of organic compounds (OC) for the purpose of limiting the potential to emit to avoid applicability of the Prevention of Significant Deterioration (PSD) rules. This limitation shall be established through OAC rule 3745-31-05(A)(3), by limiting this emissions unit to no more than 40 pounds of OCs per day. For purposes of federal enforceability a limitation on OCs effectively restricts VOCs.
- 2.c** The emission limitation for cleanup operations involves organic compounds which do not participate in atmospheric photochemical reactions (See Section A.II.2) and therefore, are not considered volatile organic compounds as defined in OAC rule 3745-21-01 and 40 CFR 51.100(s).

II. Operational Restrictions

1. The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations in this emissions unit is prohibited.
2. The use of volatile organic compounds, as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s), for cleanup operations in this emissions unit is prohibited.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for coating usage in emissions unit R042:
 - a. the company identification for each coating employed;
 - b. the number of gallons of each coating employed (gallons/day);
 - c. the organic compound content for each coating employed, in pounds per gallon;
 - d. the organic compound emissions from each coating employed, in lbs/day ("b" times "c");
 - e. the total organic compound emissions from all coating materials employed, in lbs/day (sum of "d" for all coatings);

- f. the total number of hours the emissions unit was in operation; and
 - g. the OC emission rate, as an hourly average, in pounds ("e" divided by "f").
2. The permittee shall collect and record the following information each month for cleanup material usage in emissions unit R042:
- a. the company identification of each cleanup material employed;
 - b. documentation of whether or not each cleanup material employed is a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5);

- c. documentation of whether or not each cleanup material employed is a volatile organic compound as defined in OAC rule 3745-21-01(B)(6) and 40 CFR 51.100(s);
 - d. the number of gallons of each cleanup material employed (gallons/month);
 - e. the organic compound content for each cleanup material employed , in pounds per gallon;
 - f. the organic compound emissions from each cleanup material employed, in lbs/month ("d" times "e"); and
 - g. the total organic compound emissions from all cleanup materials employed, in lbs/month (sum of "f" for all cleanup materials).
3. At the end of each year the permittee shall collect and record the following information for annual emissions reporting and demonstration of compliance with the ton per year limits:
 - a. the annual organic compound emissions from all coatings employed and recorded in Section A.III.1 above, the sum of each calendar day from January 1 to December 31; and
 - b. the annual organic compound emissions from all cleanup materials employed and recorded in Section A.III.2 above, the sum of each calendar month from January through December.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with the General Terms and Conditions of this permit, which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day; and
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

3. The permittee shall notify the Director (the Ohio EPA Northwest District Office) in writing of any monthly record showing the use of a volatile organic compound, as defined in OAC rule 3745-21-01(B)(6) and/or 40 CFR 51.100(s), for cleanup operations. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northwest District Office) within 30 days following the end of the calendar month.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. **Emission Limitation**

8 pounds/hour of OC emissions from coating operations

Applicable Compliance Method

Compliance with the hourly organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- b. **Emission Limitation**

40 pounds/day of OC emissions from coating operations

Applicable Compliance Method

Compliance with the daily organic compound emission limit shall be based upon the recordkeeping requirements contained in Section A.III.1 of this permit.

- c. **Emission Limitation**

7.30 tons/year of OC emissions from coating operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- d. **Emission Limitation**

1181.0 lbs OC/month from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.2.

- e. **Emission Limitation**
7.09 tons OC/yr from cleanup operations

Applicable Compliance Method

Compliance shall be determined based upon the recordkeeping requirements specified in Section A.III.3.

- 2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R042- 9.5-inch Tampo Printer- #3 (Modification of existing emissions unit to establish synthetic minor limitations)	None	None

2. Additional Terms and Conditions

- 2.a Upon the permittee's demonstration of compliance with the final National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products, 40 CFR 63 Subpart PPPP, the following Air Toxic Policy shall no longer apply.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

156

Hedstr

PTI A₁

Issued: 6/10/2004

Emissions Unit ID: R042

None

VI. Miscellaneous Requirements

Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.