Ohio Environmental Protection Agency
John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

Certified Mail

5/22/2012

Mr. Gary Applegate
General Aluminum - Wapakoneta
13663 Short Road
Wapakoneta, OH 45895

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0306020051
Permit Number: P0110082
Permit Type: Renewal
County: Auglaize

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of $70.00, made payable to “Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General’s Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Ohio EPA DAPC, Northwest District Office at (419)352-8461or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPCWeb page,www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-NWDO

Ohio | Environmental Protection Agency

FINAL

Division of Air Pollution Control
Permit-to-Install and Operate
for
General Aluminum - Wapakoneta

Facility ID:	0306020051
Permit Number:	P0110082
Permit Type:	Renewal
Issued:	5/22/2012
Effective:	5/22/2012
Expiration:	5/22/2022

Ohio Environmental Protection Agency

Division of Air Pollution Control
Permit-to-Install and Operate
for
General Aluminum - Wapakoneta

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

1. What does this permit-to-install and operate ("PTIO") allow me to do? 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them? 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator? 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7

B. Facility-Wide Terms and Conditions 8

C. Emissions Unit Terms and Conditions 10

1. P001, Jet Melt Furnace (JM-1) 11
2. P003, Reverberatory Furnace 2 16
3. P004, Reverberatory Furnace 1 21

Authorization

Facility ID: 0306020051
Application Number(s): A0044586
Permit Number: P0110082
Permit Description: Renewal PTIO for three aluminum melt furnaces (P001, P003. and P004)
Permit Type: Renewal
Permit Fee: $0.00
Issue Date: 5/22/2012
Effective Date: 5/22/2012
Expiration Date: 5/22/2022
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

General Aluminum - Wapakoneta
13663 Short Road
Wapakoneta, OH 45895

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s))listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Scott J. Nally
Director

Authorization (continued)

Permit Number: P0110082
Permit Description: Renewal PTIO for three aluminum melt furnaces (P001, P003. and P004)

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	**P001**
Company Equipment ID:	Jet Melt Furnace (JM-1)
Superseded Permit Number:	P0086816
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	**P003**
Company Equipment ID:	Reverberatory Furnace 2
Superseded Permit Number:	P0086816
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	**P004**
Company Equipment ID:	Reverberatory Furnace 1
Superseded Permit Number:	P0086816
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement.Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is takenby Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Northwest District Office in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting[1] a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

[1]Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

   a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

      (1) None.

   b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

      (1) None.

C. Emissions Unit Terms and Conditions

1. P001, Jet Melt Furnace (JM-1)

Operations, Property and/or Equipment Description:

Aluminum Melt Furnace - (Jet Melter 1) 2.0 ton/hr, 3.6 mmBtu/hr - n.g.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	2.2 lbs particulate emissions (PE)/hr, 9.64 tons PE/yr 2.1 lbs particulate matter less than 10 microns in size (PM10)/hr, 9.20 tons PM10/yr 0.54 lbs nitrogen oxides (NOx)/hr, 2.37 tons NOx/yr Visible PE shall not exceed 5 percent opacity, as a six-minute average. See b)(2)a.
b.	OAC rule 3745-17-07(A)	See b)(2)b.
c.	OAC rule 3745-17-11(B)(1)	See b)(2)b.

(2) Additional Terms and Conditions

a. This facility, including this emission unit, is not subject to the requirements of 40 CFR 63.1500 et seq. (MACT Subpart RRR) per 40 CFR 63.1500(a) because the facility does not melt materials other than clean charge, internal scrap, and customer returns, and because the facility does not operate sweat furnaces, thermal chip dryers, or scrap dryers /delacquering kilns /decoating kilns (all as defined in 40 CFR 63.1503). See also section c)(1). The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

b. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

c) Operational Restrictions

(1) The permittee shall melt only clean charge, internal scrap, and customer returns, as defined in 40 CFR 63.1503, in this emission unit.

Clean charge means furnace charge materials including molten aluminum, T-bar, sow, ingot, billet, pig, alloying elements, aluminum scrap (as defined in 40 CFR 63.1503) known by the permittee to be entirely free of paints, coatings, lubricants; uncoated/unpainted aluminum chips that have been thermally dried or treated by a centrifugal cleaner; aluminum scrap dried at 343 degrees C (650 degrees F) or higher; aluminum scrap delacquered/decoated at 482 degrees C (900 degrees F) or higher, and runaround scrap (as defined in 40 CFR 63.1503).

Internal scrap means all aluminum scrap regardless of the level of contamination which originates from castings or extrusions produced by an aluminum die casting facility, aluminum foundry, or aluminum extrusion facility, and which remains at all times within the control of the company that produced the castings or extrusions.

Customer returns means any aluminum product which is returned by a customer to the aluminum company that originally manufactured the product prior to resale of the product or further distribution in commerce, and which contains no paint or other solid coatings (i.e., lacquers).

(2) The permittee shall burn only natural gas in this emissions unit.

d) Monitoring and/or Recordkeeping Requirements

(1) For each day during which the permittee deviated from the charge restrictions of section c)(1) above, the permittee shall maintain a record of the type and quantity of such charge employed.

(2) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

(3) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

e) Reporting Requirements

(1) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

(2) The permittee shall identify the following information in the annual permit evaluation report in accordance with the monitoring requirements for visible emissions in term number d)(3) above.

a. All days during which any visible fugitive particulate emissions were observed from this emission unit; and

b. Any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

The above information shall be provided as an attachment to the PER. If there are no day(s) and no corrective action(s) to identify as required above, the permittee shall indicate within the "Additional information and corrections" section of the PER that no visible emission were observe and no corrective actions were taken.

(3) The permittee shall submit quarterly deviation reports that identify each day during which the permittee deviated from the charge restrictions of section c)(1) above, and the type and quantity of such charge employed.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:
2.2 lbs PE/hr

Applicable Compliance Method:
The permittee may determine compliance with the hourly emission limitation above by multiplying the maximum process throughput of 2.0 tons per hour by the emission factor for PE (1.1 lb PE per ton of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91).

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with the test methods and procedures specified in Methods 1-5 of 40 CFR, Part 60, Appendix A.

b. Emission Limitation:
2.1 lbs PM10/hr

Applicable Compliance Method:
The permittee may determine compliance with the hourly emission limitation above by multiplying the maximum process throughput of 2.0 tons per hour by the emission factor for PM10 (1.05 lb PM10 per ton of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91).

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with Methods 1-4 of 40 CFR, Part 60, Appendix A, Methods 201, 201A, and 202 of 40 CFR, Part 51, Appendix M. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA, Northwest District Office.

c. Emission Limitation:
0.54 lbsNOx/hr

Applicable Compliance Method:
Compliance with the hourly emission limitation shall be determined by multiplying an emission factor of 0.15 lbNOx/mmBtu derived from STAPPA/ ALAPCO Handbook Table 11-1 (05/91), by a maximum heat input of 3.6 mmBtu/hr. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1 - 4 and 7 of 40 CFR, Part 60, Appendix A.

d. Emission Limitation:
9.64 tons PE/yr& 9.20 tons PM10/yr& 2.37 tons NOx/yr

Applicable Compliance Method:
The annual emission limitations were developed by multiplying the hourly emission limitations by a maximum operating schedule of 8760 hours/year, then dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly emission limitations, compliance with the annual emission limitations shall also be demonstrated.

e. Emission Limitation:
Visible particulate emissions shall not exceed 5 percent opacity, as a six-minute average.

Applicable Compliance Method:
If required, compliance shall be determined in accordance with the test method and procedures specified in Method 9 of 40 CFR, Part 60, Appendix A.

g) Miscellaneous Requirements

(1) None.

2. P003, Reverberatory Furnace 2

Operations, Property and/or Equipment Description:

Aluminum Melt Furnace - (ReverberatoryMelter 2) 3.25 ton/hr, 12 mmBtu/hr - n.g.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	3.58 lbs particulate emissions (PE)/hr, 10.5 tons PE/yr 3.41 lbs particulate matter less than 10 microns in size (PM10)/hr, 9.98 tons PM10/yr 1.80 lbs nitrogen oxides (NOx)/hr, 7.88 tons NOx/yr Visible PE shall not exceed 5 percent opacity, as a six-minute average. See b)(2)a.
b.	OAC rule 3745-17-07(A)	See b)(2)b.
c.	OAC rule 3745-17-11(B)(1)	See b)(2)b.

(2) Additional Terms and Conditions

a. This facility, including this emission unit, is not subject to the requirements of 40 CFR 63.1500 et seq. (MACT Subpart RRR) per 40 CFR 63.1500(a) because the facility does not melt materials other than clean charge, internal scrap, and customer returns, and because the facility does not operate sweat furnaces, thermal chip dryers, or scrap dryers /delacquering kilns /decoating kilns (all as defined in 40 CFR 63.1503). See also section c)(1). The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

b. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

c) Operational Restrictions

(1) The permittee shall melt only clean charge, internal scrap, and customer returns, as defined in 40 CFR 63.1503, in this emission unit.

Clean charge means furnace charge materials including molten aluminum, T-bar, sow, ingot, billet, pig, alloying elements, aluminum scrap (as defined in 40 CFR 63.1503) known by the permittee to be entirely free of paints, coatings, lubricants; uncoated/unpainted aluminum chips that have been thermally dried or treated by a centrifugal cleaner; aluminum scrap dried at 343 degrees C (650 degrees F) or higher; aluminum scrap delacquered/decoated at 482 degrees C (900 degrees F) or higher, and runaround scrap (as defined in 40 CFR 63.1503).

Internal scrap means all aluminum scrap regardless of the level of contamination which originates from castings or extrusions produced by an aluminum die casting facility, aluminum foundry, or aluminum extrusion facility, and which remains at all times within the control of the company that produced the castings or extrusions.

Customer returns means any aluminum product which is returned by a customer to the aluminum company that originally manufactured the product prior to resale of the product or further distribution in commerce, and which contains no paint or other solid coatings (i.e., lacquers).

(2) The permittee shall burn only natural gas in this emissions unit.

(3) The maximum aluminum production throughput for this emissions unit shall not exceed 19,000 tons per year.

d) Monitoring and/or Recordkeeping Requirements

(1) For each day during which the permittee deviated from the charge restrictions of section c)(1) above, the permittee shall maintain a record of the type and quantity of such charge employed.

(2) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

(3) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

(4) The permittee shall collect and record the following information each month:

a. The total tons per month of aluminum throughput.

b. The annual, year-to-date tons of aluminum throughput (summation of d)(4)a., for each calendar month to date from January to December).

e) Reporting Requirements

(1) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

(2) The permittee shall identify the following information in the annual permit evaluation in accordance with the monitoring requirements for visible emission in term number d)(3) above:

a. All days during which any visible fugitive particulate emissions were observed from this emission unit; and

b. Any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

(3) The permittee shall submit quarterly deviation reports that identify each day during which the permittee deviated from the charge restrictions of section c)(1) above, and the type and quantity of such charge employed.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:
3.58 lbs PE/hr

Applicable Compliance Method:
The permittee may determine compliance with the hourly emission limitation above by multiplying the maximum process throughput of 3.25 tons per hour by the emission factor for PE (1.1 lb PE per ton of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91).

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with the test methods and procedures specified in Methods 1-5 of 40 CFR, Part 60, Appendix A.

b. Emission Limitation:
3.41 lbs PM10/hr

Applicable Compliance Method:
The permittee may determine compliance with the hourly emission limitation above by multiplying the maximum process throughput of 3.25 tons per hour by the emission factor for PM10 (1.05 lb PM10 per ton of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91).

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with Methods 1-4 of 40 CFR, Part 60 Appendix A, Methods 201, 201A, and 202 of 40 CFR, Part 51, Appendix M. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA, Northwest District Office.

c. Emission Limitation:
10.45 tons PE/yr& 9.98 tons PM10/yr

Applicable Compliance Method:
The annual emission limitations were established by multiplying the annual aluminum throughput limit of 19,000 tons per year by the appropriate emission factors for PE and PM10 (1.1 lb PE per ton, and 1.05 lb PM10 per ton, of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91) and dividing by 2000 lbs/ton.

Therefore, provided compliance is shown with the aluminum throughput restriction, compliance with the ton per year PE and PM10 emission limitations shall also be demonstrated.

d. Emission Limitation:
1.80 lbsNOx/hr& 7.88 tons NOx/yr

Applicable Compliance Method:
Compliance with the hourly emission limitation shall be determined by multiplying an emission factor of 0.15 lbNOx/mmBtu derived from STAPPA/ALAPCO Handbook Table 11-1 (05/91), by a maximum heat input of 12 mmBtu/hr. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1 - 4 and 7 of 40 CFR, Part 60, Appendix A.

The annual emission limitation was developed by multiplying the hourly emission limitation by a maximum operating schedule of 8760 hours/year, then dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated.

e. Emission Limitation:
Visible particulate emissions shall not exceed 5 percent opacity, as a six-minute average.

Applicable Compliance Method:
If required, compliance shall be determined in accordance with the test method and procedures specified in Method 9 of 40 CFR, Part 60, Appendix A.

g) Miscellaneous Requirements

(1) None.

3. P004, Reverberatory Furnace 1

Operations, Property and/or Equipment Description:

Aluminum Melt Furnace - (ReverberatoryMelter 1) 2.25 ton/hr, 9.2 mmBtu/hr - n.g.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05 (A)(3)	2.47 lbs particulate emissions (PE)/hr, 10.5 tons PE/yr 2.36 lbs particulate matter less than 10 microns in size (PM10)/hr, 9.98 tons PM10/yr 1.38 lbs nitrogen oxides (NOx)/hr, 6.04 tons NOx/yr Visible PE shall not exceed 5 percent opacity, as a six-minute average. See b)(2)a.
b.	OAC rule 3745-17-07(A)	See b)(2)b.
c.	OAC rule 3745-17-11(B)(1)	See b)(2)b.

(2) Additional Terms and Conditions

a. This facility, including this emission unit, is not subject to the requirements of 40 CFR 63.1500 et seq. (MACT Subpart RRR) per 40 CFR 63.1500(a) because the facility does not melt materials other than clean charge, internal scrap, and customer returns, and because the facility does not operate sweat furnaces, thermal chip dryers, or scrap dryers /delacquering kilns /decoating kilns (all as defined in 40 CFR 63.1503). See also section c)(1). The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

b. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

c) Operational Restrictions

(1) The permittee shall melt only clean charge, internal scrap, and customer returns, as defined in 40 CFR 63.1503, in this emission unit.

Clean charge means furnace charge materials including molten aluminum, T-bar, sow, ingot, billet, pig, alloying elements, aluminum scrap (as defined in 40 CFR 63.1503) known by the permittee to be entirely free of paints, coatings, lubricants; uncoated/unpainted aluminum chips that have been thermally dried or treated by a centrifugal cleaner; aluminum scrap dried at 343 degrees C (650 degrees F) or higher; aluminum scrap delacquered/decoated at 482 degrees C (900 degrees F) or higher, and runaround scrap (as defined in 40 CFR 63.1503).

Internal scrap means all aluminum scrap regardless of the level of contamination which originates from castings or extrusions produced by an aluminum die casting facility, aluminum foundry, or aluminum extrusion facility, and which remains at all times within the control of the company that produced the castings or extrusions.

Customer returns means any aluminum product which is returned by a customer to the aluminum company that originally manufactured the product prior to resale of the product or further distribution in commerce, and which contains no paint or other solid coatings (i.e., lacquers).

(2) The permittee shall burn only natural gas in this emissions unit.

(3) The maximum aluminum production throughput for this emissions unit shall not exceed 19,000 tons per year.

d) Monitoring and/or Recordkeeping Requirements

(1) For each day during which the permittee deviated from the charge restrictions of section c)(1) above, the permittee shall maintain a record of the type and quantity of such charge employed.

(2) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

(3) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

(4) The permittee shall collect and record the following information each month:

a. The total tons per month of aluminum throughput.

b. The annual, year-to-date tons of aluminum throughput (summation of d)(4)a., for each calendar month to date from January to December).

e) Reporting Requirements

(1) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

(2) The permittee shall identify the following information in the annual permit evaluation in accordance with the monitoring requirements for visible emission in term number d)(3) above:

a. All days during which any visible fugitive particulate emissions were observed from this emission unit; and

b. Any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

(3) The permittee shall submit quarterly deviation reports that identify each day during which the permittee deviated from the charge restrictions of sections c)(1) above, and the type and quantity of such charge employed.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:
2.47 lbs PE/hr

Applicable Compliance Method:
The permittee may determine compliance with the hourly emission limitation above by multiplying the maximum process throughput of 2.25 tons per hour by the emission factor for PE (1.1 lb PE per ton of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91).

If required, the permittee may demonstrate compliance with the hourly emission limitation by testing in accordance with the test methods and procedures specified in Methods 1-5 of 40 CFR, Part 60, Appendix A.

b. Emission Limitation:
2.36 lbs PM10/hr

Applicable Compliance Method:
The permittee may determine compliance with the hourly emission limitation above by multiplying the maximum process throughput of 2.25 tons per hour by the emission factor for PM10 (1.05 lb PM10 per ton of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91).

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with Methods 1-4 of 40 CFR, Part 60, Appendix A and Methods 201, 201A and 202 of 40 CFR, Part 51, Appendix M. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA, Northwest District Office.

c. Emission Limitation:
10.45 tons PE/yr& 9.98 tons PM10/yr

Applicable Compliance Method:
The annual emission limitations were established by multiplying the annual aluminum throughput limit of 19,000 tons per year by the appropriate emission factors for PE and PM10 (1.1 lb PE per ton, and 1.05 lb PM10 per ton, of aluminum processed - STAPPA/ ALAPCO Handbook Table 11-2, 05/91) and dividing by 2000 lbs/ton.

Therefore, provided compliance is shown with the aluminum throughput restriction, compliance with the ton per year PE and PM10 emission limitations shall also be demonstrated.

d. Emission Limitation:
1.38 lbsNOx/hr& 6.04 tons NOx/yr

Applicable Compliance Method:
Compliance with the hourly emission limitation shall be determined by multiplying an emission factor of 0.15 lbNOx/mmBtu derived from STAPPA/ ALAPCO Handbook Table 11-1 (05/91), by a maximum heat input of 9.2 mmBtu/hr. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1 - 4 and 7 of 40 CFR, Part 60, Appendix A.

The annual emission limitation was developed by multiplying the hourly emission limitation by a maximum operating schedule of 8760 hours/year, then dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated.

e. Emission Limitation:
Visible particulate emissions shall not exceed 5 percent opacity, as a six-minute average.

Applicable Compliance Method:
If required, compliance shall be determined in accordance with the test method and procedures specified in Method 9 of 40 CFR, Part 60, Appendix A.

g) Miscellaneous Requirements

(1) None.