



State of Ohio Environmental Protection Agency

**RE: FINAL GENERAL PERMIT TO INSTALL
MONTGOMERY COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
Lazarus Gov. Center
P.O. Box 1049

Application No: 08-04885

DATE: 10/16/2007

Behr Dayton Thermal Products LLC
Bill Huston
1600 Webster St
Dayton, OH 454040000

Enclosed Please find an Ohio EPA Permit To Install referenced above.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern
Permit Issuance and Data Management Section
Ohio EPA, Division of Air Pollution Control

CC: USEPA

RAPCA



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install
Terms and
Conditions

Issue Date: 10/16/2007
Effective Date: 10/16/2007

FINAL GENERAL PERMIT TO INSTALL 08-04885

Application Number: 08-04885
Facility ID: 0857040734
Permit Fee: \$200
Name of Facility: Behr Dayton Thermal Products LLC
Person to Contact: Bill Huston
Address: 1600 Webster St
Dayton, OH 454040000

Location of proposed air contaminant source(s) [emissions unit(s)]:
1600 Webster St
Dayton, Ohio

Emissions Unit ID	Permittee Description	Applicable General Permit Terms (see attached)	Fee
K006	Misc. Metal Parts Painting Line	General_Permit_22 Miscellaneous Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal	\$200

The above named entity is hereby granted a permit to install for each emissions unit described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of the identified general permit requirements identified above for each emissions unit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written

reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain,

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District

Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
- ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

13. Permit-To-Install

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

B. State Only Enforceable Permit-To-Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing

FINAL GENERAL PERMIT TO INSTALL 08-04885
Behr Dayton Thermal Products LLC
Issued: 10/16/2007

of any transfer of this permit.

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

4. Authorization To Install or Modify

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install.

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit-To-Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

FINAL GENERAL PERMIT TO INSTALL 08-04885

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

FINAL GENERAL PERMIT TO INSTALL 08-04885

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions shall not exceed 8.8 pounds per hour as a daily average from coatings, and 38.7 tons per year from both coatings and cleanup materials. Particulate emissions (PE) shall not exceed 0.551 pounds per hour and 2.4 tons per year from coatings. See Section A.II below. The requirements established pursuant to this rule also include the requirements of OAC rule 3745-21-09(U)(1), OAC rule 3745-17-11(B)(1) and OAC rule 3745-17-07(A)(1)
OAC rule 3745-21-09(U)(1)	See Section A.I.2.a below.
OAC rule 3745-17-11(B)(1)	The requirements established pursuant to this rule are equivalent to the short term particulate emission limitation included in OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-07(A)(1)	See Section A.I.2.b below.

2. Additional Terms and Conditions

- 2.a The VOC content of the coatings employed shall not exceed a daily volume-weighted average of 3.5 lbs per gallon, as applied, excluding water and exempt solvents.
- 2.b Visible PE from any stack serving this emissions unit shall not exceed 20 % opacity, as a six-minute average, except as specified by rule.

FINAL GENERAL PERMIT TO INSTALL 08-04885

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

II. Operational Restrictions

1. The permittee shall operate the dry filtration system for the control of particulate emissions whenever this emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.
2. The permittee shall collect and record the following information each day for the coating line:
 - a. The name and identification number of each coating employed.
 - b. The VOC content (excluding water and exempt solvents) of each coating, as applied.
 - c. The number of gallons (excluding water and exempt solvents) of each coating, as applied.
 - d. The daily VOC emissions from all the coatings employed, in pounds, [i.e., the sum of (b) times (c) for each coating employed].
 - e. The daily volume-weighted average VOC content of all the coatings, as applied, calculated in accordance with the equation specified in paragraph (B)(9) of OAC rule 3745-21-10 for CVOC,2.
 - f. The total number of hours this emissions unit was in operation.
 - g. The average hourly VOC emissions from all coatings employed, in pounds [i.e., the quotient of (d) divided by (f)].

Note: If the VOC content of each of the coatings employed during a day is less than 3.5 lbs per gallon, as applied, excluding water and exempt solvents, the daily volume-weighted average VOC content record is not required for that day.

3. The permittee shall collect and record the following information for each month for this emissions unit:
 - a. The company identification of each cleanup material employed.
 - b. The number of gallons of each cleanup material employed.
 - c. The VOC content of each cleanup material employed, in pounds per gallon.
 - d. The total VOC emissions from all the cleanup materials employed, in pounds [i.e., the sum of (b) x (c) for each cleanup material employed].
 - e. The amount of cleanup material recovered, in pounds.
 - f. The total monthly VOC emissions from cleanup operations, in pounds [i.e., (d) - (e)].

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.
MGP Number: MGP02203020706

Issued: 10/16/2007

4. The permittee shall calculate and record the total annual VOC emissions from coatings and cleanup materials, [i.e., the sum of the daily VOC emission rates from the coating materials for the calendar year in Section A.III.2 plus the sum of the monthly emissions from cleanup materials for the calendar year in Section A.III.3].

IV. Reporting Requirements

1. The permittee shall notify the Director (appropriate District Office or local air agency) in writing of each daily record showing a daily volume-weighted average greater than 3.5 pounds VOC per gallon, as applied, excluding water and exempt solvents. The notification shall include a copy of such record and shall be sent to the Director (appropriate District Office or local air agency) within 30 days after the exceedance occurs.
2. The permittee shall notify the Director (appropriate District Office or local air agency) in writing of any record showing that the dry filtration system was not in service when this emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (appropriate District Office or local air agency) within 30 days after the event occurs.
3. The permittee shall submit quarterly deviation reports that identify each day the VOC emissions exceeded the daily emission limit specified above.

The quarterly deviations reports shall be submitted to the Director (appropriate District Office or local air agency) in accordance with the General Terms and Conditions. These reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarter.

4. The permittee shall submit annual compliance reports that include:
 - a. a list of all allowable emissions limits and operational restrictions in Section A.I.1 , A.I.2 and A.II; and
 - b. a statement whether the emissions unit is in compliance with the requirements listed.

The report shall be submitted to the Director (the appropriate District Office or local air agency) by February 1 of each year and shall cover the previous calendar year.

Annual Compliance Certification reports submitted according to the requirements of the Title V program are sufficient to meet this requirement.

V. Testing Requirements

1. Compliance with the emission limitations in Section A.I.1. of these terms and conditions shall be determined in accordance with the following methods:

FINAL GENERAL PERMIT TO INSTALL 08-04885

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

- a. Emissions Limitation:
daily volume-weighted average of 3.5 lbs VOC per gallon, as applied, excluding water and exempt solvents

Applicable Compliance Method:
Compliance shall based upon the record keeping specified in Section A.III.2.

- b. Emissions Limitation:
8.8 lbs/hr of VOC emissions, as a daily average

Applicable Compliance Method:
Compliance shall based upon the record keeping specified in Section A.III.2.

- c. Emissions Limitation:
38.7 TPY of VOC emissions

Applicable Compliance Method:
Compliance shall based upon the record keeping specified in Section A.III.4.

- d. Emission Limitation:
0.551 lb of PE per hour

Applicable Compliance Method:
To determine the worst case PE rate, the following equation shall be used:

$$E = \text{maximum coating solids usage rate, in pounds per hour,} \times (1-TE) \times (1-CE)$$

where E = PE rate (lbs/hr);

TE = fractional transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used (0.55); and

CE = fractional control efficiency of the control equipment (0.99).

When requested by the Ohio EPA, the permittee shall demonstrate compliance with the above emissions limitation pursuant to OAC rule 3745-17-03(B)(10).

- e. Emission Limitation:
2.41 tons of PE per year

Applicable Compliance Method:
Compliance with the lb/hr emission limit demonstrates compliance with this limit because this limit is based on the lb/hr limit assuming the source operated 8760 hours per year.

- f. Emission Limitation:
Visible PE from any stack serving this emissions unit shall not exceed 20 % opacity, as a six-minute average, except as specified by rule.

Applicable Compliance Method:

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb
VOC/gal.

MGP Number: MGP02203020706

Issued: 10/16/2007

When requested by the Ohio EPA, compliance with the above visible emission
limitation

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

Issued: 10/16/2007

shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

2. In accordance with OAC rule 3745-21-04(B)(5), facilities located in Ashtabula, Butler, Clark, Clermont, Cuyahoga, Delaware, Franklin, Geauga, Greene, Hamilton, Lake, Licking, Lorain, Lucas, Mahoning, Medina, Miami, Montgomery, Portage, Stark, Summit, Trumbull, Warren and Wood Counties shall use USEPA Method 24 to determine the VOC contents of the coatings. If, pursuant to section 4.3 of Method 24, 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 cannot be used for a particular coating, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24.

Facilities located in all other counties shall use USEPA Method 24 or formulation data to determine the VOC contents of the coatings.

US EPA Method 24 or formulation data shall be used to determine the VOC contents of the cleanup materials.

VI. Miscellaneous Requirements

None

FINAL GENERAL PERMIT TO INSTALL 08-04885

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None.	None.

2. Additional Terms and Conditions

None

II. Operational Restrictions

- 1. Prior to the use of any coating in this coating line, the permittee shall determine that the coating meets the toxic screening criteria described below.

Purpose: The purpose of this test is to evaluate coatings to determine if the chemical compounds in the coatings would be emitted at acceptable levels for the general permit.

Data Needed: (1) MSDS sheet for each coating to be evaluated. (2) information on the maximum coating usage rate for the line as discussed in Step 1 below.

Step 1. Using the following factors, calculate the maximum coating usage rate in terms of gallons per hour:

- a. Assume the coating line operates at its maximum speed while still making usable product.
- b. Assume the coating line is operating at its largest coating lay down rate. This would typically be accomplished by assuming the coating line is painting the largest part available.

Step 2. Review the material safety data sheet (MSDS) for the coating. Note each chemical compound listed, its TLV and the percent by weight of the chemical compound in the coating.

Step 3. Determine if any of the chemical compounds listed in the MSDS are also listed in the following table. If any of the chemical compounds are listed in the table, then calculate the

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.
MGP Number: MGP02203020706

Issued: 10/16/2007

maximum annual emission of that compound by multiplying the maximum coating usage rate times the percent by weight of each chemical compound. Then multiply the result by 8760 hours per year. The result will be in pounds per year.

Check to see if the calculated emission rate is less than the allowable emission rate found in the below table. If all of the compounds emitted have a maximum annual emission of less than the allowed rate, then move on to step 4. If any of the compounds are emitted at a rate higher than the allowed emission rate, then contact your appropriate District Office or local air agency contact to determine if you can use the coating.

Chemical Compound	CAS	Molecular Weight (MW)	Allowed Emission Rate (lb/year)
arsenic compounds, as As	7440-38-2	74.92	1.70
benzene	71-43-2	78.11	1100
benzidine	92-87-5	184.23	5.60
benzo(a)pyrene	50-32-8	252.30	6.90
beryllium (and Be compounds)	7440-41-7	9.01	0.350
Cadmium	7440-43-9	112.4	5.20
Chromium	7440-47-3	varies	0.690
Hexachlorobenzene (HCB)	118-74-1	289.78	35.0
mercury (and Hg compounds)	7439-97-6	200.59	0.1
nickel (Ni subsulfide)	12035-72-2	240.19	17.0
Polychlorinated dibenzo-p-dioxins	1746-01-6	varies	0.030
Polychlorinated dibenzofurans	132-64-9	varies	0.030
polychlorinated biphenyls (PCBs, arcolors)	1336-36-3	varies	87.0
vinyl chloride	75-01-4	62.50	2000

Step 4. Find all of the chemical compounds in the coating that have a listed American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV). For each chemical compound with a listed TLV (other than those in the above table), calculate the maximum short-term emission rate by multiplying the maximum coating usage rate times the percent by weight of each chemical compound. The result should be in terms of pounds of the chemical compound per hour.

Step 5. Determine if the compound will be emitted at or below the acceptable rate. This is done by searching the following table for the chemical compound's TLV and then determining the maximum allowed emission rate listed in the below table. (Note. If the TLV is listed as ppm, then convert the TLV to $\mu\text{g}/\text{m}^3$ by using the following formula: $(\text{TLV in ppm}) \times (\text{MW}) \times (1000) / 24.45 = \text{TLV in } \mu\text{g}/\text{m}^3$; where MW is the molecular weight of the compound.) This table lists the allowable emission rates for compounds with a TLV between the high range and low range. Compare the maximum calculated short-term emission rate of

FINAL GENERAL PERMIT TO INSTALL 08-04885

Behr Dayton Thermal Products LLC

Issued: 10/16/2007

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

each chemical compound to the allowed emission rate in the table. If the maximum emission rate is less than the allowed emission rate, then the chemical compound is emitted at an acceptable rate.

TLV Range ($\mu\text{g}/\text{m}^3$) (The TLV must be less than the high value listed and greater than or equal to the low value listed)		Allowed Emission Rate (lb/hr)
15	1	0.000067
30	15	0.0010
60	30	0.0020
120	60	0.0040
240	120	0.0080
480	240	0.0160
960	480	0.0320
1,920	960	0.0640
3,840	1,920	0.128
7,680	3,840	0.256
15,360	7,680	0.512
30,720	15,360	1.02
61,440	30,720	2.05
122,880	61,440	4.10
245,760	122,880	8.19
491,520	245,760	16.4
983,040	491,520	32.8
1,966,080	983,040	65.5
3,932,160	1,966,080	131

Step 6. Check each chemical compound that has a listed TLV. If all compounds are emitted at a rate less than the allowed emission rate, then the coating passes the toxic screening test and can be used under this permit. If one or more of the chemical compounds are emitted at a rate greater than the allowed emission rate, then you should contact your appropriate District Office or local air agency contact to determine if you can use the coating.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the results of any toxic screening evaluations done per term II.1.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

Source Description: Misc. Metal Parts Painting Line < 2.5 gph, <3.5 lb VOC/gal.

MGP Number: MGP02203020706

Issued: 10/16/2007

None