



State of Ohio Environmental Protection Agency

Franklin County

RE: Final Permit to Install

Street
1800 \\
Column

address:
149
16-1049

Application No: **01-7480**

DATE: February 24, 1999

Allied Mineral Products, Inc
Andrew W. Wehr
2700 Scioto Parkway
Columbus, OH 43221

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
Ohio EPA, Central District Office



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Application Number: 01-7480

Permit
Title

APS Premise Number: 0125040959

Permit Fee: **\$4,000.00**

Name of Facility: Allied Mineral Products, Inc

Person to Contact: Andrew W. Wehr

Address: 2700 Scioto Parkway
Columbus, OH 43221

Location of proposed air contaminant source(s) [emissions unit(s)]:

**2700 SCIOTO PARKWAY
COLUMBUS, OHIO**

Description of proposed emissions unit(s):

BULK BATCHING SYSTEM I, BULK BATCHING SYSTEM II AND 1500 SYSTEM WITH BAGHOUSE.

Date of Issuance: February 24, 1999

Effective Date:

February 24, 1999

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of

Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only) TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate Matter	4.72

2. The pressure drop across the baghouse shall be maintained within the range of 2.5 to 4.0 inches of water while P017 is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be

installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on daily basis.
2. The permittee shall collect and maintain monthly records of the total volume, in tons, of all the materials processed.
3. The total particulate matter emissions in pounds per month from all materials processed in the emission source P017.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

0.51 lb particulate matter/hr

Applicable Compliance Method:

Compliance shall be determined according to the following equation:

$$E = \text{TIE (lbs/hr)} * (1-BCF)$$

Allied

PTI Aj

February 24, 1999

Emissions Unit ID: **P017**

Where:

E = particulate matter emissions rate (lbs/hr)

BCF = building control factor (Use 95 percent)

TIE = total inside emissions (lbs/hr). The total inside emissions are a sum of the emissions produced during transfer of material from bulk bag to batching bin, from batching bin to container and inside emissions from the baghouse. TIE can be determined from the following equation:

TIE = maximum amount of material processed per hour(24 tons/hr) * [{ emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin* (1-BE)} + {emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container * (1-CE)} + (BHIE (lbs/hr))]

Where:

Allied

PTI A_j

February 24, 1999

Emissions Unit ID: **P017**

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent) where BHIE = baghouse inside emissions (lbs/hr) which can be obtained from the following equation:

BHIE = [(maximum amount of material processed per hour (24 tons/hr) * emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin * (BE)) + (maximum amount of material processed per hour (24 tons/hr) * emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container * (CE))] * (1-BCE)

Where:

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

BCE = Baghouse control efficiency (Use 98 percent)

Emission Limitation:

2.23 tons particulate matter per year from raw materials processed in P017

Applicable Compliance Method:

Compliance shall be determined according to the following equation:

$E = TIE \text{ (lbs/hr)} * 8760 \text{ hrs/yr} (1-BCF) * (1 \text{ ton}/2000 \text{ lbs})$

Where:

E = particulate matter emissions rate (tons/yr)

BCF = building control factor (Use 95%)

TIE = total inside emissions (lbs/hr). The total inside emissions are a sum of the emissions produced during transfer of material from bulk bag to batching bin, from batching bin to container and inside emissions from the baghouse. TIE can be determined from the following equation:

$TIE = \text{maximum amount of material processed per hour (24 tons/hr)} * [\text{emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin} *$

Allied Mineral Products, Inc.

PTI A] 11/11/2011 01:54:00

Februa

Facility ID: 0125040959

Emissions Unit ID: P017

$(1-BE)\} + \{ \text{emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container} * (1-CE)\} + (BHIE \text{ (lbs/hr)})$

Where:

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

Allied

PTI A_j

February 24, 1999

Emissions Unit ID: **P017**

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

where BHIE = baghouse inside emissions (lbs/hr) which can be obtained from the following equation:

BHIE = [(maximum amount of material processed per hour (24 tons/hr) * emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin * (BE)) + (maximum amount of material processed per hour (24 tons/hr) * emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container * (CE))] * (1-BCE)

Where:

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

BCE = Baghouse control efficiency (Use 98 percent)

Emission Limitation:

Visible particulate emissions shall not exceed 20 percent opacity as a three-minute average, except as provided by rule.

Applicable Compliance Method:

Compliance shall be demonstrated by the method specified in OAC rule 3745-17-03(B)(1).

F. Miscellaneous Requirements

None.

PART II: SPECIAL TERMS AND CONDITIONS

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or <u>Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Bulk batching system II with baghouse	OAC rule 3745-31-05	Particulate emissions shall not exceed 0.51 pound per hour and 2.23 tons/year. See B.1 below.
	OAC rule 3745-17-07(B)(1)	Visible particulate emissions shall not exceed 20 percent opacity as a three-minute average
	OAC rule 3745-17-11	The particulate emission limitations established pursuant to OAC rule 3745-31-05 are more stringent than the emission limitations established by this rule.

2. Additional Terms and Conditions

- a. The 0.51 pound of particulate per hour limit was established to reflect the potential to emit for P018. Therefore, it is not necessary to develop recordkeeping and/or reporting requirements to ensure compliance with this limit.

Allied Mineral Products, Inc.

PTI Application Number: **01-7480**

February 24, 1999

Facility ID: **0125040959**

B. Operational Restrictions

1. The permittee shall ensure that the baghouse is in place and operating correctly at an efficiency of 98 percent at all times that the emission unit P018 is in use.
2. The pressure drop across the baghouse shall be maintained within the range of 2.5 to 4.0 inches of water while P018 is in operation.

Allied Mineral Products, Inc.PTI Application Number: **01-7480**

February 24, 1999

Facility ID: **0125040959****C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on daily basis.
2. The permittee shall collect and maintain monthly records of the total volume, in tons, of all the materials processed.
3. The total particulate matter emissions in pounds per month from all materials processed in the emission source P018.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

0.51 lb particulate matter/hr

Applicable Compliance Method:

Compliance shall be determined according to the following equation:

$$E = \text{TIE (lbs/hr)} * (1 - \text{BCF})$$

Where:

E = particulate matter emissions rate (lbs/hr)

BCF = building control factor (Use 95 percent)

TIE = total inside emissions (lbs/hr). The total inside emissions are a sum of

the emissions produced during transfer of material from bulk bag to batching bin, from batching bin to container and inside emissions from the baghouse. TIE can be determined from the following equation:

$$\text{TIE} = \text{maximum amount of material processed per hour (24 tons/hr)} * [\{\text{emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin} * (1-\text{BE})\} + \{\text{emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container} * (1-\text{CE})\} + (\text{BHIE (lbs/hr)})]$$

Where:

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

where BHIE = baghouse inside emissions (lbs/hr) which can be obtained from the following equation:

$$\text{BHIE} = [(\text{maximum amount of material processed per hour (24 tons/hr)} * \text{emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin} * (\text{BE})) + (\text{maximum amount of material processed per hour (24 tons/hr)} * \text{emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container} * (\text{CE}))] * (1-\text{BCE})$$

Where:

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

BCE = Baghouse control efficiency (Use 98 percent)

Emission Limitation:

2.23 tons particulate matter per year from raw materials processed in P018

Applicable Compliance Method:

Compliance shall be determined according to the following equation:

$$\text{E} = \text{TIE (lbs/hr)} * 8760 \text{ hrs/yr} (1-\text{BCF}) * (1 \text{ ton}/2000 \text{ lbs})$$

Allied Mineral Products, Inc.

Facility ID: **0125040959**

PTI Application Number: **01-7480**

February 24, 1999

Where:

E = particulate matter emissions rate (tons/yr)

BCF = building control factor (Use 95 percent)

TIE = total inside emissions (lbs/hr). The total inside emissions are a sum of the emissions produced during transfer of material from bulk bag to batching bin, from batching bin to container and inside emissions from the baghouse. TIE can be determined from the following equation:

TIE = maximum amount of material processed per hour (24 tons/hr) * [{emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin* (1-BE)} + {emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container * (1-CE)}] + (BHIE (lbs/hr))

Where:

Allied Mineral Products, Inc.Facility ID: **0125040959**PTI Application Number: **01-7480**

February 24, 1999

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

where BHIE = baghouse inside emissions (lbs/hr) which can be obtained from the following equation:

$$\text{BHIE} = \left[(\text{maximum amount of material processed per hour (24 tons/hr)} * \text{emission factor (3 lbs/ton) for transfer of materials from bulk bag to batching bin} * (\text{BE})) + (\text{maximum amount of material processed per hour (24 tons/hr)} * \text{emission factor (1.3 lbs/ton) for transfer of materials from batching bin to container} * (\text{CE})) \right] * (1-\text{BCE})$$

Where:

BE = Capture control factor during transfer of material from bulk bag to batching bins (Use 95 percent)

CE = Capture control factor during transfer of material from batching bins to container (Use 85 percent)

BCE = Baghouse control efficiency (Use 98 percent)

Emission Limitation:

Visible particulate emissions shall not exceed 20 percent opacity as a three-minute average, except as provided by rule.

Applicable Compliance Method:

Compliance shall be demonstrated by the method specified in OAC rule 3745-17-03(B)(1).

F. Miscellaneous Requirements

None.

PART II: SPECIAL TERMS AND CONDITIONS

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or <u>Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
1500 System with baghouse	OAC rule 3745-31-05 OAC rule 3745-17-07(B)(1) OAC rule 3745-17-11	Particulate emissions shall not exceed 0.06 pound per hour and 0.26 ton/year. See B.1 below. Visible particulate emissions shall not exceed 20 percent opacity as a three-minute average The particulate emission limitations established pursuant to OAC rule 3745-31-05 are more stringent than the emission limitations established by this rule.

2. Additional Terms and Conditions

- a. The 0.06 pound of particulate per hour limit was established to reflect the potential to emit for P019. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

Allied Mineral Products, Inc.

PTI Application Number: **01-7480**

February 24, 1999

Facility ID: **0125040959**

B. Operational Restrictions

1. The permittee shall ensure that the baghouse is in place and operating correctly at an efficiency of 98 percent at all times that the emission unit P019 is in use.
2. The pressure drop across the baghouse shall be maintained within the range of 2.0 to 4.0 inches of water while P019 is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on daily basis.
2. The permittee shall collect and maintain monthly records of the total volume, in tons, of all the materials processed.
3. The total particulate matter emissions in pounds per month from all materials processed in the emission source P019.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify that all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

0.06 lb particulate matter/hr

Applicable Compliance Method:

Compliance shall be determined according to the following equation:

$$E = \text{TIE (lbs/hr)} * (1 - \text{BCF})$$

Where:

E = particulate matter emissions rate (lbs/hr)

BCF = building control factor (Use 95 percent)

TIE = total inside emissions (lbs/hr). The total inside emissions are a sum of

Allied Mineral Products, Inc.Facility ID: **0125040959**PTI Application Number: **01-7480**

February 24, 1999

the emissions produced during transfer of material from bag dump to mixer, from mixer to bag fill station and inside emissions from the dust collector. TIE can be determined from the following equation:

$$\text{TIE} = \text{maximum amount of material processed per hour (1.38 tons/hr)} * [\{\text{emission factor (1.25 lbs/ton) for transfer of materials from bag dump to mixer} * (1-\text{BE})\} + \{\text{emission factor (2.5 lbs/ton) for transfer of materials from mixer to bag fill station} * (1-\text{CE})\}] + (\text{BHIE (lbs/hr)})$$

Where:

BE = Capture control factor during transfer of material from bag dump to mixer (Use 95 percent)

CE = Capture control factor during transfer of material from mixer to bag fill station (Use 95 percent)

where BHIE = baghouse inside emissions (lbs/hr) which can be obtained from the following equation:

$$\text{BHIE} = [(\text{maximum amount of material processed per hour (1.38 tons/hr)} * \text{emission factor (1.25 lbs/ton) for transfer of materials from bag dump to mixer} * (\text{BE})) + (\text{maximum amount of material processed per hour (1.38 tons/hr)} * \text{emission factor (2.5 lbs/ton) for transfer of materials from mixer to bag fill station} * (\text{CE}))] * (1-\text{BCE})$$

Where:

BE = Capture control factor during transfer of material from bag dump to mixer (Use 95 percent)

CE = Capture control factor during transfer of material from mixer to bag fill station (Use 95 percent)

BCE = Baghouse control efficiency (Use 98 percent)

Emission Limitation:

0.26 ton particulate matter per year from raw materials processed in P019

Applicable Compliance Method:

Compliance shall be determined according to the following equation:

$$E = \text{TIE (lbs/hr)} * 8760 \text{ hrs/yr} (1-\text{BCF}) * (1 \text{ ton}/2000 \text{ lbs})$$

Allied Mineral Products, Inc.

Facility ID: **0125040959**

PTI Application Number: **01-7480**

February 24, 1999

Where:

E = particulate matter emissions rate (tons/yr)

BCF = building control factor (Use 95 percent)

TIE = total inside emissions (lbs/hr). The total inside emissions are a sum of the emissions produced during transfer of material from bag dump to mixer, from mixer to bag fill station and inside emissions from the dust collector. TIE can be determined from the following equation:

TIE = maximum amount of material processed per hour(1.38 tons/hr) * [{ emission factor (1.25 lbs/ton) for transfer of materials from bag dump to mixer * (1-BE)} + {emission factor (2.5 lbs/ton) for transfer of materials from mixer to bag fill station * (1-CE)}] + (BHIE (lbs/hr))

Where:

Allied Mineral Products, Inc.

Facility ID: **0125040959**

PTI Application Number: **01-7480**

February 24, 1999

BE = Capture control factor during transfer of material from bag dump to mixer
(Use 95 percent)

CE = Capture control factor during transfer of material from mixer to bag fill
station (Use 95 percent)

where BHIE = baghouse inside emissions (lbs/hr) which can be obtained from the
following equation:

BHIE = [(maximum amount of material processed per hour (1.38 tons/hr) *
emission factor (1.25 lbs/ton) for transfer of materials from bag dump to mixer *
(BE)) + (maximum amount of material processed per hour (1.38 tons/hr) *
emission factor (2.5 lbs/ton) for transfer of materials from mixer to bag fill station *
(CE))] * (1-BCE)

Where:

BE = Capture control factor during transfer of material from bag dump to mixer
(Use 95 percent)

CE = Capture control factor during transfer of material from mixer to bag fill
station (Use 95 percent)

BCE = Baghouse control efficiency (Use 98 percent)

Emission Limitation:

Visible particulate emissions shall not exceed 20 percent opacity as a three-minute
average, except as provided by rule.

Applicable Compliance Method:

Compliance shall be demonstrated by the method specified in OAC rule 3745-17-
03(B)(1).

F. Miscellaneous Requirements

None.