



Environmental Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

8/2/2012

Mr. David Starr
Creative Cabinet Systems, Inc
721 Springfield St
Dayton, OH 45403

RE: DRAFT AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 0857043219
Permit Number: P0110332
Permit Type: Administrative Modification
County: Montgomery

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
Yes	SYNTHETIC MINOR TO AVOID TITLE V
Yes	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

A draft of the Ohio Administrative Code (OAC) Chapter 3745-31 Air Pollution Permit-to-Install and Operate (PTIO) for the referenced facility has been issued for the emissions unit(s) listed in the Authorization section of the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the permit. A public notice will appear in the Ohio EPA Weekly Review and the local newspaper, Dayton Daily News. A copy of the public notice and the draft permit are enclosed. This permit can be accessed electronically on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Issued Air Pollution Control Permits" link. Comments will be accepted as a marked-up copy of the draft permit or in narrative format. Any comments must be sent to the following:

Andrew Hall
Permit Review/Development Section
Ohio EPA, DAPC
122 South Front Street
Columbus, Ohio 43215

and Regional Air Pollution Control Agency
117 South Main Street
Dayton, OH 45422-1280

Comments and/or a request for a public hearing will be accepted within 30 days of the date the notice is published in the newspaper. You will be notified in writing if a public hearing is scheduled. A decision on issuing a final permit-to-install will be made after consideration of comments received and oral testimony if a public hearing is conducted. Any permit fee that will be due upon issuance of a final Permit-to-Install is indicated in the Authorization section. Please do not submit any payment now. If you have any questions, please contact Regional Air Pollution Control Agency at (937)225-4435.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA Region 5 Via E-Mail Notification
RAPCA; Indiana; Kentucky



Permit Strategy Write-Up

1. Check all that apply:

X Synthetic Minor Determination

Netting Determination

2. Source Description:

Creative Cabinets Systems is a wood furniture manufacturer located in the city of Dayton in Montgomery County. This Federally-Enforceable Permit to Install and Operate (FEPTIO) includes the following emissions units:

- K001 – Main Spray Booth 1
K002 – Contact Adhesive Spray Booth
K003 – White Spray Booth 2
K004 – Primer Spray Booth 3
K005 – Trim Line Spray Booth 4
K006 – Flat Line Spray Booth 5
K007 – Downdraft Spray Booth 6
K008 – Layup Line 7
K009 – Shop Floor Adhesive Pots 9
P001 - Woodworking Equipment
P002 – Facility Wide Cleanup Solvents

3. Facility Emissions and Attainment Status:

The location of the facility is currently designated as attainment for all criteria pollutants except PM2.5, which is classified as basic nonattainment. Facility-wide potential emissions for combined hazardous air pollutant (HAP) are 33.45 tons per year, individual HAP emissions are 17.27 tons per year, and VOC emissions were 218 tons per year. Facility-wide potential emissions for other criteria pollutants are under 100 tons per year.

4. Source Emissions:

The potential emissions and limited emissions for these emissions units are shown in the following table:

Table with 7 columns: Emissions Unit, Potential Emissions (tons/yr) [VOC, Single HAP, Total HAP], Limited Emissions (tons/yr) [VOC, Single HAP, Total HAP]. Rows include units K001 through K009, P001, P002, and a Total row.



5. Conclusion:

Creative Cabinet Systems has applied for an initial install FEPTIO to include VOC emissions associated with cleanup solvent use throughout the facility as emissions unit P002 (FEPTIO – P0110145). This FEPTIO is an administrative modification of FEPTIO P0107466 for all of the coating operations at Creative Cabinet Systems to remove the VOC emissions associated with cleanup solvent use throughout the facility from the facility wide terms of that permit and to remove compliance with terms of OAC rule 3745-21-07(G)(2) from that permit (the SIP changes that rescinded that rule has been approved by U.S. EPA).

After obtaining the FEPTIOs, facility-wide potential combined HAP emissions are 24.9 tons per year, the potential individual HAP emissions are 9.9 tons per year, and the potential VOC emissions are 59.6 tons on a rolling 12-month basis. VOC and HAP emissions have been limited through restrictions on the amount of VOC and HAP processed and through the inclusion of appropriate monitoring, record keeping and reporting requirements.

6. Please provide additional notes or comments as necessary:

None

7. Total Permit Allowable Emissions Summary (for informational purposes only):

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	49.0
Individual HAP	9.9
Combined HAP	24.9

PUBLIC NOTICE
8/2/2012 Issuance of Draft Air Pollution Permit-To-Install and Operate

Creative Cabinet Systems, Inc

721 SPRINGFIELD ST,
Dayton, OH 45403-1250

Montgomery County

FACILITY DESC.: Showcase, Partition, Shelving, and Locker Manufacturing

PERMIT #: P0110332

PERMIT TYPE: Administrative Modification

PERMIT DESC: Administrative Permit Modification to remove facility-wide cleanup material VOC emissions limitations that are now permitted as emissions units P002 and to remove terms and conditions associated with OAC rule 3745-21-07(G)(2) that have ceased to be effective.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitonline.aspx> by entering the permit # or: Andrew Weisman, Regional Air Pollution Control Agency, 117 South Main Street, Dayton, OH 45422-1280. Ph: (937)225-4435

Ohio

**Environmental
Protection Agency**

DRAFT

**Division of Air Pollution Control
Permit-to-Install and Operate
for
Creative Cabinet Systems, Inc**

Facility ID:	0857043219
Permit Number:	P0110332
Permit Type:	Administrative Modification
Issued:	8/2/2012
Effective:	To be entered upon final issuance
Expiration:	To be entered upon final issuance



Division of Air Pollution Control
Permit-to-Install and Operate
for
Creative Cabinet Systems, Inc

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator?..... 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions 12
1. Emissions Unit Group -Units Installed before 2006: K001,K002,K004,K008,K009, 13
2. Emissions Unit Group –Emissions Units installed after 8/03/06: K003,K005,K006,K007,..... 21

Authorization

Facility ID: 0857043219

Application Number(s): A0044613

Permit Number: P0110332

Permit Description: Administrative Permit Modification to remove facility-wide cleanup material VOC emissions limitations that are now permitted as emissions units P002 and to remove terms and conditions associated with OAC rule 3745-21-07(G)(2) that have ceased to be effective.

Permit Type: Administrative Modification

Permit Fee: \$0.00 *DO NOT send payment at this time, subject to change before final issuance*

Issue Date: 8/2/2012

Effective Date: To be entered upon final issuance

Expiration Date: To be entered upon final issuance

Permit Evaluation Report (PER) Annual Date: To be entered upon final issuance

This document constitutes issuance to:

Creative Cabinet Systems, Inc

721 SPRINGFIELD ST

Dayton, OH 45403-1250

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Regional Air Pollution Control Agency

117 South Main Street

Dayton, OH 45422-1280

(937)225-4435

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and Federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Scott J. Nally

Director



Authorization (continued)

Permit Number: P0110332

Permit Description: Administrative Permit Modification to remove facility-wide cleanup material VOC emissions limitations that are now permitted as emissions units P002 and to remove terms and conditions associated with OAC rule 3745-21-07(G)(2) that have ceased to be effective.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Group Name: Unis Installed before 2006

Emissions Unit ID:	K001
Company Equipment ID:	Main Spray Booth 1
Superseded Permit Number:	P0107315
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K002
Company Equipment ID:	Spray Booth K002
Superseded Permit Number:	P0107315
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K004
Company Equipment ID:	Spray Booth K004
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K008
Company Equipment ID:	Layup Line 7
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K009
Company Equipment ID:	Shop Floor Adhesive Pots 9
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable

Group Name: Units installed after 8/03/06

Emissions Unit ID:	K003
Company Equipment ID:	Spray Booth 2
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K005
Company Equipment ID:	Trim Line Spray Booth 4
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K006
Company Equipment ID:	Flat Line Spray Booth 5
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	K007
Company Equipment ID:	Downdraft Spray Booth 6
Superseded Permit Number:	P0107466
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Regional Air Pollution Control Agency in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.
2. The facility wide emissions of Hazardous Air Pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, from this facility shall not exceed 9.9 tons on rolling 12-month basis for any individual HAP and 24.9 tons on a rolling 12-month basis for the combination of all HAPs. These emissions units have been in operation for more than 12 months and, as such, the permittee has existing records to generate the rolling, 12-month summation of the emissions, upon issuance of this permit.
3. The permittee shall collect and record the following information each month for the entire facility:
 - a) The name and identification number of each coating and cleanup material employed.
 - b) The individual hazardous air pollutant (HAP)* content for each HAP of each coating and cleanup material, in pounds of individual HAP per gallon, as applied.
 - c) The total combined HAPs content of each coating and cleanup material, in pounds of combined HAPs per gallon, as applied [the sum of all the individual HAP contents from B.3.b)].
 - d) The volume, in gallons, of each coating and cleanup material employed.
 - e) The total individual HAP emissions for each HAP from all coating materials and cleanup materials employed, in tons per month [for each HAP, the sum of B.3.b) times B.3.d) for each coating and cleanup material].
 - f) The total combined HAPs emissions from all coating materials and cleanup materials employed, in tons per month [the sum of B.3.c) times B.3.d) for each coating and cleanup material].
 - g) The rolling, 12-month summation of the total individual HAP emissions for each HAP from all coating materials and cleanup materials employed, in tons [the sum of the values calculated according to 3.e) for the previous 12-months].
 - h) The rolling, 12-month summation of the total combined HAPs emissions from all coating materials and cleanup materials employed, in tons [the sum of the values calculated according to 3.f) for the previous 12-months].

* A listing of the Hazardous Air Pollutants (HAPs) can be found in Section 112(b) of the Clean Air Act or can be obtained by contacting your Ohio EPA District Office or local air agency contact. Material Safety

Data Sheets typically include a listing of the solvents contained in the coatings or cleanup materials. This information does not have to be kept on a line by line basis.

4. The permittee shall submit quarterly deviation (excursion) reports that identify:
 - a) all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
 - (1) all exceedances of the rolling, 12-month emission limitation for each individual HAP and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative emission levels;
 - (2) all exceedances of the rolling, 12-month emission limitation for combined HAP and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative emission levels;
 - (3) all exceedances of the rolling, 12-month emission limitation for VOC emissions from cleanup materials and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative emission levels; and
 - (4) all exceedances of the rolling, 12-month limitation for VOC input from cleanup materials and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative input levels.
 - b) the probable cause of each deviation (excursion);
 - c) any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - d) the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the Director (the appropriate District Office or local air agency).

5. The permittee shall also submit annual reports that specify the total individual HAP and combined HAP emissions from this emissions unit for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

6. Compliance with the emission limitations in B.2 shall be determined in accordance with the following methods:

a) Emissions Limitation:

Individual HAP emissions from this facility shall not exceed 9.9 tons per year on a rolling 12-month basis.

Applicable Compliance Method:

Compliance shall be based on the record keeping specified in B.5 for each individual HAP.

b) Emissions Limitation:

Combined HAP emissions from this facility shall not exceed 24.9 tons on a rolling, 12-month basis.

Applicable Compliance Method:

Compliance shall be based on the record keeping specified in B.5 for combined HAP.

C. Emissions Unit Terms and Conditions

1. Emissions Unit Group -Units Installed before 2006: K001,K002,K004,K008,K009,

EU ID	Operations, Property and/or Equipment Description
K001	Main Spray Booth 1
K002	Contact Adhesive Spray Booth
K004	Primer Spray Booth 3
K008	Layup Line 7
K009	Shop Floor Adhesive Pots 9

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. d)(8) through d)(11) and e)(4).

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b)(1)a., b)(2)a, c)(1), d)(1), e)(1) and f)(1).

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and OAC rule 3745-31-05(D) (synthetic minor to avoid TV)	<p><u>Emissions Units: K001, K002, K004, and K009:</u> The volatile organic compound (VOC) emissions from each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis, excluding cleanup materials.</p> <p><u>Emissions Unit K008:</u> The VOC emissions from this emissions unit shall not exceed 3.4 tons on a rolling 12-month basis, excluding cleanup materials.</p> <p>See b)(2)a. and c)(1)</p>

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

b.	OAC rule 3745-17-11(C)	See b)(2)b. c)(2) and c)(3).
c.	40 CFR Part 63, Subpart JJ	See b)(2)b.
d.	ORC 3704.03(F) and OAC rule 3745-114-01	See d)(7) through d)(10) and e(4)

(2) Additional Terms and Conditions

a. The VOC emissions from each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis excluding cleanup materials. These emissions units have been in operation for more than 12 months and, as such, the permittee has existing records to generate the rolling, 12-month summation of the emissions, upon issuance of this permit.

b. Emissions unit K008 is not subject to particulate emissions control measures of OAC rule 3745-17-11(C) pursuant to OAC rule 3745-17-11(A)(1)h. because the coatings are applied with a roller.

Emissions unit K009 is not subject to particulate emissions control measures of OAC rule 3745-17-11(C) pursuant to OAC rule 3745-17-11(A)(1)i. because the coatings process uses less than five gallons of coating per day.

c. According to 40 CFR Part 63, Subpart JJ, a wood furniture manufacturer that emits less than 5 TPY of individual HAP and 12.5 TPY of combined HAP, per rolling 12-month period, is considered an area source (40 CFR 63.800(b)(3)). The initial compliance date for the Wood Furniture Manufacturing NESHAP (40 CFR Part 63, Subpart JJ) was December 7, 1998. According to 40 CFR 63.800(b) sources obtaining and complying with limits to keep the potential to emit HAPs below major source levels after the first compliance date and prior to exceeding area source limits, are precluded from major source permitting requirements.

c) Operational Restrictions

(1) The combined weight of the VOCs in the coating materials applied in each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis, excluding cleanup materials. These emissions units have been in operation for more than 12 months and, as such, the permittee has existing records to generate the rolling, 12-month summation of the emissions, upon issuance of this permit.

(2) The permittee shall operate the dry filtration system for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.

(3) In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the following information on a monthly basis for the coating materials employed in this emissions unit:
 - a. The identification of each coating material applied;
 - b. the volume, in gallons, of each coating applied or all coatings applied during the month;
 - c. the VOC content for each or the maximum VOC content of all the coatings applied, in pounds per gallon;
 - d. the total VOC emissions from all coatings applied, i.e., the summation of the products of d)(1)b times d)(1)c for each individual coating applied; or the product of the maximum VOC content of all the coatings applied times the total gallons of coating employed during the month, i.e., d)(1)b times d)(1)c for worst case coating;
 - e. the rolling 12-month summation of VOC emissions, i.e., the sum of the VOC emissions calculated in d)(1)d for the previous 12-months;

The VOC emissions limitations for each emissions unit is based on the premise that all of the VOC solvents in the coating materials that are applied will evaporate and be released as air emissions. Therefore, it is not necessary to keep separate records to verify compliance with VOC application limitations identified in c)(1).

- (2) The permittee shall collect and record the following information for the purpose of determining annual organic compound (OC) emissions as required for the Synthetic Minor Title V Fee Emissions Report (FER) on annual basis.
 - a. The identification of each coating material employed;
 - b. The volume, in gallons, of each coating material employed;
 - c. the OC content of each coating applied, in pounds per gallon;
 - d. the total OC emissions from all coatings applied, i.e., the summation of the products of d)(2)b times d)(2)c for each individual coating applied;
 - e. The annual OC emission rate for all organic compound cleanup materials, in tons per year, i.e., the sum of the VOC emissions calculated in d)(2)d for each calendar year.
- (3) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

- (4) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.
- (5) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.
- (6) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:
 - a. the date of the inspection;
 - b. a description of each/any problem identified and the date it was corrected;
 - c. a description of any maintenance and repairs performed; and
 - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (7) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions units were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.
- (8) The federally enforceable permit-to-install and operate (FEPTIO) application for these emissions units, K001, K002, K003, K004, K005, K006, K007, K008 and K009, was evaluated based on the actual materials and the design parameters of the emissions units' exhaust system, as specified by the permittee. The "Toxic Air Contaminant Statute", ORC 3704.03(F), was applied to these emissions units for each toxic air contaminant listed in OAC rule 3745-114-01, using data from the permit application; and modeling was performed for each toxic air contaminants emitted using an air dispersion model such as SCREEN3, AERMOD, or ISCST3, or other Ohio EPA approved model. The predicted 1-hour maximum ground level concentration result(s) from the approved air dispersion model, was compared to the Maximum Acceptable Ground Level Concentration (MAGLC), calculated as described in the Ohio EPA guidance document entitled "Review of New Sources of Air Toxic Emissions, Option A", as follows:

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

- a. the exposure limit, expressed as a time-weighted average concentration for a conventional 8-hour workday and a 40-hour workweek, for each toxic compound(s) emitted from the emissions units, (as determined from the raw materials processed and/or coatings or other materials applied) has been documented from one of the following sources and in the following order of preference (TLV was and shall be used, if the chemical is listed):
- i. threshold limit value (TLV) from the American Conference of Governmental Industrial Hygienists' (ACGIH) "Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices"; or
 - ii. STEL (short term exposure limit) or the ceiling value from the ACGIH's "Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices"; the STEL or ceiling value is multiplied by 0.737 to convert the 15-minute exposure limit to an equivalent 8-hour TLV.
- b. The TLV is divided by ten to adjust the standard from the working population to the general public (TLV/10).
- c. This standard is/was then adjusted to account for the duration of the exposure or the operating hours of the emissions unit(s), i.e., "X" hours per day and "Y" days per week, from that of 8 hours per day and 5 days per week. The resulting calculation was (and shall be) used to determine the Maximum Acceptable Ground-Level Concentration (MAGLC):
- d. The following summarizes the results of dispersion modeling for the significant toxic contaminants or "worst case" toxic contaminant(s):

$$TLV/10 \times 8/X \times 5/Y = 4 TLV/XY = MAGLC$$

Toxic Contaminant: Toluene (worst-case; xylene and methanol also emitted above 1 tpy)

TLV (mg/m³): 188

Maximum Hourly Emission Rate (lbs/hr): 3.95

Predicted 1-Hour Maximum Ground Level Concentration (µg/m³): 1,987

MAGLC (µg/m³): 4,476

Toxic Contaminant: Dibutyl phthalate (worst case for emissions unit K008)

TLV (mg/m³): 5

Maximum Hourly Emission Rate (lb/hr): 0.42

Predicted 1-Hour Maximum Ground Level Concentration (µg/m³): 19.87

MAGLC (ug/m³): 119

The permittee, having demonstrated that emissions of toluene, from emissions units K001, K002, K003, K004, K005, K006, K007, K008 and K009, is calculated to be less than eighty per cent of the MAGLC; any new raw material or processing agent shall not be applied without evaluating each component toxic air contaminant in accordance with the "Toxic Air Contaminant Statute", ORC 3704.03(F).

- (9) Prior to making any physical changes to or changes in the method of operation of the emissions units, that could impact the parameters or values that were used in the predicted 1-hour maximum ground level concentration, the permittee shall re-model the change(s) to demonstrate that the MAGLC has not been exceeded. Changes that can affect the parameters/values used in determining the 1-hour maximum ground-level concentration include, but are not limited to, the following:
- a. changes in the composition of the materials used or the use of new materials, that would result in the emission of a new toxic air contaminant with a lower TLV than the lowest TLV previously modeled;
 - b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any toxic air contaminant listed in OAC rule 3745-114-01, that was modeled from the initial (or last) application; and
 - c. physical changes to the emissions unit(s) or its/their exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Toxic Air Contaminant Statute" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to a non-restrictive change to a parameter or process operation, where compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), has been documented. If the change(s) meet(s) the definition of a "modification", the permittee shall apply for and obtain a final FEPTIO prior to the change. The Director may consider any significant departure from the operations of the emissions unit, described in the permit application, as a modification that results in greater emissions than the emissions rate modeled to determine the ground level concentration; and he/she may require the permittee to submit a permit application for the increased emissions.

- (10) The permittee shall collect, record, and retain the following information for each toxic evaluation conducted to determine compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F):
- a. a description of the parameters/values used in each compliance demonstration and the parameters or values changed for any re-evaluation of the toxic(s) modeled (the composition of materials, new toxic contaminants emitted, change in stack/exhaust parameters, etc.);
 - b. the MAGLC for each significant toxic contaminant or worst-case contaminant, calculated in accordance with the "Toxic Air Contaminant Statute", ORC 3704.03(F);
 - c. a copy of the computer model run(s), that established the predicted 1-hour maximum ground level concentration that demonstrated the emissions unit(s) to be in compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), initially and for each change that requires re-evaluation of the toxic air contaminant emissions; and

- d. the documentation of the initial evaluation of compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), and documentation of any determination that was conducted to re-evaluate compliance due to a change made to the emissions unit(s) or the materials applied.

- (11) The permittee shall maintain a record of any change made to a parameter or value used in the dispersion model, used to demonstrate compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), through the predicted 1-hour maximum ground level concentration. The record shall include the date and reason(s) for the change and if the change would increase the ground-level concentration.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify:
 - a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
 - i. all exceedances of the rolling, 12-month emission limitation for VOC emissions for each emissions unit and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative emission levels;
 - ii. all exceedances of the rolling, 12-month limitation for VOC input for each emissions unit and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative input levels;
 - b. the probable cause of each deviation (excursion);
 - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the Director (the appropriate District Office or local air agency).

- (2) The permittee shall submit annual reports which specify the following information for each emissions unit for each calendar year:

- a. the total VOC emissions, in tons; and
- b. the total OC emissions, in tons.

The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including the specific emission data for this emissions unit in the annual Synthetic Minor Title V Fee Emission Report.

- (3) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (4) The permittee shall include any changes made to a parameter or value used in the dispersion model, that was used to demonstrate compliance with the Toxic Air Contaminant Statute, ORC 3704.03(F), through the predicted 1-hour maximum ground-level concentration, in the annual Permit Evaluation Report (PER). If no changes to the emissions, emissions unit(s), or the exhaust stack have been made, then the report shall include a statement to this effect.

f) Testing Requirements

- (1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following methods:

- a. Emissions Limitation:

- Emissions Units K001, K002, K004 and K009

The VOC emissions from each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis, excluding cleanup.

- Applicable Compliance Method:

Compliance shall be based on the record keeping specified in d)(1).

- b. Emissions Limitation:

- Emissions Unit K008

The VOC emissions from this emissions unit shall not exceed 3.4 tons on a rolling 12-month basis, excluding cleanup.

- Applicable Compliance Method:

- c. Compliance shall be based on the record keeping specified in d)(1).

g) Miscellaneous Requirements

- (1) None.

2. Emissions Unit Group –Emissions Units installed after 8/03/06: K003,K005,K006,K007,

EU ID	Operations, Property and/or Equipment Description
K003	White Spray Booth 2
K005	Trim Line Spray Booth 4
K006	Flat Line Spray Booth 5
K007	Downdraft Spray Booth 6

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. See d)(9) through d)(12) and e)(5).

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b)(1)a., b)(2)a., c)(1), d)(1), e)(1) and f)(1)a.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(D) (synthetic minor to avoid TV)	The volatile organic compound (VOC) emissions from each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis, excluding cleanup. See b)(2)a. and c)(1).
b.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	The combined VOC emissions from emissions units K001, K002, K003, K004, K005, K006, K007, K008 and K009 shall not exceed 25.0 tons per rolling 12-month period, including cleanup. See b)(2)b.

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

c.	OAC rule 3745-31-05(A)(3)(ii), as effective 12/01/06	VOC emissions from each emissions unit shall not exceed 5.7 tons per year, excluding cleanup. See b)(2)c.
d.	OAC rule 3745-17-11(C)	See c)(2) and c)(3).
e.	40 CFR Part 63, Subpart JJ	See b)(2)e.
f.	ORC 3704.03(F) and OAC rule 3745-114-01	See d)(8) through d)(11) and e)(4).

(2) Additional Terms and Conditions

- a. The VOC emissions from each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis excluding cleanup materials. These emissions units have been in operation for more than 12 months and, as such, the permittee has existing records to generate the rolling, 12-month summation of the emissions, upon issuance of this permit.
- b. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.

Compliance with the VOC emissions limitations of OAC rule 3745-21-15 has been identified as BAT for these emissions units. According to OAC rule 3745-21-15(A)(2), Any facility that has a potential to emit for VOC of less than 25.0 tons per year for all wood furniture manufacturing operations combined is not subject to the VOC emissions limitations of the rule.

The combined VOC emissions from emissions units K001, K002, K003, K004, K005, K006, K007, K008 and K009 shall not exceed 25.0 tons on a rolling 12-month basis including cleanup materials. These emissions units have been in operation for more than 12 months and, as such, the permittee has existing records to generate the rolling, 12-month summation of the emissions, upon issuance of this permit.

- c. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the VOC emissions from this air contaminant source since the uncontrolled potential to emit for VOC is less than 10 tons per year.

- d. According to 40 CFR Part 63, Subpart JJ, a wood furniture manufacturer that emits less than 5 TPY of individual HAP and 12.5 TPY of combined HAP, per rolling 12-month period, is considered an area source (40 CFR 63.800(b)(3)). The initial compliance date for the Wood Furniture Manufacturing NESHAP (40 CFR Part 63, Subpart JJ) was December 7, 1998. According to 40 CFR 63.800(b) sources obtaining and complying with limits to keep the potential to emit HAPs below major source levels after the first compliance date and prior to exceeding area source limits, are precluded from major source permitting requirements.

c) Operational Restrictions

- (1) The combined weight of the VOCs in the coating materials applied in each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis, excluding cleanup materials. These emissions units have been in operation for more than 12 months and, as such, the permittee has existing records to generate the rolling, 12-month summation of the emissions, upon issuance of this permit.
- (2) The permittee shall operate the dry filtration system for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.
- (3) In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the following information on a monthly basis for the coating materials employed in this emissions unit:
 - a. the company identification of each coating material employed;
 - b. the volume, in gallons, of each coating applied or all coatings applied during the month;
 - c. the VOC content for each or the maximum VOC content of all the coatings applied, in pounds per gallon;
 - d. the total VOC emissions from all coatings applied, i.e., the summation of the products of d)(1)b times d)(1)c for each individual coating applied; or the product

of the maximum VOC content of all the coatings applied times the total gallons of coating employed during the month, i.e., d)(1)a times d)(1)b for worst case coating;

- e. the rolling 12-month summation of VOC emissions, i.e., the sum of the VOC emissions calculated in d)(1)d for the previous 12-months;

The VOC emissions limitations for each emissions unit is based on the premise that all of the VOC solvents in the coating materials that are applied will evaporate and be released as air emissions. Therefore, it is not necessary to keep separate records to verify compliance with VOC application limitations identified in c)(1).

- (2) The permittee shall collect and record the following information each month for emissions units K001, K002, K003, K004, K005, K006, K007, K008 and K009 combined:
 - a. The company identification of each coating and cleanup material employed.
 - b. The volume, in gallons, of each coating and cleanup material employed.
 - c. The VOC content of each coating and cleanup material employed, in pounds per gallon.
 - d. The total VOC emissions from all coatings and cleanup materials employed, in pounds [i.e., sum of d)(2)b times d)(2)c for each coating and cleanup material employed].
 - e. the rolling 12-month summation of VOC emissions, i.e., the sum of the VOC emissions calculated in d)(2)d for the previous 12-months.
- (3) The permittee shall collect and record the following information for the purpose of determining annual organic compound (OC) emissions as required for the Synthetic Minor Title V Fee Emissions Report (FER) on annual basis.
 - a. The identification of each coating material employed;
 - b. The volume, in gallons, of each coating material employed;
 - c. the OC content of each coating applied, in pounds per gallon;
 - d. the total OC emissions from all coatings applied, i.e., the summation of the products of d)(3)b times d)(3)c for each individual coating applied;
 - e. The annual OC emission rate for all organic compound cleanup materials, in tons per year, i.e., the sum of the VOC emissions calculated in d)(3)d for each calendar year.

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

- (4) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (5) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.
- (6) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.
- (7) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:
 - a. the date of the inspection;
 - b. a description of each/any problem identified and the date it was corrected;
 - c. a description of any maintenance and repairs performed; and
 - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (8) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.
- (9) The federally enforceable permit-to-install and operate (FEPTIO) application for these emissions units, K001, K002, K003, K004, K005, K006, K007 and K009, was evaluated based on the actual materials and the design parameters of the emissions units' exhaust system, as specified by the permittee. The "Toxic Air Contaminant Statute", ORC 3704.03(F), was applied to these emissions units for each toxic air contaminant listed in OAC rule 3745-114-01, using data from the permit application; and modeling was performed for each toxic air contaminants emitted using an air dispersion model such as SCREEN3, AERMOD, or ISCST3, or other Ohio EPA approved model. The predicted 1-

hour maximum ground level concentration result(s) from the approved air dispersion model, was compared to the Maximum Acceptable Ground Level Concentration (MAGLC), calculated as described in the Ohio EPA guidance document entitled "Review of New Sources of Air Toxic Emissions, Option A", as follows:

- a. the exposure limit, expressed as a time-weighted average concentration for a conventional 8-hour workday and a 40-hour workweek, for each toxic compound(s) emitted from the emissions units, (as determined from the raw materials processed and/or coatings or other materials applied) has been documented from one of the following sources and in the following order of preference (TLV was and shall be used, if the chemical is listed):
 - i. threshold limit value (TLV) from the American Conference of Governmental Industrial Hygienists' (ACGIH) "Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices"; or
 - ii. STEL (short term exposure limit) or the ceiling value from the ACGIH's "Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices"; the STEL or ceiling value is multiplied by 0.737 to convert the 15-minute exposure limit to an equivalent 8-hour TLV.
- b. The TLV is divided by ten to adjust the standard from the working population to the general public (TLV/10).
- c. This standard is/was then adjusted to account for the duration of the exposure or the operating hours of the emissions unit(s), i.e., "X" hours per day and "Y" days per week, from that of 8 hours per day and 5 days per week. The resulting calculation was (and shall be) used to determine the Maximum Acceptable Ground-Level Concentration (MAGLC):
- d. The following summarizes the results of dispersion modeling for the significant toxic contaminants or "worst case" toxic contaminant(s):

$$TLV/10 \times 8/X \times 5/Y = 4 TLV/XY = MAGLC$$

Toxic Contaminant: Toluene (worst-case for emissions units K001, K002, K003 K004, K005, K006, K007 and K009 xylene and methanol also emitted above 1 tpy)
TLV (mg/m³): 188
Maximum Hourly Emission Rate (lbs/hr): 3.95
Predicted 1-Hour Maximum Ground Level Concentration (µg/m³): 1,987
MAGLC (µg/m³): 4,476

The permittee, having demonstrated that emissions of toluene, from emissions units K001, K002, K003, K004, K005, K006, K007 and K009, is calculated to be less than eighty per cent of the MAGLC; any new raw material or processing agent shall not be applied without evaluating each component toxic air contaminant in accordance with the "Toxic Air Contaminant Statute", ORC 3704.03(F).

- (10) Prior to making any physical changes to or changes in the method of operation of the emissions units, that could impact the parameters or values that were used in the predicted 1-hour maximum ground level concentration, the permittee shall re-model the change(s) to demonstrate that the MAGLC has not been exceeded. Changes that can affect the parameters/values used in determining the 1-hour maximum ground-level concentration include, but are not limited to, the following:
- a. changes in the composition of the materials used or the use of new materials, that would result in the emission of a new toxic air contaminant with a lower TLV than the lowest TLV previously modeled;
 - b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any toxic air contaminant listed in OAC rule 3745-114-01, that was modeled from the initial (or last) application; and
 - c. physical changes to the emissions unit(s) or its/their exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Toxic Air Contaminant Statute" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to a non-restrictive change to a parameter or process operation, where compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), has been documented. If the change(s) meet(s) the definition of a "modification", the permittee shall apply for and obtain a final FEPTIO prior to the change. The Director may consider any significant departure from the operations of the emissions unit, described in the permit application, as a modification that results in greater emissions than the emissions rate modeled to determine the ground level concentration; and he/she may require the permittee to submit a permit application for the increased emissions.

- (11) The permittee shall collect, record, and retain the following information for each toxic evaluation conducted to determine compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F):
- a. a description of the parameters/values used in each compliance demonstration and the parameters or values changed for any re-evaluation of the toxic(s) modeled (the composition of materials, new toxic contaminants emitted, change in stack/exhaust parameters, etc.);
 - b. the MAGLC for each significant toxic contaminant or worst-case contaminant, calculated in accordance with the "Toxic Air Contaminant Statute", ORC 3704.03(F);
 - c. a copy of the computer model run(s), that established the predicted 1-hour maximum ground level concentration that demonstrated the emissions unit(s) to be in compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), initially and for each change that requires re-evaluation of the toxic air contaminant emissions; and

- d. the documentation of the initial evaluation of compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), and documentation of any determination that was conducted to re-evaluate compliance due to a change made to the emissions unit(s) or the materials applied.
- (12) The permittee shall maintain a record of any change made to a parameter or value used in the dispersion model, used to demonstrate compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), through the predicted 1-hour maximum ground level concentration. The record shall include the date and reason(s) for the change and if the change would increase the ground-level concentration.
- e) Reporting Requirements
- (1) The permittee shall submit quarterly deviation (excursion) reports that identify:
 - a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
 - i. all exceedances of the rolling, 12-month emission limitation for VOC emissions for this emissions unit and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative emission levels;
 - ii. all exceedances of the rolling, 12-month limitation for VOC input for this emissions unit and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative input levels;
 - iii. all exceedances of the rolling, 12-month emission limitation for VOC emissions for emissions units K001, K002, K003, K004, K005, K006, K007, K008 and K009 and, for the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative emission levels.
 - b. the probable cause of each deviation (excursion);
 - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September),

unless an alternative schedule has been established and approved by the Director (the appropriate District Office or local air agency).

- (2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (3) The permittee shall submit annual reports which specify the following information for each emissions unit for each calendar year:
 - a. the total VOC emissions, in tons; and
 - b. the total OC emissions, in tons.

The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including the specific emission data for this emissions unit in the annual Synthetic Minor Title V Fee Emission Report

- (4) The permittee shall include any changes made to a parameter or value used in the dispersion model, that was used to demonstrate compliance with the Toxic Air Contaminant Statute, ORC 3704.03(F), through the predicted 1-hour maximum ground-level concentration, in the annual Permit Evaluation Report (PER). If no changes to the emissions, emissions unit(s), or the exhaust stack have been made, then the report shall include a statement to this effect.

f) Testing Requirements

- (1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following methods:

a. Emissions Limitation:

The VOC emissions from each emissions unit shall not exceed 5.7 tons on a rolling 12-month basis, excluding cleanup.

Applicable Compliance Method:

Compliance shall be based on the record keeping specified in d)(1).

b. Emissions Limitation:

The combined VOC emissions from emissions units K001, K002, K003, K004, K005, K006, K007, K008 and K009 shall not exceed 25 tons on a rolling 12-month basis, including cleanup.

Applicable Compliance Method:

Compliance shall be based on the record keeping specified in d)(2).

Draft Permit-to-Install and Operate

Creative Cabinet Systems, Inc

Permit Number: P0110332

Facility ID: 0857043219

Effective Date: To be entered upon final issuance

g) Miscellaneous Requirements

(1) None.