



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.  
Columbus, Ohio 43266-0149  
(614) 644-3020  
FAX (614) 644-2329

George V. Voinovich  
Governor  
Donald R. Schregardus  
Director

Re: Permit to Install  
Stark County  
Application No: 15-1149  
NESHAP

CERTIFIED MAIL

February 15, 1995

CARRIAGE HILL CLEANERS  
GARY L. KESTEL  
3319 WHIPPLE AVE. NW  
CANTON, OH 44718

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations & Permit Section  
Division of Air Pollution Control

cc: US EPA  
CANTON AIR POLLUTION CONTROL

---

## Permit to Install Terms and Conditions

---

Application No. 15-1149  
APS Premise No. 1576001798  
Permit Fee: \$100.00

Name of Facility: CARRIAGE HILL CLEANERS

Person to Contact: GARY L. KESTEL

Address: 3319 WHIPPLE AVE. NW  
CANTON, OH 44718

Location of proposed source(s): 3319 WHIPPLE AVE. NW  
JACKSON TWP, OHIO

Description of proposed source(s):  
DRY CLEANING FACILITY MODIFICATION.


Date of Issuance: February 15, 1995

Effective Date: February 15, 1995

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
\_\_\_\_\_  
Director

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCES(S)

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons)

may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

#### PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

#### PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

#### APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

#### BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

#### PERMIT TO OPERATE APPLICATION

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement of operation.

#### SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for CARRIAGE HILL CLEANERS located in Stark County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
D001 Modi- fication	35 Pound Capacity Dry to Dry Perchloroethylene Dry Cleaning Machine, Realstar. D001 also includes a 45 Pound Capacity Dry to Dry Perchloroethylene Dry Cleaning Machine, Realstar Fresca, established in PTI 15-1141.	Dry to dry machine w/ refrigerated condenser and compliance w/ the NESHAP for perchloroethylene dry cleaning facilities (large area source), and See Additional Special Terms and Conditions	40 CFR Part 63, Subpart M NESHAP for perchloroethylene dry cleaning facilities  3745-31-05 3745-21-09(AA)	27.0 lbs PERC/day Limit of 500 gallons of perchloroethylene per calendar year

**SUMMARY**

**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons/Year</u>
Perchloroethylene	3.37

RECORD(S) RETENTION AND AVAILABILITY

All records required by this Permit to Install shall be retained on file for a period of not less than three years unless otherwise indicated by Ohio Environmental Protection Agency. All records shall be made available to the Director, or any representative of the Director, for review during normal business hours.

REPORTING REQUIREMENTS

Unless otherwise specified, reports required by the Permit to Install need only be submitted to Canton Air Pollution Control, 420 Market Ave. N. , City Hall, Canton, Ohio 44702-1544.

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

MALFUNCTION/ABATEMENT

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the Canton Air Pollution Control, 420 Market Ave. N. , City Hall, Canton, Ohio 44702-1544.

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

AIR POLLUTION NUISANCES PROHIBITED

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

CONSTRUCTION COMPLIANCE CERTIFICATION

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

ADDITIONAL SPECIAL TERMS AND CONDITIONS

1. This Additional Special Term and Condition applies to the new 35 pound capacity dry cleaning machine.

A. This source must comply with the applicable sections of 40 CFR, Part 63, Subpart M including all reporting requirements.

B. Control Equipment Requirement

a) Any dryer which contains articles cleaned in perchloroethylene is to be equipped and operated in accordance with the following: The dryer is equipped with or vented to a refrigerated vapor condenser whereby there is no exhaust of perchloroethylene vapors to the ambient air throughout the drying cycle. When the dryer's door is momentarily opened during loading, or unloading, the vapors shall be routed back in to the dry cleaning machine as per the PTI application.

b) The solvent filtering equipment shall consist of a Realstar nylon spin filtering system with no filter cartridge and shall be installed and operated as per the PTI application. The spill tray, button trap drying, and automatic lint cleaning system shall be installed and operated as per the PTI application. The solvent still shall utilize a sludge pump as per the PTI application.

C. Solvent Still Operation

The waste from any distillation operation (solvent still) which has been used to distill perchloroethylene is to contain no more than 60% by weight VOC as determined under Paragraph (J) of OAC Rule 3745-21-10.

D. Leaking Equipment Limitations and Monitoring

A weekly leak detection and repair program to inspect all dry cleaning equipment for leaks that are obvious from sight, smell or touch shall be conducted. Any equipment found to be leaking perchloroethylene liquid or vapor is not to be operated until the leak is repaired.

Leaks are to be repaired within 24 hours after being found, or repair parts ordered within two working days after detecting a leak that needs repair parts. Repair parts shall be installed within five working days after they are received.

Compliance with this requirement shall be determined through visual inspection of the following components:

- a. hose connections, unions, couplings, and valves;
- b. machine door gaskets and seating;
- c. filter head gasket and seating;
- d. pumps;
- e. solvent tanks and storage containers;
- f. water separators;
- g. filter sludge recovery;
- h. distillation valves;
- i. diverter valves;
- j. saturated lint from lint basket;
- k. cartridge filters and housings;
- l. muck cookers;
- m. stills; and
- n. exhaust dampers.

E. Reporting and Compliance Requirements

This facility must comply with the applicable requirements upon start-up and submit a compliance report within thirty (30) days of new facility construction or new dry cleaning machine installation. A Compliance report shall be submitted to the U.S. EPA. The report should be directed to:

Dry Cleaner NESHAP Compliance Reports  
Rachel Rineheart, AE17J  
USEPA, Region V  
77 West Jackson Boulevard  
Chicago, Illinois 60604-3590  
Phone: 312-886-7017  
FAX: 312-353-8289

A copy of the compliance report required above shall be submitted to each of the following Agencies within thirty (30) days of new facility construction or new dry cleaning machine installation:

Ohio EPA  
DAPC, AQM&P  
PO Box 1049  
Columbus, OH 43215-1049

The City of Canton Health Department  
Air Pollution Control Division  
420 Market Avenue North  
Canton, Ohio 44702-1544

If this facility does not have a compliance report form, the form may be obtained from any of the three Agencies listed above.

F. Control Equipment Monitoring Requirements

This facility shall perform weekly monitoring tests to show that the temperature on the outlet side of the refrigerated condenser is less than or equal to 45°F to an accuracy of (+) or (-) 2°F.

2. This Additional Special Term and Condition applies to the Carriage Hill Cleaners, Inc.'s facility at 3319 Whipple Avenue N.W. in Canton, Ohio.

A. Recordkeeping and Reporting Requirements

This facility shall retain receipts of perchloroethylene purchases and a log of the following information on site for five (5) years:

- a. volume of perchloroethylene purchased each month by this facility. If none was purchased during a given month, enter zero gallons in the log;
- b. calculation and result of the yearly perchloroethylene (in gallons) purchased to be determined on the first day of each month. This calculation is performed by adding the amount of all the perchloroethylene purchased in each of the previous twelve months. If none was purchased in any one month, then the calculation is performed by adding zero gallon amount (which indicates that no purchases were made for that month) to the amount of perchloroethylene purchased each month of the previous twelve months;
- c. dates and results of weekly dry cleaning system components leak inspections and the name of the system component or location of any detected leaks;
- d. dates of repair and records of written or verbal orders for repair parts;
- e. a record of control equipment maintenance, such as replacement of the carbon in a carbon adsorber;
- f. the results of all tests of the solvent content of the solvent still waste;

- g. the annual amount of fabric dry cleaned with perchloroethylene, in pounds;
- h. the operation and maintenance manuals for all dry cleaning equipment in the plant; and
- i. the results of all tests conducted to determine compliance with any and all applicable limitations. This includes such tests as weekly control device monitoring (i.e. RC inlet and outlet temperatures or CA exhaust concentration).

These records shall be made available to the Director or any authorized representative of the Director for review during normal business hours. This facility shall submit annual reports containing the above records to the Canton City Health Department, Division of Air Pollution Control, 420 Market Avenue North, Canton, Ohio 44702. These reports shall be submitted by February 15 of each year and shall cover the previous calendar year.

- B. This facility is limited to using no more than 500 gallons of perchloroethylene in a year.