



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
HANCOCK COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov.
Center

Application No: 03-13360

DATE: 11/21/2000

Cooper Tire & Rubber Company
Tabetha Daum
P.O. Box 550
Findlay, OH 45840

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

NWDO



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

FINAL PERMIT TO INSTALL 03-13360

Application Number: 03-13360
APS Premise Number: 0332010003
Permit Fee: **\$7000**
Name of Facility: Cooper Tire & Rubber Company
Person to Contact: Tabetha Daum
Address: P.O. Box 550
Findlay, OH 45840

Location of proposed air contaminant source(s) [emissions unit(s)]:

701 Lima Avenue
Findlay, Ohio

Description of proposed emissions unit(s):

35 Tire Curing Presses.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.11 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition

declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

5. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

6. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

7. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

Cooper Tire & Rubber Company

PTI Application: **03-13360**

Issued: 11/21/2000

Facility ID: **0332010003**

8. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

9. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

10. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

11. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC (fugitive)	19.25

12

Cooper Tire & Rubber Company

PTI Application: **03-13360**

Issued: 11/21/2000

Facility ID: **0332010003**

13

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P811

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P811 - Tire Curing Press (A00)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

15

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P811

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P811 - Tire Curing Press (A00)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

17

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P811

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P812 - Tire Curing Press (B12)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P812

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P812 - Tire Curing Press (B12)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

21

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P812

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P813 - Tire Curing Press (B13)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P813

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P813 - Tire Curing Press (B13)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

25

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P813

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P814 - Tire Curing Press (B14)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:
 - a. Emission Limitation: 0.55 tons of VOC/year

27

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P814

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P814 - Tire Curing Press (B14)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

29

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P814

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P815 - Tire Curing Press (C00)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P815 - Tire Curing Press (C00)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: **02 12260**

Issued

Facility ID: **0332010003**

Emissions Unit ID: P815

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P816 - Tire Curing Press (D12)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:
 - a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P816 - Tire Curing Press (D12)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

37

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P816

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P817 - Tire Curing Press (D13)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping,

reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P817 - Tire Curing Press (D13)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P818 - Tire Curing Press (D14)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P818

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P818 - Tire Curing Press (D14)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

45

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P818

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P819 - Tire Curing Press (G08)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P819 - Tire Curing Press (G08)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

49

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P819

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P820 - Tire Curing Press (G09)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

51

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P820

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P820 - Tire Curing Press (G09)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: **02 12260**

Issued

Facility ID: **0332010003**

Emissions Unit ID: P820

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P821 - Tire Curing Press (G10)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P821 - Tire Curing Press (G10)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

57

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P821

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P822 - Tire Curing Press (G11)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping,

reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P822 - Tire Curing Press (G11)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

61

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P822

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P823 - Tire Curing Press (H01)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P823

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P823 - Tire Curing Press (H01)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

65

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P823

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P824 - Tire Curing Press (H02)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

67

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P824

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P824 - Tire Curing Press (H02)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

69

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P824

Issued: 11/21/2000

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P825 - Tire Curing Press (H03)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

71

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P825

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P825 - Tire Curing Press (H03)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: **02 12260**

Issued

Facility ID: **0332010003**

Emissions Unit ID: P825

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P826 - Tire Curing Press (H04)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:
 - a. Emission Limitation: 0.55 tons of VOC/year

75

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P826

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P826 - Tire Curing Press (H04)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

77

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P826

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P827 - Tire Curing Press (H05)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping,

79

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P827

reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P827 - Tire Curing Press (H05)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

81

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P827

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P828 - Tire Curing Press (H09)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P828

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P828 - Tire Curing Press (H09)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

85

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P828

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P829 - Tire Curing Press (H10)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P829 - Tire Curing Press (H10)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

89

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P829

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P830 - Tire Curing Press (H11)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P830 - Tire Curing Press (H11)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: 02 12260

Issued

Facility ID: 0332010003

Emissions Unit ID: P830

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P831 - Tire Curing Press (H08)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:
 - a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P831 - Tire Curing Press (H08)	None	None

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P832 - Tire Curing Press (J01)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping,

reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P832 - Tire Curing Press (J01)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

101

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P832

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P833 - Tire Curing Press (J02)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P833

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P833 - Tire Curing Press (J02)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

105

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P833

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P834 - Tire Curing Press (J03)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

107

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P834

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P834 - Tire Curing Press (J03)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

109

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P834

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P835 - Tire Curing Press (J04)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:
 - a. Emission Limitation: 0.55 tons of VOC/year

111

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P835

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P835 - Tire Curing Press (J04)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: 02 12260

Issued

Facility ID: 0332010003

Emissions Unit ID: P835

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P836 - Tire Curing Press (J05)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

115

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P836

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P836 - Tire Curing Press (J05)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

117

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P836

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P837 - Tire Curing Press (J06)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping,

Emissions Unit ID: P837

reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P837 - Tire Curing Press (J06)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

121

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P837

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P838 - Tire Curing Press (J07)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P838

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P838 - Tire Curing Press (J07)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

125

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P838

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P839 - Tire Curing Press (J08)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

127

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P839

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P839 - Tire Curing Press (J08)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

129

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P839

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P841 - Tire Curing Press (K07)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions**2.a** None**II. Operational Restrictions**

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

- a. Emission Limitation: 0.55 tons of VOC/year

131

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P841

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P841 - Tire Curing Press (K07)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: 02 12260

Issued

Facility ID: 0332010003

Emissions Unit ID: P841

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P842 - Tire Curing Press (K08)	OAC 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

135

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P842

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P842 - Tire Curing Press (K08)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

137

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P842

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P843 - Tire Curing Press (K09)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping,

reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P843 - Tire Curing Press (K09)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

141

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P843

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P844 - Tire Curing Press (K10)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

Emissions Unit ID: P844

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P844 - Tire Curing Press (K10)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

145

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P844

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P845 - Tire Curing Press (K11)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

147

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P845

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P845 - Tire Curing Press (K11)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

149

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P845

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P846 - Tire Curing Press (K12)	OAC rule 3745-31-05 (A)(3)	0.55 tons of VOC/year (fugitive)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

- 1. Compliance with the emission limitations in this Permit to Install shall be determined in accordance with the following method:

a. Emission Limitation: 0.55 tons of VOC/year

151

Coope

PTI A₁

Issued: 11/21/2000

Emissions Unit ID: P846

Applicable Compliance Method: The annual VOC emission limitation is based on the emissions unit's potential to emit*. Therefore, no annual recordkeeping, reporting, or compliance method calculations are required to demonstrate compliance with this limitation.

* The potential to emit for this emissions unit is based on a maximum hourly process capacity of 372 lbs rubber/hour, an emission factor of 0.000337 lb VOC/lb of rubber processed (AP-42, Section 4.12 [12/98 Draft]), and a maximum operating schedule of 8760 hours per year.

VI. Miscellaneous Requirements

None

Issued: 11/21/2000

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P846 - Tire Curing Press (K12)	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than

Cooper Tire & Rubber Company

PTI Application: 02 12260

Issued

Facility ID: 0332010003

Emissions Unit ID: P846

1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360 Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes CITY/TWP Findlay

SIC CODE 3011 SCC CODE 3-08-001-07 EMISSIONS UNIT ID P811

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED January 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NOIDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P812

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED January 1, 1987

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P813

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED January 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P814

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED January 1, 1989

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P815

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED January 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ x _____ NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P816

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED June 1, 1987

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P817

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED May 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*?

YES

x NO

IDENTIFY THE AIR CONTAMINANTS:

N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P818

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1989

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P819

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED February 1, 1979

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360 Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tire and Inner Tubes CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011 SCC CODE 3-08-001-07 EMISSIONS UNIT ID P820

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P821

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P822

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P823

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NOIDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-007-01

EMISSIONS UNIT ID P824

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tire and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P825

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P826

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P827

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P828

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with the permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P829

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P830

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED April 1, 1988

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P831

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED January 1, 1979

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P832

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED June 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NOIDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P833

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED June 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P834

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1991

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P835

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1991

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P836

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1991

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P837

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1991

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P838

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1991

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P839

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1991

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P841

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P842

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P843

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P844

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P845

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

SIC CODE 3011

SCC CODE 3-08-001-07

EMISSIONS UNIT ID P846

EMISSIONS UNIT DESCRIPTION Tire Curing Press

DATE INSTALLED October 1, 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				
PM ₁₀	Attainment				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment	-	0.55	-	0.55
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Compliance with permit allowable emission rate.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 03-13360

Facility ID: 0332010003

FACILITY NAME Cooper Tire & Rubber Company

FACILITY DESCRIPTION Tires and Inner Tubes

CITY/TWP Findlav

Emissions Unit ID: P846

NEW SC

PTI Num

FACILITY

Emissions Unit ID: P846 _____

FACILITY DESCRIPTION Tires and Inner Tubes CITY/TWP Findlay

Please describe any hard copy information is being submitted with this recommendation (Please send hard copy information to Pam McGraner, DAPC Central Office - Air Quality Modeling and Planning):

Permit Review Form

Please provide any additional permit specific notes as you deem necessary:

Permit To Install Synthetic Minor Write-Up

NONE

Please fill in the following for this permit:

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC (fugitive)	19.25