

PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

Date of Issuance 12/09/94

Application No. 1576000756T007

Effective Date 12/09/94

Permit Fee \$000

This document constitutes issuance to:

OHIO RIVER PIPE LINE COMPANY
 P.O. BOX 421 8930 MAPLEHURST DRIVE
 EAST SPARTA OHIO 44626


of a permit to operate for:

840,000 GAL PREM UNL GASOLINE STORAGE TANK IFR
 TANK NO. 877

The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 12/08/97. You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)
9. The appropriate Ohio EPA field office is:
 AIR POLLUTION CNTRL DIV. CANTON CITY HEALTH DEPT. -
 CITY HALL 420 MARKET AVE. NORTH
 CANTON, OH 44702-1544 (216)-489-3385
10. If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY



Director

APPLICATION NUMBER: 15 76 00 0788 T007
FACILITY NAME: OHIO RIVER PIPE LINE COMPANY
EQUIPMENT DESCRIPTION: 840,000 GAL PREM UNL GASOLINE STORAGE
TANK IFR
COMPANY ID: TANK NO. 877

1. The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements of this source:

3745-21-09 (L)

(This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

2. Fixed/Internal Floating Roof Tank Inspection Requirements

A visual inspection of the condition of the roof, secondary seal, bleeder/rim space vents and leg sleeves is recommended on an annual basis.

The owner or operator shall repair any tank within 30 days where it is determined that the floating roof is not resting upon the volatile organic liquid inside the storage vessel. Repairs are also required if seals are detached or holes and tears in the seal fabric are found.

Inspections provided by the owner or operator shall be at their convenience and in conjunction with normal maintenance requirements or policy of the facility.

These records, as well as any supporting data, shall be retained in the company's files for a period of not less than three years and shall be made available to the Director or any authorized representative of the Director for review during normal business hours.

Fixed/Internal Floating Roof Tank Reporting Requirements

This facility shall submit annual reports to the Ohio EPA field office which contains the above information. These reports shall be submitted by February 15 of each year and shall cover the previous calendar year (January through December). If an inspection has not been performed within the calendar year, a report saying so should be submitted.

PREPARED BY: DANIEL J. SCHILTZ

DATE PREPARED: OCTOBER 31, 1994