


PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

Date of Issuance 09/16/94

Application No. 1576051347F001

Effective Date 09/16/94

Permit Fee \$000



This document constitutes issuance to:

OZAND SUPPLY COMPANY
1000 WARNER ROAD S.E.
CANTON

OHIO 44707

of a permit to operate for:

WEIGH HOPPER LOADING & TRANSIT-MIX TRUCK LOADING
BATCH PLANT #1

The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 09/16/97
You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)
9. The appropriate Ohio EPA field office is:
AIR POLLUTION CNTRL DIV. CANTON CITY HEALTH DEPT. -
CITY HALL 420 MARKET AVE. NORTH
CANTON, OH 44702-1544 (216)-489-3385
10. If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY

Donald R. Schreyer

Director

APPLICATION NUMBER: 15 76 05 1347 F001
FACILITY NAME: DIANO SUPPLY COMPANY
EQUIPMENT DESCRIPTION: WEIGH HOPPER LOADING & TRANSIT-MIX TRUCK LOADING
COMPANY ID: BATCH PLANT NO. 1

SPECIAL TERMS AND CONDITIONS

1. Applicable State Regulation(s)

The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements for this source:

3745-17-07
3745-17-08
3745-35-02

(This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

2. During the loading of transit mix trucks, a choke feed system and a partial enclosure shall be employed to minimize or eliminate fugitive dust emissions.

3. Weigh-Hopper Loading of Cement, Sand and Aggregate

The cement hopper shall be adequately enclosed. The enclosure shall be sufficient so as to eliminate at all times visible emissions of fugitive dust. There shall be no visible emissions from the weigh-hopper.

The aggregate and sand to be loaded into the weigh-hopper and the conveyor shall have a moisture content sufficient so as to minimize or eliminate at all times visible emissions of fugitive dust. The transfer conveyor discharge shall be enclosed and the cement weigh hopper bin shall be vented to the fabric filter. The enclosure shall be sufficient so as to eliminate at all times visible emissions of fugitive dust at the point of capture. The fabric filter shall achieve an outlet emission rate of not greater than 0.030 grains of particulate emissions per dry standard cubic foot of exhaust gases or there shall be no visible emission from the outlet, whichever is less stringent.

PREPARED BY: PATRICK G. SHRIVER

DATE PREPARED: JANUARY 18, 1994