State of Ohio Environmental Protection Agency

02

Permit to Operate an Air Contaminant Source
Terms and Conditions

Date of Issuance 08/16/85 Application Number 1576000113F001

Effective Date 08/16/85 Permit Fee $100

This document constitutes issuance to: LUNTZ INC.
P.O. BOX 1070
CANTON, OHIO 44706

of a permit to operate:
PLANT ROADWAYS & PARKING AREAS
WORK ROADS & PARKING AREA

The following terms and conditions are hereby expressly incorporated into this permit to operate:

Condition 1

The above described air contaminant source is now operating, and over the period covered by the permit will be operated, in full compliance with all applicable state and federal laws and regulations.

Condition 2

Prior to any physical change in, or change in the method of operation of, this air contaminant source which increases the amount of any air pollutant emitted, or results in the emission of any air pollutant not previously emitted, a permit to install must be granted by the Ohio Environmental Protection Agency (See Chapter 3745-31 of the Ohio Administrative Code).

Condition 3

The Director of the Ohio Environmental Protection Agency, or his authorized representative, may enter upon the premises of the source operation at any reasonable time and subject to safety requirements of the person in control of the premises for the purpose of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants and determining compliance with all applicable State and Federal air pollution laws and regulations and the terms and conditions of this permit.

Condition 4 (This condition applicable if checked: ☐)

Upon declaration of an Air Pollution Alert, Warning or Emergency Episode this air contaminant source will follow those emission reduction procedures enumerated in the Emergency Action Plan approved by the Director for this source.

Condition 5

This permit to operate shall be effective until 08/15/88. You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to this agency.

Condition 6

A permit fee in the amount specified above must be remitted within fifteen (15) days of the effective date of this permit.

Condition 7

Any transferee of this permit shall, personally, assume the responsibilities of the original permit holder-transferor. The Ohio EPA must be notified in writing of any transfer of this permit.

Condition 8 (This condition is applicable if checked: ☒)

This permit is subject to the supplementary conditions attached.

OHIO ENVIRONMENTAL PROTECTION AGENCY

Director

RECEIVED
SEP 03 1985
CITY OF CANTON
HEALTH DEPT.
AIR POLLUTION CONTROL DIVISION

EPA 3834
4/12/78

APPLICATION NUMBER:	15 76 00 0113 F001
FACILITY NAME:	Luntz Corporation
EQUIPMENT DESCRIPTION:	Plant Roadways & Parking Areas
COMPANY ID:	Roads and Parking Areas

SPECIAL TERMS AND CONDITIONS

1. During dry months, roads and parking areas shall be periodically inspected for dust accumulation. The results of each dust inspection shall be documented in a permanent log and be available for review by any Air Pollution Control staff member during normal business working hours.

2. In accordance with the requirements of paragraph B of OAC3745-17-08, The Luntz Corp. shall apply asphalt, oil, water, or other suitable dust suppressant chemicals, as often as necessary on all dirt and unpaved roads. Speed zones shall be established, posted, enforced and observed by all vehicles operating within the facility. Maximum speed is resricted to 10 M.P.H..

3. If observable dust accumulation develops, water, oil, oil-water mixture, or any other suitable dust suppressant agent shall be applied to the dust area to minimize or eliminate fugitive dust visible emissions. The execution of this dust control effort shall be documented in a permanent log.

(CONTINUED)

4. When waste oil is used for controlling fugitive dust from the unpaved road segments and parking lots, the following restrictions shall be followed:

A. The Luntz Corp. shall certify or possess certification that all waste oil used to control fugitive dust meets the PCB limitations set forth in 40 CFR 761, and that there are no listed hazardous waste or characteristic hazardous waste as set forth in 40 CFR 261.

B. A record shall be kept for one year of the quantity of all oil applied, and its certificate of compliance with 40 CFR 761, and 40 CFR 261. This certificate of compliance should include but not be limited to the name of the oil supplier and an analysis of the oil. The analysis shall include a standard PCB test (gas chromatography using electron capture detector, using a column packing of OV-1 or OV-17 and a florisil clean-up) and representative sampling methods, EP toxicity test procedures, and chemical analysis test methods as specified in 40 CFR 261, App. I, II, & III. This record shall be made available to the Director or his authorized representative for inspection.

C. Waste oil shall be applied in such a manner as to prevent pollution of waters of the State as required by the Ohio Revised Code, Section 6111.

D. Waste oil shall be applied only to unpaved road and parking lot surfaces, and only between sunrise and sundown (daylight hours).

E. Waste oil shall not be applied to a water saturated surface nor to surfaces on days of predicted rainfall.

F. Waste oil shall not be applied at an application rate that allows pooling of liquid.

G. Waste oil shall not be applied to the same surface more frequently than twice/week.

(CONTINUED)

H. The application of waste oil shall not cause runoff from the application surface.

I. Waste oil shall not be applied to vegetation near or adjacent to surfaces being treated.

J. Waste oil shall not be applied within 12 feet of structures crossing bodies of water or drainage ditches.

K. The discharge of waste oil must stop when tthe applicator vehicle stops.

L. The applicator vehicle must be moving at least five (5) m.p.h. at all times while the waste oil is being applied.

M. The applicator vehicle discharge valve shall be locked closed between the waste oil collection point and the specific surfaces which have been approved for waste oil application.

N. Any valves that provide for tank draining other than through the spreader bar must be locked closed during waste oil application and transport.

O. The angle of discharge from the applicator vehicle spreader bar shall not be greater than 60 degrees from the perpendicular to the unpaved surface.

5. The following rules of the Ohio Adminisrative Code establish the applicable emission limitations and/or control requirements of this source:

3745-17-08

(this condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source).

PREPARED BY: ANDY PASKO
DATE PREPARED: JULY 8, 1985