

PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

Date of Issuance 05/18/90

Application No. 1576001521F001

Effective Date 05/18/90

Permit Fee \$100

This document constitutes issuance to:

EDWARD C. LEVY COMPANY
 3715 WHIPPLE AVE. S.W.
 PERRY TWP.

OHIO 44706


of a permit to operate for:

PLANT PAVED & UNPAVED ROADWAYS
 PLANT ROADWAYS


The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 05/17/93
 You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)
9. The appropriate Ohio EPA field office is:
 DIV. OF AIR POLLUTION CNTRL CANTON CITY HEALTH DEPT.
 THIRD FLOOR, CITY HALL
 CANTON, OH 44702 (216) 489-3385
10. If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY



Director



APPLICATION NUMBER: 15 76 00 1521 F001
FACILITY NAME: Edward C. Levy Company
EQUIPMENT DESCRIPTION: Plant Paved & Unpaved Roadways
COMPANY ID: Plant Roadways

SPECIAL TERMS AND CONDITIONS

1. In accordance with the requirements of paragraph B of OAC 3745-17-08, Edward C. Levy Co. shall apply asphalt, oil, water or other suitable dust suppressant chemicals, as often as necessary on all dirt and slag surfaced roads.
2. Speed zones shall be established, posted, enforced, and observed by all vehicles operating within the facility.
3. A paved roadway with enough length and width to prevent material from being deposited on public roads shall be installed prior to offering material for sale to the public.
4. This paved road shall be maintained by sweeping and flushing, as often as necessary, to minimize or eliminate fugitive emissions.
5. The facility must maintain a truck mounted spray system on a full time basis for the exclusive use of the facility to distribute water or dust suppressant solutions in order to minimize or eliminate visible emissions of fugitive dust.
6. When waste oil is used for controlling fugitive dust from the unpaved road segments and parking lots, the following restrictions shall be followed:
 - a. Edward C. Levy Co. shall certify or possess certification that all waste oil used to control fugitive dust meets the PCB limitations set forth in 40 CFR 761, and that there are no listed hazardous waste or characteristic hazardous waste as set forth in 40 CFR 261.
 - b. A record shall be kept for one year of quantity of all oil applied and its certificate of compliance with 40 CFR 761, and 40 CFR 261. This certificate of compliance should include but not be limited to the name of the oil supplier and an analysis of the oil. The analysis shall include a standard PCB test (gas chromatography using electron capture detector, using a column packing of OV-1 or OV-17 and a florisil clean-up) and representative sampling methods, EP toxicity test procedures, and chemical analysis test methods as specified in 40 CFR 261, APP. I, II, & III. This record shall be made available to the Director or his authorized representative for inspection.
 - c. Waste oil shall be applied in such a manner as to prevent pollution of waters of the State as required by the Ohio Revised Code, Section 6111.

- d. Waste oil shall be applied only to unpaved road and parking lot surfaces, and only between sunrise and sundown (daylight hours).
 - e. Waste oil shall not be applied to a water saturated surface nor to surfaces on days of predicted rainfall.
 - f. Waste oil shall not be applied at an application rate that allows pooling of liquid.
 - g. Waste oil shall not be applied to the same surface more frequently than twice/week.
 - h. The application of waste oil shall not cause runoff from the application surface.
 - i. Waste oil shall not be applied to vegetation near or adjacent to surfaces being treated.
 - j. Waste oil shall not be applied within 12 feet of structures crossing bodies of water or drainage ditches.
 - k. The discharge of waste oil must stop when the applicator vehicle stops.
 - l. The applicator vehicle must be moving at least five (5) MPH at all times while the waste oil is being applied.
 - m. The applicator vehicle discharge valve shall be locked closed between the waste oil collection point and the specific surfaces which have been approved for waste oil application.
 - n. Any valves that provide for tank draining other than through the spreader bar must be locked closed during waste oil application and transport.
 - o. The angle of discharge from the applicator vehicle spreader bar shall not be greater than 60 degrees from the perpendicular to the unpaved surface.
7. The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements of this source:

3745-17-08
3745-31-05

(This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

Edward C. Levy Company
15 76 00 1521 F001
Page 3

8. This facility shall maintain records of when sweeping and/or water flushing of paved surfaces and application of water or dust suppressants to unpaved surfaces were done. These records shall be made available for inspection by members of the Ohio EPA or its contractual representatives.

PREPARED BY: DANIEL J. SCHILTZ
DATE PREPARED: 3/5/90