



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
MARION COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 03-16137

DATE: 6/17/2004

J-Lenco, Inc.
Ed Murphy
664 North High Street
LaRue, OH 43332

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

NWDO



**Permit To Install
Terms and Conditions**

**Issue Date: 6/17/2004
Effective Date: 6/17/2004**

FINAL PERMIT TO INSTALL 03-16137

Application Number: 03-16137
APS Premise Number: 0351000080
Permit Fee: **\$3300**
Name of Facility: J-Lenco, Inc.
Person to Contact: Ed Murphy
Address: 664 North High Street
LaRue, OH 43332

Location of proposed air contaminant source(s) [emissions unit(s)]:
**664 North High Street
LaRue, Ohio**

Description of proposed emissions unit(s):
23 core making machines.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

J-Lenco, Inc.

PTI Application: 03-16137

Issued: 6/17/2004

Facility ID: 0351000080

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

J-Lenco, Inc.

Facility ID: 0351000080

PTI Application: 03-16137

Issued: 6/17/2004

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

J-Lenco, Inc.

PTI Application: 03-16137

Issued: 6/17/2004

Facility ID: 0351000080

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

6

J-Lenco, Inc.

PTI Application: 03-16137

Issued: 6/17/2004

Facility ID: 0351000080

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	16.14
OC	17.52

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P901 - Cold box core machine no. 27 and core sand mixer	OAC rule 3745-31-05(A)(3)	See B.1
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)	None (See B.1)

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II

9

J-Len

PTI A

Issued: 6/17/2004

Emissions Unit ID: **P901**

of OAC rule 3745-17-11 does not apply.

B. Operational Restrictions

1. The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

None

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P902 - Cold box core machine no. 3 and core sand mixer	OAC rule 3745-31-05(A)(3)	See B.1
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)	None (See B.1)

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less

J-Lenco, Inc.

PTI Application: 02 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: **P902**

than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.

B. Operational Restrictions

1. The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

None

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1.** The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P903 - Cold box core machine no. 4 and core sand mixer	OAC rule 3745-31-05(A)(3)	See B.1
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)	None (See B.1)

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: **P903**

than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.

B. Operational Restrictions

1. The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

None

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P904 - Cold box core machine no. 18 and core sand mixer	OAC rule 3745-31-05(A)(3)	See B.1
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)	None (See B.1)

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less

than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.

B. Operational Restrictions

1. The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

None

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P905 - Cold box core machine no. 19 and core sand mixer	OAC rule 3745-31-05(A)(3)	See B.1
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)	None (See B.1)

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II

21

J-Len

PTI A

Issued: 6/17/2004

Emissions Unit ID: **P905**

of OAC rule 3745-17-11 does not apply.

B. Operational Restrictions

1. The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

None

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P906 - Cold box core machine no. 5 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.20 lbs organic compounds (OC)/hr, 0.88 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: P906

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.20 lbs OC/hr, 0.88 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.306 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P907 - Cold box core machine no. 7 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.30 lbs organic compounds (OC)/hr, 1.31 tons OC/yr
		0.52 lbs particulate emissions (PE)/hr, 2.28 tons PE/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule

J-Lenco, Inc.**PTI Application: 03 16137****Issued****Facility ID: 0351000080**Emissions Unit ID: **P907**

3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.30 lbs OC/hr, 1.31 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.469 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

- b. Emission Limitation: 0.52 lbs PE/hr, 2.28 tons PE/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.469 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 1.1 lbs PE/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: P908

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P908 - Cold box core machine no. 9 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.11 lbs organic compounds (OC)/hr, 0.48 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less

than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.

- 2.e The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.11 lbs OC/hr, 0.48 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1705 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P909 - Cold box core machine no. 38 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.20 lbs organic compounds (OC)/hr, 0.88 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P909**

- 2.d The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.20 lbs OC/hr, 0.88 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.306 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P910 - Cold box core machine tappet and core sand mixer	OAC rule 3745-31-05(A)(3)	0.10 lbs organic compounds (OC)/hr, 0.44 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

J-Lenco, Inc.**PTI Application: 03-16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P910**

- 2.d The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.10 lbs OC/hr, 0.44 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1485 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P911 - Cold box core machine no. 23 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.44 lbs organic compounds (OC)/hr, 1.93 tons OC/yr
		0.74 lbs particulate emissions (PE)/hr, 3.24 tons PE/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule

J-Lenco, Inc.**PTI Application: 03 16137****Issued****Facility ID: 0351000080**Emissions Unit ID: **P911**

3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.44 lbs OC/hr, 1.93 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

- b. Emission Limitation: 0.74 lbs PE/hr, 3.24 tons PE/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 1.1 lbs PE/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P912 - Cold box core machine no. 0130 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.44 lbs organic compounds (OC)/hr, 1.93 tons OC/yr
		0.74 lbs particulate emissions (PE)/hr, 3.24 tons PE/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule

J-Lenco, Inc.

PTI Application: 03 16137

Issued

Facility ID: 0351000080

Emissions Unit ID: P912

3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

- 2.d The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.44 lbs OC/hr, 1.93 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

- b. Emission Limitation: 0.74 lbs PE/hr, 3.24 tons PE/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 1.1 lbs PE/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: P913

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P913 - Cold box core machine no. 0142 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.44 lbs organic compounds (OC)/hr, 1.93 tons OC/yr
		0.74 lbs particulate emissions (PE)/hr, 3.24 tons PE/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule

3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.44 lbs OC/hr, 1.93 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

- b. Emission Limitation: 0.74 lbs PE/hr, 3.24 tons PE/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 1.1 lbs PE/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: P914

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P914 - Cold box core machine new (isocure) and core sand mixer	OAC rule 3745-31-05(A)(3)	0.44 lbs organic compounds (OC)/hr, 1.93 tons OC/yr
		0.74 lbs particulate emissions (PE)/hr, 3.24 tons PE/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule

3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.44 lbs OC/hr, 1.93 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

- b. Emission Limitation: 0.74 lbs PE/hr, 3.24 tons PE/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.6765 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 1.1 lbs PE/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: P915

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P915 - Cold box core machine no. CD22 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.31 lbs organic compounds (OC)/hr, 1.36 tons OC/yr
		0.52 lbs particulate emissions (PE)/hr, 2.28 tons PE/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule

3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.31 lbs OC/hr, 1.36 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.475 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P915**

- b. Emission Limitation: 0.52 lbs PE/hr, 2.28 tons PE/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.475 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 1.1 lbs PE/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P916 - Cold box core machine bench and core sand mixer	OAC rule 3745-31-05(A)(3)	0.064 lbs organic compounds (OC)/hr, 0.28 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
- a. Emission Limitation: 0.064 lbs OC/hr, 0.28 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.099 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P916**

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P917 - Cold box core machine no. 31 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.064 lbs organic compounds (OC)/hr, 0.28 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 0.064 lbs OC/hr, 0.28 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.099 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P917**

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P918 - Cold box core machine new (exactcast) and core sand mixer	OAC rule 3745-31-05(A)(3)	0.12 lbs organic compounds (OC)/hr, 0.53 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 0.12 lbs OC/hr, 0.53 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1865 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

J-Lenco, Inc.

PTI Application: 03 16127

Issued

Facility ID: 0351000080

Emissions Unit ID: P919

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P919 - Cold box core machine no. 36 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.12 lbs organic compounds (OC)/hr, 0.53 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b** This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c** The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less

than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.

- 2.e The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 0.12 lbs OC/hr, 0.53 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1865 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P920 - Cold box core machine no. 37 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.12 lbs organic compounds (OC)/hr, 0.53 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P920**

- 2.d The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.12 lbs OC/hr, 0.53 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1865 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

- 1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P921 - Cold box core machine no. 35 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.11 lbs organic compounds (OC)/hr, 0.48 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

J-Lenco, Inc.**PTI Application: 03-16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P921**

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.11 lbs OC/hr, 0.48 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1735 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P922 - Cold box core machine no. 34 and core sand mixer	OAC rule 3745-31-05(A)(3)	0.10 lbs organic compounds (OC)/hr, 0.44 tons OC/yr
	OAC rule 3745-17-07(A)	See A.2.a
	OAC rule 3745-17-07(B)	See A.2.b
	OAC rule 3745-17-08(B)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-21-07(G)(2)	See A.2.e

2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.b This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.c The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P922**

- 2.d** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.e** The emission limitation specified by this rule are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.10 lbs OC/hr, 0.44 tons OC/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the emissions unit's potential to emit*. Therefore, no recordkeeping, deviation reporting or compliance calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance by testing in accordance with Methods 1-4, 18, 25 or 25A of 40 CFR Part 60, Appendix A.

*The potential to emit was established by multiplying the maximum hourly sand usage rate of 0.1495 tons/hr by the emission factor from the Ohio Cast Metals Association Memo, dated 2/16/98, of 0.65 lb OC/ton of sand. The tons/yr limitation was established by multiplying the lb/hr limitation by a maximum operating schedule of 8760 hours/year and ton/2000 lbs.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary

because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P923 - No bake core machine (pep set) and core sand mixer	OAC rule 3745-31-05(A)(3)	See A.2.a
	OAC rule 3745-17-07(A)	See A.2.b
	OAC rule 3745-17-07(B)	See A.2.c
	OAC rule 3745-17-08(B)	See A.2.d
	OAC rule 3745-17-11(B)	See A.2.e
	OAC rule 3745-21-07(G)	None (See A.2.f)

2. Additional Terms and Conditions

- 2.a Best Available Technology requirements have been determined to be compliance with the terms and conditions of this permit.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- 2.c This emissions unit is exempt from the visible emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.d The emissions unit is not located within an "Appendix A" area as identified in OAC rule 3745-17-08 (it is located in Marion county). Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule

J-Lenco, Inc.**PTI Application: 03 16127****Issued****Facility ID: 0351000080**Emissions Unit ID: **P923**

3745-17-08(B).

- 2.e** The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.f** The provisions of paragraph (G) of OAC rule 3745-21-07 do not apply to the use of phenolic urethane no-bake resin binder systems in foundry core making and mold making operations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

None

D. Reporting Requirements

None

E. Testing Requirements

None

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.