



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149
(614) 644-3020
FAX (614) 644-2329

George V. Voinovich
Governor


Donald R. Schregardus
Director

Re: Permit to Install
Stark County
Application No: 15-832

CERTIFIED MAIL

May 13, 1992

REPUBLIC ENGINEERED STEELS, INC
L. D. WISNIEWSKI
401 ROSE AVE SE
MASSILLON, OH 44646



Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations & Permit Section
Division of Air Pollution Control

cc: US EPA
CANTON AIR POLLUTION CONTROL

Permit to Install Terms and Conditions

Application No. 15-832
APS Premise No. 1576130697
Permit Fee: \$3000.00

Name of Facility: REPUBLIC ENGINEERED STEELS, INC

Person to Contact: L. D. WISNIEWSKI

Address: 401 ROSE AVE SE
MASSILLON, OH 44646

Location of proposed source(s): 401 ROSE AVE SE
MASSILLON, OHIO

Description of proposed source(s):
15 COLD CLEANERS.


Date of Issuance: May 13, 1992

Effective Date: May 13, 1992

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months, if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCE(S)

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Ohio Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 15 days of the effective date of this permit to install.

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION

A Permit to Operate application and a \$15 application fee must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be made at least 90 days prior to start-up of the source.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for REPUBLIC ENGINEERED STEELS, INC located in Stark County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification/Description</u>	<u>BAT Determination</u>	<u>Applicable Federal and OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control & Usage Requirements</u>
L001	Solvent Metal Cold Cleaner Item #85 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L002	Solvent Metal Cold Cleaner Item #86 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L003	Solvent Metal Cold Cleaner Item #99 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L004	Solvent Metal Cold Cleaner Item #100 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L005	Solvent Metal Cold Cleaner Item #101 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L006	Solvent Metal Cold Cleaner Item #122 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L007	Solvent Metal Cold Cleaner Item #89 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L008	Solvent Metal Cold Cleaner Item #90 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L009	Solvent Metal Cold Cleaner Item #91 40 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr

<u>Ohio EPA Source Number</u>	<u>Source Identification/Description</u>	<u>BAT Determination</u>	<u>Applicable Federal and OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control & Usage Requirements</u>
L010	Solvent Metal Cold Cleaner Item #93 20 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L011	Solvent Metal Cold Cleaner Item #98 20 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L012	Solvent Metal Cold Cleaner Item #88 10 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L013	Solvent Metal Cold Cleaner Item #94 10 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L014	Solvent Metal Cold Cleaner Item #95 10 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr
L015	Solvent Metal Cold Cleaner Item #97 10 gallon tank	Compliance with 3745-21-09(O)	3745-31-05 3745-21-09 (O)	1 lb OC/day .1 ton OC/yr

SUMMARY

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
OC	1.5

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

MALFUNCTION/ABATEMENT

In accordance with OAC Rule 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the Canton Air Pollution Control, 218 Cleveland Ave. SW, 3rd Floor, City Hall, Canton, Ohio 44702.

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

AIR POLLUTION NUISANCES PROHIBITED

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

BAT FOR COLD CLEANERS

In accordance with OAC Rule 3745-21-09(0)(2), each owner or operator of a cold cleaner shall:

(a) Equip the cold cleaner with either:

- (i) a cover, and if the solvent has a vapor pressure greater than 0.3 pound per square inch absolute measured at 100°F or the solvent is heated or agitated, the cover shall be signed and constructed so that it can be easily operated with one hand; or
 - (ii) a remote solvent reservoir from which solvent is pumped through a nozzle suspended over a sink-like work area which drains back to the reservoir, provided a sink-like area has an open drain area of less than 16 square inches and provided the solvent neither is heated above 120°F nor has a vapor pressure greater than 0.6 pound per square inch absolute, measured at 100°F;
- (b) Equip the cold cleaner with a device for draining the cleaned parts; and if the solvent has a vapor pressure greater than 0.6 pound per square inch absolute, measured at 100°F the drainage facility shall be constructed internally so that parts are enclosed under the cover during draining unless an internal type drainage device cannot fit into the cleaning system;
- (c) Install one of the following devices if the solvent vapor pressure is greater than 0.6 pound per square inch absolute measured at 100°F, or if the solvent is heated above 120°F
- (i) freeboard that gives a freeboard ratio greater than or equal to 0.7;
 - (ii) water cover (solvent must be insoluble in and heavier than water); or
 - (iii) other systems of equivalent control, such as refrigerated chiller or carbon adsorption, approved by the Director; and
- (d) Operate and maintain the cold cleaner in a manner which is consistent with good engineering practice and which minimizes solvent evaporation from the unit.