



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL  
MARION COUNTY**

**CERTIFIED MAIL**

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049

**Application No: 03-17377**

**Fac ID: 0351010017**

**DATE: 10/30/2007**

Nucor Steel Marion, Inc.  
Bob Hice  
912 Cheney Avenue  
Marion, OH 43302

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

CC: USEPA

NWDO



---

**Permit To Install  
Terms and Conditions**

**Issue Date: 10/30/2007  
Effective Date: 10/30/2007**

---

**FINAL PERMIT TO INSTALL 03-17377**

Application Number: 03-17377  
Facility ID: 0351010017  
Permit Fee: **\$1000**  
Name of Facility: Nucor Steel Marion, Inc.  
Person to Contact: Bob Hice  
Address: 912 Cheney Avenue  
Marion, OH 43302

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**912 Cheney Avenue  
Marion, Ohio**

Description of proposed emissions unit(s):  
**to be determined by county engineer.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

#### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written

Nucor Steel Marion, Inc.  
PTI Application: 03-17377  
Issued: 10/30/2007

Facility ID: 0351010017

reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
  - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

## 2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## 3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

#### 4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

#### 5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

#### 6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

## **7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

## **8. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## **9. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

#### **10. Permit-To-Operate Application**

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

#### **11. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

#### **12. Air Pollution Nuisance**

8

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Nucor Steel Marion, Inc.  
PTI Application: 03-17377  
Issued: 10/30/2007

Facility ID: 0351010017

### **13. Permit-To-Install**

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

## **B. State Only Enforceable Permit-To-Install General Terms and Conditions**

### **1. Compliance Requirements**

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

### **2. Reporting Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

of any transfer of this permit.

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

**4. Authorization To Install or Modify**

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**5. Construction of New Sources(s)**

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**6. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**7. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**8. Construction Compliance Certification**

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

**C. Permit-To-Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NOx	120.89
CO	67.72
PM10	6.13
VOC	4.43
SO <sub>2</sub>	0.48

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

**Part II - FACILITY SPECIFIC TERMS AND CONDITIONS**

**A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - (P009) - 184 mmBtu/hr and 126 tons steel per hour natural gas fired reheat furnace and rolling mill (Modification of PTI #03-03077 issued on 8-19-87 and modified on 8-22-02 and 8-18-05. Modification allows for furnace burner system upgrade.)**

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	27.60 lbs nitrogen oxides (NOx)/hr and 120.89 tons NOx/yr (See A.I.2.a)  15.46 lbs carbon monoxide (CO)/hr and 67.72 tons CO/yr (See A.I.2.a)  See A.I.2.b
ORC 3704.03(T)(4)	See A.I.2.c
OAC rule 3745-17-07(A)	See A.I.2.d
OAC rule 3745-17-11(B)	See A.I.2.e
OAC rule 3745-18-06(E)	766.24 lbs sulfur dioxide (SO <sub>2</sub> )/hr (See A.I.2.f)
OAC rule 3745-21-07(B)	See A.I.2.h
OAC rule 3745-21-08(B)	See A.I.2.g

**2. Additional Terms and Conditions**

- 2.a The operation of the reheat furnace results in the fluctuation of emissions over time and as such the hourly emission limitations have been established on the basis of a 24-hour block averaging period. Compliance with the hourly emission limitations shall be demonstrated through the use of continuous emission monitors.
- 2.b Best Available Technology (BAT) for this emissions unit has been determined to be the use of natural gas and low NOx burners.
- 2.c The Best Available Technology (BAT) requirements under OAC rule 3745-31-05 (A)(3) do not apply to the particulate emissions (PE), particulate matter emissions 10 microns or less in size (PM10), volatile organic compound (VOC)

Emissions Unit ID: P009

emissions, and sulfur dioxide (SO<sub>2</sub>) emissions from this air contaminant source since the potential to emit for each of these pollutants is less than ten tons per year.

The potential to emit for this emissions unit is 6.13 tons PM<sub>10</sub>/year; determined by multiplying the AP-42, Chapter 1.4 (7/98) emission factor of 7.6 pounds total particulate matter/mmft<sup>3</sup> by a maximum fuel usage rate of 0.1840 mmft<sup>3</sup>/hr, 8760 hours per year, and then dividing by 2,000 pounds/ton. All emissions of particulate matter are PM<sub>10</sub>.

The potential to emit for this emissions unit is 4.43 tons VOC/year; determined by multiplying the AP-42, Chapter 1.4 (7/98) emission factor of 5.5 pounds VOC/mmft<sup>3</sup> by a maximum fuel usage rate of 0.1840 mmft<sup>3</sup>/hr, 8760 hours per year, and then dividing by 2,000 pounds/ton.

The potential to emit for this emissions unit is 0.48 tons SO<sub>2</sub>/year; determined by multiplying the AP-42, Chapter 1.4 (7/98) emission factor of 0.6 pound SO<sub>2</sub>/mmft<sup>3</sup> by a maximum fuel usage rate of 0.1840 mmft<sup>3</sup>/hr, 8760 hours per year, and then dividing by 2,000 pounds/ton.

- 2.d** This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- 2.e** The uncontrolled mass rate of PE from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.f** The potential to emit for SO<sub>2</sub> from this emissions unit (See A.I.2.c) is less than the emission limitation pursuant to this rule.
- 2.g** The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this permit to install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.h** The permittee has satisfied the "latest available control techniques and

Emissions Unit ID: P009

operating practices" required pursuant to OAC rule 3745-21-07(B) based on the design of the emissions unit to use only natural gas.

- 2.i** Within 30 days of the effective date of this permit, the permittee shall submit a schedule specifying dates that the following terms and conditions for NO<sub>x</sub> and CO continuous monitoring systems will be fulfilled:
- i. For the NO<sub>x</sub> continuous monitoring system:
    - (a) A.I.2.j
    - (b) A.III.2
    - (c) A.III.3
    - (d) A.IV.2
    - (e) A.V.1
  - ii. For the CO continuous monitoring system:
    - (a) A.I.2.k
    - (b) A.III.4
    - (c) A.III.5
    - (d) A.IV.3
    - (e) A.V.2

The permittee shall comply with the proposed continuous monitoring systems schedule as approved by Ohio EPA, Northwest District Office.

- 2.j** In accordance with the continuous monitoring systems schedule (see A.I.2.i), the permittee shall develop and maintain a written quality assurance/quality control plan for the continuous NO<sub>x</sub> monitoring system, designed to ensure continuous valid and representative readings of NO<sub>x</sub> emissions in units of the applicable standard(s). The plan shall follow the requirements of 40 CFR Part 60, Appendix F. The quality assurance/quality control plan and a logbook dedicated to the continuous NO<sub>x</sub> monitoring system must be kept on site and available for inspection during regular office hours.

The plan shall include the requirement to conduct quarterly cylinder gas audits or relative accuracy audits as required in 40 CFR Part 60; and to conduct relative accuracy test audits in units of the standard(s), in accordance with and at the frequencies required per 40 CFR Part 60.

- 2.k** In accordance with the continuous monitoring systems schedule (see A.I.2.i), the permittee shall develop and maintain a written quality assurance/quality control plan for the continuous CO monitoring system, designed to ensure continuous valid and representative readings of CO emissions in units of the applicable standard(s). The plan shall follow the requirements of 40 CFR Part 60,

**Issued: 10/30/2007**

Appendix F. The quality assurance/quality control plan and a logbook dedicated to the continuous CO monitoring system must be kept on site and available for inspection during regular office hours.

The plan shall include the requirement to conduct quarterly cylinder gas audits or relative accuracy audits as required in 40 CFR Part 60; and to conduct relative accuracy test audits in units of the standard(s), in accordance with and at the frequencies required per 40 CFR Part 60.

## **II. Operational Restrictions**

1. The permittee shall burn only natural gas in this emissions unit.

## **III. Monitoring and/or Recordkeeping Requirements**

1. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type of fuel burned in this emissions unit.
2. Prior to the installation of the continuous NO<sub>x</sub> monitoring system, the permittee shall submit information detailing the proposed location of the sampling site in accordance with the siting requirements in 40 CFR Part 60, Appendix B, Performance Specifications 2. The Ohio EPA, Central Office shall approve the proposed sampling site and certify that the continuous NO<sub>x</sub> monitoring system meets the requirements of Performance Specification 2 and 6. Once received, the letter(s)/document(s) of certification shall be maintained on-site and shall be made available to the Director (the appropriate Ohio EPA District Office or local air agency) upon request.

Each continuous monitoring system consists of all the equipment used to acquire and record data in units of all applicable standard(s), and includes the sample extraction and transport hardware, sample conditioning hardware, analyzers, and data processing hardware and software.

3. The permittee shall install, operate, and maintain equipment to continuously monitor and record NO<sub>x</sub> emissions from this emissions unit in units of the applicable standard(s). The continuous monitoring and recording equipment shall comply with the requirements specified in 40 CFR Part 60.

The permittee shall maintain records of data obtained by the continuous NO<sub>x</sub> monitoring system including, but not limited to:

- a. emissions of NO<sub>x</sub> in parts per million on an instantaneous (one-minute) basis;

Emissions Unit ID: P009

- b. emissions of NO<sub>x</sub> in pounds per hour and in all units of the applicable standard(s) in the appropriate averaging period;
  - c. results of quarterly cylinder gas audits;
  - d. results of daily zero/span calibration checks and the magnitude of manual calibration adjustments;
  - e. results of required relative accuracy test audit(s), including results in units of the applicable standard(s);
  - f. hours of operation of the emissions unit, continuous NO<sub>x</sub> monitoring system, and control equipment;
  - g. the date, time, and hours of operation of the emissions unit without the control equipment and/or the continuous NO<sub>x</sub> monitoring system;
  - h. the date, time, and hours of operation of the emissions unit during any malfunction of the control equipment and/or the continuous NO<sub>x</sub> monitoring system; as well as,
  - i. the reason (if known) and the corrective actions taken (if any) for each such event in (g) and (h).
4. Prior to the installation of the continuous carbon monoxide (CO) monitoring system, the permittee shall submit information detailing the proposed location of the sampling site in accordance with the siting requirements in 40 CFR Part 60, Appendix B, Performance Specifications 4 or 4a (as appropriate) and 6. The Ohio EPA, Central Office shall approve the proposed sampling site and certify that the continuous CO monitoring system meets the requirements of Performance Specifications 4 or 4a and 6. Once received, the letter(s)/document(s) of certification shall be maintained on-site and shall be made available to the Director (the appropriate Ohio EPA District Office or local air agency) upon request.

Each continuous monitoring system consists of all the equipment used to acquire and record data in units of all applicable standard(s), and includes the sample extraction and transport hardware, sample conditioning hardware, analyzers, and data processing hardware and software.

5. The permittee shall operate and maintain equipment to continuously monitor and record CO emissions from this emissions unit in units of the applicable standard(s). The continuous monitoring and recording equipment shall comply with the requirements specified in 40 CFR Part 60.

The permittee shall maintain records of data obtained by the continuous CO monitoring

**Issued: 10/30/2007**

system including, but not limited to:

- a. emissions of CO in parts per million on an instantaneous (one-minute) basis;
- b. emissions of CO in pounds per hour and in all units of the applicable standard(s) in the appropriate averaging period;
- c. results of quarterly cylinder gas audits;
- d. results of daily zero/span calibration checks and the magnitude of manual calibration adjustments;
- e. results of required relative accuracy test audit(s), including results in units of the applicable standard(s);
- f. hours of operation of the emissions unit, continuous CO monitoring system, and control equipment;
- g. the date, time, and hours of operation of the emissions unit without the control equipment and/or the continuous CO monitoring system;
- h. the date, time, and hours of operation of the emissions unit during any malfunction of the control equipment and/or the continuous CO monitoring system; as well as,
- i. the reason (if known) and the corrective actions taken (if any) for each such event in (g) and (h).

#### **IV. Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The permittee shall comply with the following quarterly reporting requirements for the emissions unit and its continuous NO<sub>x</sub> monitoring system:
  - a. Pursuant to the monitoring, record keeping, and reporting requirements for continuous monitoring systems contained in 40 CFR 60.7 and 60.13(h) and the requirements established in this permit, the permittee shall submit reports within 30 days following the end of each calendar quarter to the appropriate Ohio EPA

**Issued: 10/30/2007**

District Office or local air agency, documenting all instances of NO<sub>x</sub> emissions in excess of any applicable limit specified in this permit, 40 CFR Part 60, OAC Chapters 3745-14 and 3745-23, and any other applicable rules or regulations. The report shall document the date, commencement and completion times, duration, and magnitude of each exceedance, as well as the reason (if known) and the corrective actions taken (if any) for each exceedance. Excess emissions shall be reported in units of the applicable standard(s). If there are no excess emissions during the calendar quarter, the permittee shall submit a statement to that effect.

- b. These quarterly reports shall be submitted by January 30, April 30, July 30, and October 30 of each year and shall include the following:
  - i. the facility name and address;
  - ii. the manufacturer and model number of the continuous NO<sub>x</sub> and other associated monitors;
  - iii. a description of any change in the equipment that comprises the continuous emission monitoring system (CEMS), including any change to the hardware, changes to the software that may affect CEMS readings, and/or changes in the location of the CEMS sample probe;
  - iv. the excess emissions report (EER), i.e., a summary of any exceedances during the calendar quarter, as specified above;
  - v. the total NO<sub>x</sub> emissions for the calendar quarter (tons);
  - vi. the total operating time (hours) of the emissions unit;
  - vii. the total operating time of the continuous NO<sub>x</sub> monitoring system while the emissions unit was in operation;
  - viii. results and date of quarterly cylinder gas audits;
  - ix. unless previously submitted, results and date of the relative accuracy test audit(s), including results in units of the applicable standard(s), (during appropriate quarter(s));
  - x. unless previously submitted, the results of any relative accuracy test audit showing the continuous NO<sub>x</sub> monitor out-of-control and the compliant

Emissions Unit ID: P009

results following any corrective actions;

- xi. the date, time, and duration of any/each malfunction\* of the continuous NO<sub>x</sub> monitoring system, emissions unit, and/or control equipment;
- xii. the date, time, and duration of any downtime\* of the continuous NO<sub>x</sub> monitoring system and/or control equipment while the emissions unit was in operation; and
- xiii. the reason (if known) and the corrective actions taken (if any) for each event in (b)(xi) and (xii).

Each report shall address the operations conducted and data obtained during the previous calendar quarter.

\* each downtime and malfunction event shall be reported regardless if there is an exceedance of any applicable limit

- 3. The permittee shall comply with the following quarterly reporting requirements for the emissions unit and its continuous CO monitoring system:
  - a. Pursuant to the monitoring, record keeping, and reporting requirements for continuous monitoring systems contained in 40 CFR 60.7 and 60.13(h) and the requirements established in this permit, the permittee shall submit reports within 30 days following the end of each calendar quarter to the appropriate Ohio EPA District Office or local air agency, documenting all instances of CO emissions in excess of any applicable limit specified in this permit, 40 CFR Part 60, OAC Chapter 3745-21, and any other applicable rules or regulations. The report shall document the date, commencement and completion times, duration, and magnitude of each exceedance, as well as, the reason (if known) and the corrective actions taken (if any) for each exceedance. Excess emissions shall be reported in units of the applicable standard(s). If there are no excess emissions during the calendar quarter, the permittee shall submit a statement to that effect.
  - b. These quarterly reports shall be submitted by January 30, April 30, July 30, and October 30 of each year and shall include the following:
    - i. the facility name and address;
    - ii. the manufacturer and model number of the continuous CO and other associated monitors;
    - iii. a description of any change in the equipment that comprises the continuous emission monitoring system (CEMS), including any change to the hardware, changes to the software that may affect CEMS readings,

**Issued: 10/30/2007**

and/or changes in the location of the CEMS sample probe;

- iv. the excess emissions report (EER), i.e., a summary of any exceedances during the calendar quarter, as specified above;
- v. the total CO emissions for the calendar quarter (tons);
- vi. the total operating time (hours) of the emissions unit;
- vii. the total operating time of the continuous CO monitoring system while the emissions unit was in operation;
- viii. results and dates of quarterly cylinder gas audits;
- ix. unless previously submitted, results and dates of the relative accuracy test audit(s), including results in units of the applicable standard(s), (during appropriate quarter(s));
- x. unless previously submitted, the results of any relative accuracy test audit showing the continuous CO monitor out-of-control and the compliant results following any corrective actions;
- xi. the date, time, and duration of any/each malfunction\* of the continuous CO monitoring system, emissions unit, and/or control equipment;
- xii. the date, time, and duration of any downtime\* of the continuous CO monitoring system and/or control equipment while the emissions unit was in operation; and
- xiii. the reason (if known) and the corrective actions taken (if any) for each event in (b)(xi) and (xii).

Each report shall address the operations conducted and data obtained during the previous calendar quarter.

\* each downtime and malfunction event shall be reported regardless if there is an exceedance of any applicable limit

## **V. Testing Requirements**

1. In accordance with the continuous monitoring systems schedule (see A.1.2.i), the

Emissions Unit ID: P009

permittee shall conduct certification tests of the continuous NO<sub>x</sub> monitoring system in units of the applicable standard(s), to demonstrate compliance with 40 CFR Part 60, Appendix B, Performance Specifications 2 and 6; and ORC section 3704.03(I).

Personnel from the Ohio EPA Central Office and the appropriate Ohio EPA District Office or local air agency shall be notified 30 days prior to initiation of the applicable tests and shall be permitted to examine equipment and witness the certification tests. Two copies of the test results shall be submitted to Ohio EPA, one copy to the appropriate Ohio EPA District Office or local air agency and one copy to Ohio EPA Central Office, and pursuant to OAC rule 3745-15-04, within 30 days after the test is completed.

Certification of the continuous NO<sub>x</sub> monitoring system shall be granted upon determination by the Ohio EPA, Central Office that the system meets the requirements of 40 CFR Part 60, Appendix B, Performance Specifications 2 and 6; and ORC section 3704.03(I).

Ongoing compliance with the NO<sub>x</sub> emissions limitations contained in this permit, 40 CFR Part 60, and any other applicable standard(s) shall be demonstrated through the data collected as required in the Monitoring and Record keeping Section of this permit; and through demonstration of compliance with the quality assurance/quality control plan, which shall meet the testing and recertification requirements of 40 CFR Part 60.

2. In accordance with the continuous monitoring systems schedule (see A.I.2.i), , the permittee shall conduct certification tests of the continuous CO monitoring system in units of the applicable standard(s), to demonstrate compliance with 40 CFR Part 60, Appendix B, Performance Specification 4 or 4a (as appropriate) and 6; and ORC section 3704.03(I).

Personnel from the Ohio EPA Central Office and the appropriate Ohio EPA District Office or local air agency shall be notified 30 days prior to initiation of the applicable tests and shall be permitted to examine equipment and witness the certification tests. Two copies of the test results shall be submitted to Ohio EPA, one copy to the appropriate Ohio EPA District Office or local air agency and one copy to Ohio EPA Central Office, and pursuant to OAC rule 3745-15-04, within 30 days after the test is completed.

Certification of the continuous CO monitoring system shall be granted upon determination by the Ohio EPA Central Office that the system meets the requirements of 40 CFR Part 60, Appendix B, Performance Specifications 4 or 4a (as appropriate) and 6 and ORC section 3704.03(I).

Ongoing compliance with the CO emission limitations contained in this permit, 40 CFR Part 60, and any other applicable standard(s) shall be demonstrated through the data collected as required in the Monitoring and Record keeping Section of this permit; and through demonstration of compliance with the quality assurance/quality control plan,

**Issued: 10/30/2007**

which shall meet the requirements of 40 CFR Part 60.

3. Compliance with the emission limitations in Section A.I.1 of the terms and conditions of this permit shall be determined in accordance with the following methods:

- a. Emission Limitations: 27.60 lbs NO<sub>x</sub>/hr and 120.89 tons NO<sub>x</sub>/yr

Applicable Compliance Method: Compliance with the lbs/hr NO<sub>x</sub> emission limitation shall be demonstrated through the operation of the continuous emissions monitor and the monitoring and record keeping requirements established in section A.III.3 of this permit. If required, the permittee may demonstrate compliance through emissions testing conducted in accordance with Methods 1-4 and 7 of 40 CFR, Part 60, Appendix A.

Compliance with the annual emission limitation shall be demonstrated by multiplying the hourly limit by 8760 hrs/yr and dividing by 2000 lbs/ton.

- b. Emission Limitations: 15.46 lbs CO/hr and 67.72 tons CO/yr

Applicable Compliance Method: Compliance with the lbs/hr CO emission limitation shall be demonstrated through the operation of the continuous emissions monitor and the monitoring and record keeping requirements established in section A.III.3 of this permit. If required, the permittee may demonstrate compliance through emissions testing conducted in accordance with Methods 1-4 and 10 of 40 CFR, Part 60, Appendix A.

Compliance with the annual emission limitation shall be demonstrated by multiplying the hourly limit by 8760 hrs/yr and dividing by 2000 lbs/ton.

- c. Emission Limitation: 766.24 lbs SO<sub>2</sub>/hr

Applicable Compliance Method:

The potential to emit for SO<sub>2</sub> this emissions unit is less than the emission limitation pursuant to this rule.

The potential to emit for this emissions unit is 0.11 lb SO<sub>2</sub>/hr and was determined by multiplying the AP-42, Chapter 1.4 (7/98) emission factor of 0.6 pound SO<sub>2</sub>/mmft<sup>3</sup> by a maximum fuel usage rate of 0.1840 mmft<sup>3</sup>/hr.

If required, the permittee shall demonstrate compliance with the emission limitation above pursuant to OAC rule 3745-18-04(A).

**Nucor Steel Marion, Inc.**  
**DTI Application: 02 17277**

**Facility ID: 0351010017**

Emissions Unit ID: P009

**VI. Miscellaneous Requirements**

None

Issued: 10/30/2007

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - (P009) - 184 mmBtu/hr and 126 tons steel per hour natural gas fired reheat furnace and rolling mill (Modification of PTI #03-03077 issued on 8-19-87 and modified on 8-22-02 and 8-18-05. Modification allows for furnace burner system upgrade.)**

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

**Issued: 10/30/2007**

None

Emissions Unit ID: P009

**Nucor Steel Marion, Inc.**  
**PTI Application: 03-17377**  
**Issued: 10/30/2007**

**Facility ID: 0351010017**

Emissions Unit ID: P009

SIC CODE 3312 SCC CODE 3-03-009-33 EMISSIONS UNIT ID P009  
 EMISSIONS UNIT DESCRIPTION 184 mmBtu/hr and 126 tons steel per hour natural gas fired reheat furnace and rolling mill

DATE INSTALLED 1988, Modification upon issuance of PTI

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	1.40	6.13	1.40	6.13
PM <sub>10</sub>	Attainment	1.40	6.13	1.40	6.13
Sulfur Dioxide	Attainment	0.11	0.48	0.11	0.48
Organic Compounds	Attainment	1.01	4.42	1.01	4.42
Nitrogen Oxides	Attainment	27.60	120.89	27.60	120.89
Carbon Monoxide	Attainment	15.46	67.72	15.46	67.72
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? \_\_\_\_\_ NESHAP? \_\_\_\_\_ PSD? \_\_\_\_\_ OFFSET POLICY? \_\_\_\_\_

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

**Use of low NOx burners, natural gas and compliance with the terms and conditions of this permit.**

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ \_\_\_\_\_

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? \_\_\_\_\_ YES X NO

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_