

Facility ID: 0326000168 Issuance type: Draft State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

- [Go to Part II for Emissions Unit R003](#)
- [Go to Part II for Emissions Unit R004](#)
- [Go to Part II for Emissions Unit R005](#)
- [Go to Part II for Emissions Unit R006](#)
- [Go to Part II for Emissions Unit R007](#)
- [Go to Part II for Emissions Unit R008](#)
- [Go to Part II for Emissions Unit R009](#)
- [Go to Part II for Emissions Unit R010](#)
- [Go to Part II for Emissions Unit R011](#)
- [Go to Part II for Emissions Unit R012](#)
- [Go to Part II for Emissions Unit R013](#)
- [Go to Part II for Emissions Unit R014](#)
- [Go to Part II for Emissions Unit R015](#)
- [Go to Part II for Emissions Unit R016](#)
- [Go to Part II for Emissions Unit R017](#)
- [Go to Part II for Emissions Unit R018](#)
- [Go to Part II for Emissions Unit R019](#)
- [Go to Part II for Emissions Unit R020](#)
- [Go to Part II for Emissions Unit R021](#)
- [Go to Part II for Emissions Unit R022](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R003 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #3	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or

24.9 tons per rolling, 12-month period for any combination of HAPs.

This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R004 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #4	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding

applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:

- i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
- ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District

Office within 30 days following the end of the calendar month.

2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R005 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #5	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.)

9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

(a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:

- i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
- ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
 - e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
 - f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
 - g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
 - h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;

- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.
- D. Reporting Requirements**
- 1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
 - 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
 - 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
- E. Testing Requirements**
- 1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined
- F. Miscellaneous Requirements**
- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R006 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall

not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #6	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

(a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:

- i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
- ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;

- c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.
- D. Reporting Requirements**
- 1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
 - 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.
 - * for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
 - 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
- E. Testing Requirements**
- 1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*
 - Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.
 - Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.
 - Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - * for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined
- F. Miscellaneous Requirements**
- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R007 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.

2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #7	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.
2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
 - e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
 - f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
 - g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
 - h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R008 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #8	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.
2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);

- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

- 2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

- 1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
- 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
- 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

- 1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R009 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #9	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.
2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013,

R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.

2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:

- a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
- b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
- c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.

- c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.

- d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R010 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #10	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs. This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

- 1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore,

it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
 - e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
 - f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
 - g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
 - h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.

- c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.

- d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R011 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #11	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.

2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:

- a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
- b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
- c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R012 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #12	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or

24.9 tons per rolling, 12-month period for any combination of HAPs.

This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R013 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #13	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding

applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:

- i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
- ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District

Office within 30 days following the end of the calendar month.

2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R014 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #14	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.)

9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

(a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:

i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).

ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.

This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;

- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.
- D. Reporting Requirements**
- 1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
 - 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
 - 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
- E. Testing Requirements**
- 1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined
- F. Miscellaneous Requirements**
- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R015 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall

not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #15	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

- 1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.
- 2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

- 1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
 - e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
 - f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
 - g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
 - h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.
- 2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;

- c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.
- D. Reporting Requirements**
- 1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
 - 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.
 - * for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
 - 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
- E. Testing Requirements**
- 1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*
 - Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.
 - Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.
 - Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - * for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined
- F. Miscellaneous Requirements**
- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R016 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.

2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
flowcoater #4	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.
2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
 - e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
 - f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
 - g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
 - h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.
- D. Reporting Requirements**
1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
- E. Testing Requirements**
1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined
- F. Miscellaneous Requirements**
1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R017 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
flowcoater #3	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.
2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);

- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

- 2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

- 1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
- 2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
- 3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

- 1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R018 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
flowcoater #2	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013,

R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R019 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
flowcoater #1	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs. This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

- 1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore,

it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:
 - a. the name and identification number of each coating and cleanup material employed;
 - b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
 - e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
 - f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
 - g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
 - h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
 - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
 - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
 - g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.

- c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.

- d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

- 1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R020 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #1	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.

2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:

- a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
- b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
- c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R021 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint spray booth #2	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:
 - i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
 - ii. Annual HAP emissions from emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or

24.9 tons per rolling, 12-month period for any combination of HAPs.

This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.

3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0326000168 Emissions Unit ID: R022 Issuance type: Draft State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
dye tanks	OAC Rule 3745-35-07(B)	93.2 tons of OC per rolling, 12-month period from the coating operations (for all emission units combined, See A.2.a.i, B.1 and B.2.) 9.9 tons per rolling, 12-month period for any individual Hazardous Air Pollutant (HAP) and 24.9 tons per rolling, 12-month period for any combination of HAPs (for all emission units combined, See A.2.a.ii.)

2. Additional Terms and Conditions

- (a) This permit establishes the following federally enforceable emission limitations for purposes of avoiding

applicability of Title V and Maximum Achievable Control Technology (MACT) regulations:

- i. 93.2 tons OC per rolling, 12-month period based on coating usage restrictions for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined and a OC content restriction on coating and cleanup materials (See B.1 and B.2).
- ii. Annual HAP emissions from emissions units for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP or 24.9 tons per rolling, 12-month period for any combination of HAPs.
This emissions unit is not subject to OAC rule 3745-21-09 because the facility is not located in any of the counties listed in OAC rule 3745-21-09(A)(a), the construction of this emissions unit commenced prior to March 27, 1981, or this emissions unit is not located at a facility having the potential to emit a total of 100 tons or more of OC per calendar year.

This emissions unit is not subject to OAC rule 3745-21-07 because, pursuant to OAC rule 3745-21-07(A), this facility is located in Fulton County, which is not a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new stationary source."

B. Operational Restrictions

1. The maximum annual coating and cleanup material usage rate for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined, shall not exceed 23,000 gallons, based upon a rolling, 12-month summation of the monthly coating and cleanup material usage rates.

The permittee has monthly records of all coating and cleanup material usage for the previous 12 month period. The applicant shall use the existing records to determine compliance upon startup under this permit. Therefore, it is not necessary to establish federally enforceable restrictions for the first 12 months of operation under the provisions of this permit.

2. The OC content of each coating and cleanup material employed in this emissions unit shall not exceed 8.10 lbs per gallon, as applied.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for all the coatings and cleanup material employed for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined:

- a. the name and identification number of each coating and cleanup material employed;
- b. the OC content of each coating and cleanup material, as applied, in pounds per gallon;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total number of gallons of all the coatings and cleanup materials employed (summation of C.1.c for all coatings and cleanup materials);
- e. the rolling, 12-month coating and cleanup material usage rates, in gallons;
- f. the OC emission rate for each coating and cleanup material employed (C.1.b x C.1.c), in pounds;
- g. the total OC emission rate for all the coatings and cleanup materials employed (summation of C.1.f for all coatings and cleanup materials), in pounds or tons; and
- h. the rolling, 12-month OC emission rates, in tons.

Note: The information required above must be recorded for the materials as applied, including any thinning solvents added at the emissions unit.

2. The permittee shall collect and record the following HAP information each month for emissions units for emission units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022 combined:

- a. the company identification of each coating and cleanup material employed;
- b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
- c. the number of gallons of each coating and cleanup material employed;
- d. the emission rate for each individual HAP from each coating and cleanup material employed (C.3.b x C.3.c) for each individual HAP, in lbs;
- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of C.3.d for all coatings and cleanup materials), in lbs;
- f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of C.3.e for all HAPs for all coatings and cleanup materials), in lbs; and
- g. the rolling, 12-month emissions of each individual HAP and all HAPs combined, in tons.

D. Reporting Requirements

1. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceed the 8.10 lbs of OC/gallon of coating, as applied) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Northwest District

Office within 30 days following the end of the calendar month.

2. The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. All exceedances of the rolling, 12-month OC emission limitation of 93.2 tons*.
 - b. All exceedances of the rolling, 12-month coatings and cleanup material usage restriction of 23,000 gallons*.
 - c. All exceedances of the rolling, 12-month individual HAP and combined HAPs emission limitations of 9.9 tons and 24.9 tons, respectively*.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

These reports shall be submitted in accordance with the general terms and conditions of this permit.
3. The permittee shall submit annual reports that summarize the total annual actual OC emissions from the cleanup operations (for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined). These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations specified in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation: 93.2 tons of OC per rolling, 12-month period*

Applicable Compliance Method: Compliance with the annual allowable OC emission limitation above shall be based upon the record keeping requirements specified in section C.1 of this permit.
 - c. Emission Limitation: Annual HAP emissions* shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in section C.2 of this permit.
 - d. Emission Limitation: The maximum annual coatings and cleanup material usage rate shall not exceed 23,000 gallons*, based upon a rolling, 12-month summation of the monthly coatings usage rates.

Applicable Compliance Method: Compliance with the annual allowable coatings usage restriction above shall be based upon the record keeping requirements specified in section C.1 of this permit.

* for emissions units R003, R004, R005, R006, R007, R008, R009, R010, R011, R012, R013, R014, R015, R016, R017, R018, R019, R020, R021, and R022, combined

F. Miscellaneous Requirements

1. none