



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
FRANKLIN COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 01-7898

DATE: July 21, 1999

Kal Kan Foods, Inc.
Robert Clemons
PO Box 28146
Columbus, OH 43228

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the  Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
DAPC, CDO

**Terms and
Conditions**

Issue Date: July 21, 1999
Effective Date: July 21, 1999

DIRECT FINAL PERMIT TO INSTALL 01-7898

Application Number: 01-7898
APS Premise Number: 0125040539
Permit Fee: **\$600**
Name of Facility: Kal Kan Foods, Inc.
Person to Contact: Robert Clemons
Address: PO Box 28146
Columbus, OH 43228

Location of proposed air contaminant source(s) [emissions unit(s)]:
5115 Fisher Road
Columbus, Ohio

Description of proposed emissions unit(s):
FLEX GRAVY SYSTEM, POUCH MEAT SYSTEM, POUCH GRAVY SYSTEM.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Kal Kan Foods, Inc.
PTI Application: **01-7898**
July 21, 1999

Facility ID: **0125040539**

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Kal Kan Foods, Inc.
PTI Application: **01-7898**
July 21, 1999

Facility ID: **0125040539**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of

Kal Kan Foods, Inc.

PTI Application: **01-7898**

July 21, 1999

Facility ID: **0125040539**

Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Kal Kan Foods, Inc.
PTI Application: **01-7898**
July 21, 1999

Facility ID: **0125040539**

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	0.75

PART II: SPECIAL TERMS AND CONDITIONS

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Pouch Gravy System with Fabric Filter	OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 0.06 pound per hour and 0.24 ton per year; No visible emissions.
	OAC rule 3745-17-07(A)(1)	The requirements specified in this rule are less stringent than the best available technology pursuant to OAC rule 3745-31-05(A)(3) above.
	OAC rule 3745-17-11(B)(1)	The requirements specified in this rule are less stringent than the best available technology pursuant to OAC rule 3745-31-05(A)(3) above.

2. Additional Terms and Conditions

None.

B. Operational Restrictions

1. The process weight rate shall not exceed 396 pounds per hour.
2. This emissions unit shall not operate more than 8,064 hours per year.

C. Monitoring and/or Recordkeeping Requirements

1. The facility shall maintain the following records for each 4-week period:
 - a. a maintenance log listing all instances of maintenance related to the fabric filter including records of equipment replacement, cleaning, modification, periods of downtime of the fabric filter (including verification that the process equipment was not operated during these periods).
2. The permittee shall conduct and maintain a log of the following inspections according to the scheduled frequency:
 - a. conveying time when the system is in operation;
 - b. daily inspection of stack opacity, operation of the peak line pressure gauge, high pressure and low pressure alarm settings, reverse-air/compressed air system, gas temperature and volume collector, shaker mechanism, rotating equipment and drives, system fan, dust-removal system and any other equipment associated with the dust collector;
 - c. weekly operational inspections of the filter bags, damper valves, cell plate, cleaning system, hoppers, rotating equipment and drives, pressure gauges, and temperature instruments as well as any routine facility specific visual and audio operational checks of normal operation;
 - d. bi-weekly inspection of air pulse units;
 - e. monthly inspection of fan(s) and monitors;
 - f. quarterly inspection of inlet plenum, access doors and airlock, and either tubular assembly or channel bar assembly on shaker mechanism;
 - g. change socks for dust collection system every six months; and,
 - h. annual inspection of all system and operational checks of dust collection system.

The aforementioned inspections are preventive maintenance measures and/or operational checks used to indicate a variance from normal operation.

3. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. the cause of the emissions;
 - c. the total duration of any visible emission incident; and,
 - d. any corrective actions taken to eliminate the visible emissions.

Kal Kan Foods, Inc.
 PTI Application: **01 7000**
July 2

Facility ID: **0125040539**

Emissions Unit ID: **P021**

4. The permittee shall record each day the following information for this emissions unit:
 - a. hours of operation;
 - b. total product produced, in pounds; and,
 - c. the average process weight rate (b/a), in pounds per hour.

D. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.
2. The permittee shall also submit annual reports which specify the total particulate emissions for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit deviation (excursion) reports that identify any exceedances of the hours per year and production rate limitation, as well as the corrective actions that were taken to achieve compliance. These reports are due by the dates described in Part 1 - General Terms and Conditions of this permit.

E. Testing Requirements

Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):

1. Emission Limitation:

no visible emissions

Applicable Compliance Method -

Compliance shall be determined through visible emissions observations performed in accordance with 40CFRPart60, Method 22 and the procedures specified in OAC rule 3745-17-03(B)(4).

2. Emission Limitation:

0.06 lb/hr particulate emissions and 0.24 ton per year particulate emissions

Applicable Compliance Method:

Kal Kan Foods, Inc.
PTI Application: **01 7000**
July 2

Facility ID: **0125040539**

Emissions Unit ID: **P021**

To demonstrate compliance with the hourly emission limit, the permitted emissions shall be calculated by multiplying the actual average process weight rate by the AP-42 emission factor (9/88) from Table 6.4-6, "Precleaning and Handling - Milling Sources", for wheat (5 lbs/ton) and by a 98% control efficiency for the fabric filter. For the ton per year limitation, multiply the total production (lbs) for the year by the AP-42 emission factor (9/88) from Table 6.4-6, "Precleaning and Handling - Milling Sources", for wheat (5 lbs/ton) and divide the product by 2,000 to convert to tons per year.

The ton per year limit is based on operating no more than 8,064 hours per year.

F. Miscellaneous Requirements

None.

PART II: SPECIAL TERMS AND CONDITIONS [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Pouch Meat System with Fabric Filter	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-07(A)(1) OAC rule 3745-17-11(B)(1)	Particulate emissions shall not exceed 0.10 pound per hour and 0.40 ton per year; No visible emissions. The requirements specified in this rule are less stringent than the best available technology pursuant to OAC rule 3745-31-05(A)(3) above. The requirements specified in this rule are less stringent than the best available technology pursuant to OAC rule 3745-31-05(A)(3) above.

2. **Additional Terms and Conditions**

None.

B. Operational Restrictions

1. The process weight rate shall not exceed 987 pounds per hour.
2. This emissions unit shall not operate more than 8,064 hours per year.

C. Monitoring and/or Recordkeeping Requirements

1. The facility shall maintain the following records for each 4-week period:

- a. maintenance log listing all instances of maintenance related to the fabric filter including records of equipment replacement, cleaning, modification, periods of downtime of the fabric filter (including verification that the process equipment was not operated during these periods).
2. The permittee shall conduct and maintain a log of the following inspections according to the scheduled frequency:
 - a. conveying time when the system is in operation;
 - b. daily inspection of stack opacity, operation of the peak line pressure gauge, high pressure and low pressure alarm settings, reverse-air/compressed air system, gas temperature and volume collector, shaker mechanism, rotating equipment and drives, system fan, dust-removal system and any other equipment associated with the dust collector;
 - c. weekly operational inspections of the filter bags, damper valves, cell plate, cleaning system, hoppers, rotating equipment and drives, pressure gauges, and temperature instruments as well as any routine facility specific visual and audio operational checks of normal operation;
 - d. bi-weekly inspection of air pulse units;
 - e. monthly inspection of fan(s) and monitors;
 - f. quarterly inspection of inlet plenum, access doors and airlock, and either tubular assembly or channel bar assembly on shaker mechanism;
 - g. change socks for dust collection system every six months; and,
 - h. annual inspection of all system and operational checks of dust collection system.

The aforementioned inspections are preventive maintenance measures and/or operational checks used to indicate a variance from normal operation.

3. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. the cause of the emissions;

Kal Kan Foods, Inc.

PTI Application: **01 7000**

July 2

Facility ID: **0125040539**

Emissions Unit ID: **P022**

- c. the total duration of any visible emission incident; and,
- d. any corrective actions taken to eliminate the visible emissions.

4. The permittee shall record each day the following information for this emissions unit:
 - a. hours of operation;
 - b. total product produced, in pounds; and,
 - c. the average process weight rate (b/a), in pounds per hour.

D. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.
2. The permittee shall also submit annual reports which specify the total particulate emissions for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit deviation (excursion) reports that identify any exceedances of the hours per year and production rate limitation, as well as the corrective actions that were taken to achieve compliance. These reports are due by the dates described in Part 1 - General Terms and Conditions of this permit.

E. Testing Requirements

Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):

1. Emission Limitation:

no visible emissions

Applicable Compliance Method -

Compliance shall be determined through visible emissions observations performed in accordance with 40CFRPart60, Method 22 and the procedures specified in OAC rule 3745-17-03(B)(4).

2. Emission Limitation:

0.10 lb/hr particulate emissions and 0.40 ton per year particulate emissions

Applicable Compliance Method:

To demonstrate compliance with the hourly emission limit, the permitted emissions shall be calculated by multiplying the actual average process weight rate by the AP-42 emission factor (9/88) from Table 6.4-6, "Precleaning and Handling - Milling Sources", for wheat (5 lbs/ton) and by a 98% control efficiency for the fabric filter. For the ton per year limitation, multiply the total production (lbs) for the year by the AP-42 emission factor (9/88) from Table 6.4-6, "Precleaning and Handling - Milling Sources", for wheat (5 lbs/ton) and divide the product by 2,000 to convert to tons per year.

The ton per year limit is based on operating no more than 8,064 hours per year.

F. Miscellaneous Requirements

None.

PART II: SPECIAL TERMS AND CONDITIONS [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Flex Gravy System with Fabric Filter	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-07(A)(1) OAC rule 3745-17-11(B)(1)	Particulate emissions shall not exceed 0.03 pound per hour and 0.11 ton per year; No visible emissions. The requirements specified in this rule are less stringent than the best available technology pursuant to OAC rule 3745-31-05(A)(3) above. The requirements specified in this rule are less stringent than the best available technology pursuant to OAC rule 3745-31-05(A)(3) above.

2. Additional Terms and Conditions

None.

B. Operational Restrictions

1. The process weight rate shall not exceed 198 pounds per hour.
2. This emissions unit shall not operate more than 8,064 hours per year.

C. Monitoring and/or Recordkeeping Requirements

1. The facility shall maintain the following records for each 4-week period:

- a. maintenance log listing all instances of maintenance related to the fabric filter including records of equipment replacement, cleaning, modification, periods of downtime of the fabric filter (including verification that the process equipment was not operated during these periods).
2. The permittee shall conduct and maintain a log of the following inspections according to the scheduled frequency:
 - a. conveying time when the system is in operation;
 - b. daily inspection of stack opacity, operation of the peak line pressure gauge, high pressure and low pressure alarm settings, reverse-air/compressed air system, gas temperature and volume collector, shaker mechanism, rotating equipment and drives, system fan, dust-removal system and any other equipment associated with the dust collector;
 - c. weekly operational inspections of the filter bags, damper valves, cell plate, cleaning system, hoppers, rotating equipment and drives, pressure gauges, and temperature instruments as well as any routine facility specific visual and audio operational checks of normal operation;
 - d. bi-weekly inspection of air pulse units;
 - e. monthly inspection of fan(s) and monitors;
 - f. quarterly inspection of inlet plenum, access doors and airlock, and either tubular assembly or channel bar assembly on shaker mechanism;
 - g. change socks for dust collection system every six months; and,
 - h. annual inspection of all system and operational checks of dust collection system.

The aforementioned inspections are preventive maintenance measures and/or operational checks used to indicate a variance from normal operation.

3. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;

22

Kal K

PTI A₁

July 21, 1999

Emissions Unit ID: **P023**

- b. the cause of the emissions;
- c. the total duration of any visible emission incident; and,
- d. any corrective actions taken to eliminate the visible emissions.

4. The permittee shall record each day the following information for this emissions unit:
 - a. hours of operation;
 - b. total product produced, in pounds; and,
 - c. the average process weight rate (b/a), in pounds per hour.

D. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.
2. The permittee shall also submit annual reports which specify the total particulate emissions for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit deviation (excursion) reports that identify any exceedances of the hours per year and production rate limitation, as well as the corrective actions that were taken to achieve compliance. These reports are due by the dates described in Part 1 - General Terms and Conditions of this permit.

E. Testing Requirements

Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):

1. Emission Limitation:

no visible emissions

Applicable Compliance Method -

Compliance shall be determined through visible emissions observations performed in accordance with 40CFRPart60, Method 22 and the procedures specified in OAC rule 3745-17-03(B)(4).

2. Emission Limitation:

0.03 lb/hr particulate emissions and 0.11 ton per year particulate emissions

Kal Kan Foods, Inc.PTI Application: **01 7000****July 2**Facility ID: **0125040539**Emissions Unit ID: **P023****Applicable Compliance Method:**

To demonstrate compliance with the hourly emission limit, the permitted emissions shall be calculated by multiplying the actual average process weight rate by the AP-42 emission factor (9/88) from Table 6.4-6, "Precleaning and Handling - Milling Sources", for wheat (5 lbs/ton) and by a 98% control efficiency for the fabric filter. For the ton per year limitation, multiply the total production (lbs) for the year by the AP-42 emission factor (9/88) from Table 6.4-6, "Precleaning and Handling - Milling Sources", for wheat (5 lbs/ton) and divide the product by 2,000 to convert to tons per year.

The ton per year limit is based on operating no more than 8,064 hours per year.

F. Miscellaneous Requirements

None.