



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
MUSKINGUM COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-06830

DATE: 6/20/2002

Sidwell Materials Inc
Brent Sidwell
4620 Limestone Valley Rd
Zanesville, OH 43701-9371

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 6/20/2002
Effective Date: 6/20/2002**

FINAL PERMIT TO INSTALL 06-06830

Application Number: 06-06830
APS Premise Number: 0660010002
Permit Fee: **\$2000**
Name of Facility: Sidwell Materials Inc
Person to Contact: Brent Sidwell
Address: 4620 Limestone Valley Rd
Zanesville, OH 43701-9371

Location of proposed air contaminant source(s) [emissions unit(s)]:
**4620 Limestone Valley Rd
Zanesville, Ohio**

Description of proposed emissions unit(s):
Portable crusher and associated conveyor screen and stacker.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Sidwell Materials Inc
 PTI Application: 06-06830
 Issued: 6/20/2002

Facility ID: 0660010002

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	14.0

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
F029 - Metso Nordberg HP 200 Portable Cone Crusher Material Handling (Load-in and Load-out)	OAC rule 3745-31-05(A)(3)
	40 CFR 60 Subpart OOO
	OAC rule 3745-17-07 (B)(1)
	OAC rule 3745-17-08 (B)

Applicable Emissions
Limitations/Control Measures

Total particulate emissions shall not exceed 10.23 tons per year.

The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO.

best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.d through A.2.h)

See A.2.a. below.

See A.2.b. below.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to the requirement specified in OAC rule 3745-31-05 (A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to the requirement specified in OAC rule 3745-31-05 (A)(3).

2. Additional Terms and Conditions

- 2.a** No owner or operator subject to the provisions of this subpart shall cause to be discharged into the atmosphere from any transfer point or the belt conveyors or from any other

affected facility any fugitive emissions which exhibit greater than 10 percent opacity.

- 2.b** No owner or operator shall cause to be discharged into the atmosphere from any crusher, at which a capture system is not used, fugitive emissions which exhibit greater than 15 percent opacity.
- 2.c** The permittee shall employ best available control measures for the HP 200 Portable Cone Crusher for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to install water sprays and/or enclosures at transfer points and screens to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.d** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.e** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- 2.f** The material handling operation(s) that are covered by this permit and subject to the above-mentioned requirements are listed below:
- Transfer Point No. 1 - Load into Hopper / Feeder
 - Transfer Point No. 2 - Load out of Hopper / Feeder, load into Cone Crusher
 - Transfer Point No. 3 - Load out of Cone Crusher, load onto conveyor belt
 - Transfer Point No. 4 - Load out of conveyor belt, load into screen
 - Transfer Point No. 5 - Load out of screen, load onto stackers
 - Transfer Point No. 6 - Load out of stackers, load onto storage piles
- 2.g** The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

material handling operation(s)

control measure(s)

Transfer Point No. 1
Transfer Point No. 2
Transfer Point No. 3
Transfer Point No. 4
Transfer Point No. 5
Transfer Point No. 6

watering and good operating practices
watering and good operating practices

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.h For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.
- 2.i Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.
- 2.j The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

- 1. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

material handling operation(s)

minimum inspection frequency

Transfer Point No. 1	daily
Transfer Point No. 2	daily
Transfer Point No. 3	daily
Transfer Point No. 4	daily
Transfer Point No. 5	daily
Transfer Point No. 6	daily

2. The above-mentioned inspections shall be performed during representative, normal operating conditions.
3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 4.d. shall be kept separately for each material handling operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency; and
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.

2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

3. **Notice of Intent to Relocate**

Pursuant to OAC Rule 3745-31-03 (A)(1)(p), the owner or operator of the portable or mobile source identified within this permit may relocate within the state of Ohio without first obtaining a Permit to Install providing that either a. or b. of the following is met:

- a. The company has demonstrated the following:
 - i. the portable source is equipped with the best available control technology for such portable source;
 - ii. the portable source is operating pursuant to a currently effective permit to operate;
 - iii. the applicant has provided proper notice of intent to relocate the portable source to the director within a minimum of thirty days prior to the scheduled relocation; and
 - iv. in the director's judgment, the proposed site is acceptable under rule 3745-15-07 of the Administrative Code, or
- b. The director has issued a site approval for the new location pursuant to rule 3745-31-05(F) of the Administrative Code.

In order for the director to determine compliance with all of the above criteria, the owner or operator of the portable or mobile source must file a "Notice of Intent to Relocate" at least 30 days prior to relocation of the emission unit with the Southeast District Office. Upon receipt of the notice, the director, or the director's authorized representative, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio Environmental Protection Agency approval prior to relocation of the source may result in fines and civil penalties.

4. Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:
 - a. Construction date (no later than 30 days after such date);
 - b. Anticipated start-up date (not more than 60 days or less than 30 days prior to such date);

- c. Actual start-up date (within 15 days after such date); and
- d. Date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Permit Management Unit
P. O. Box 163669
Columbus, Ohio 43216-3669

and

Southeast District Office of the Ohio EPA
Division of Air Pollution Control
2195 Front Street
Logan, Ohio 43138.

E. Testing Requirements

1. Emission limitation-

Visible emissions of fugitive dust discharging from the transfer points and conveyor shall not exceed 10% opacity.

Applicable Compliance Method-

Compliance with the visible emission limits shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996.

2. Emission limitation-

Visible emissions of fugitive dust discharging from the crusher shall not exceed 15% opacity.

Applicable Compliance Method-

Compliance with the visible emission limits shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996.

3. Emission limitation-

Total particulate emissions shall not exceed 10.23 tons per year.

Applicable Compliance Method-

Aggregate Plant

Total tons particulate controlled / year emitted is calculated as follows:

Emission Points

Screening:

$(0.0315 \text{ lb particulate/ton}) \times (150 \text{ tons/hr}) = 4.725 \text{ lb/hr emission rate}$

$(4.725 \text{ lb/hr}) \times (8760 \text{ hr/ year}) \times [(100 \% - 80\%)/100] \times (1 \text{ ton} /2000 \text{ pounds}) = 4.14 \text{ tons /year}$

Primary Crushing:

$(0.00504 \text{ lb particulate/ton}) \times (150 \text{ tons/hr}) = 0.756 \text{ lb/hr emission rate}$

$(0.756 \text{ lb/hr}) \times (8760 \text{ hr/ year}) \times [(100 \% - 80\%)/100] \times (1 \text{ ton} /2000 \text{ pounds}) = 0.66 \text{ tons /year}$

Conveyor Transfer (in plant):

$(0.00294 \text{ lb particulate/ton}) \times (150 \text{ tons/hr}) = 0.441 \text{ lb/hr emission rate}$

$(0.441 \text{ lb/hr}) \times (8760 \text{ hr/ year}) \times [(100 \% - 80\%)/100] \times (1 \text{ ton} /2000 \text{ pounds}) = 0.39 \text{ tons /year}$

Truck Loading:

$(0.00021 \text{ lb particulate/ton}) \times (150 \text{ tons/hr}) = 0.0315 \text{ lb/hr emission rate}$

$(0.0315 \text{ lb/hr}) \times (8760 \text{ hr/ year}) \times [(100 \% - 80\%)/100] \times (1 \text{ ton} /2000 \text{ pounds}) = 0.03 \text{ tons /year}$

Total particulate emissions from aggregate plant: 5.22 tons per year.

Material Handling

The emission factor calculation for material handling in AP-42 section 13.2.4 (January, 1995) shall be utilized to determine compliance. Initial compliance has been determined using inputs representing current conditions as follows:

$$E = k (0.0032)[(U/5)^{1.3}/(M/2)^{1.4}]$$

E = emission factor expressed in pounds (lbs) / ton

k = particle size multiplier (dimension less) = 0.74

U = mean wind speed expressed in miles per hour (MPH) = 11*

M = material moisture content (%) = 1.1**

E = 0.015241 pounds/ton

Number of Conveyor Belts - Zero because emission from the single conveyor belt is accounted for in the previous calculation;

Number of Transfer Points - 5 ;

Tons Per year Throughput - 657,000.

Control Efficiency - 80%

Total tons particulate controlled / year emitted is calculated as follows:

$(E) \times (\text{Sum of No. of Conveyor Belts and Transfer Points}) \times (\text{Tons Per year Throughput}) \times (1 \text{ ton}/2000\text{lbs})$

$(0.015241 \text{ pounds/ton}) \times (5) \times (657,000 \text{ ton / year}) \times (1 \text{ ton}/2000\text{lbs}) = 25.0 \text{ tons per year}$

$(25.0 \text{ tons per year}) \times (100\% - 80\%)/100 = 5.01 \text{ tons per year controlled.}$

Emissions Unit ID: **F029**

* The highest average wind speed in the State Of Ohio. 11 miles per hour is worst case scenario from Mansfield, Ohio.

** The material moisture content of 1.1% for limestone crushing operations from Table 13.2.4-1, AP-42, January 1995.

Total particulate emissions from both aggregate plant and material handling: 10.23 tons per year.

4. Emission testing requirements

The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within 180 days after issuance of the permit.
- b. The emission testing shall be conducted to demonstrate compliance with the visible emissions of fugitive dust discharging from the transfer points and conveyor shall not exceed 10% opacity and visible emissions of fugitive dust discharging from the crusher shall not exceed 15% opacity.
- c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources") with modification described in 40 CFR Part 60, Subpart OOO. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
- d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control

equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

F. Miscellaneous Requirements

1. The terms and conditions of this permit does not include roadways and parking areas. A permit to install may need to be obtained, by the applicant, prior to the relocation of this portable source.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	OAC rule 3745-17-08 (B)
F030 - Material Stockpiles load-in and load-out of storage piles (see Section A.2.a for identification of storage piles)	OAC rule 3745-31-05(A)(3)	
	OAC rule 3745-17-08 (B)	
wind erosion from storage piles (see Section A.2.a for identification of storage piles)	OAC rule 3745-31-05 (A)(3)	

Applicable Emissions
Limitations/Control Measures

Particulate emissions shall not exceed 3.77 ton per year.

No visible particulate emissions except for 1 minute during any 60-minute period.

Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b, A.2.c and A.2.f)

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

No visible particulate emissions except for 1 minute during any 60-minute period.

Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.d through A.2.f)

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a** The storage piles that are covered by this permit and subject to the above-mentioned requirements are listed below:

storage pile identification

all

- 2.b** The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the load-in and load-out material(s) with water and/or any other suitable dust suppression chemicals to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- 2.d** The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat each storage pile with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e** The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

- 1. Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-in inspection frequency</u>
all	daily

- 2. Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-out inspection frequency</u>
all	daily

- 3. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum wind erosion inspection frequency</u>
all	daily

- 4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- 5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile

operating conditions.

6. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.

7. The permittee shall maintain records of the following information:
 - a. The date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. The date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. The dates the control measures were implemented; and
 - d. On a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in 7.d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. Each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. Each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Emission Limitation:

No visible particulate emissions except for 1 minute during any 60-minute period.

Compliance Method:

Compliance with the visible emission limitations for the storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

2. Emission Limitation:

Particulate emissions shall not exceed 3.77 ton per year.

Compliance Method:

The emission factor calculation for storage piles in AP-42 section 13.2.4 (January, 1995) shall be utilized to determine compliance. Initial compliance has been determined using inputs representing current conditions as follows:

$$E = k (0.0032)[(U/5)^{1.3}/(M/2)^{1.4}]$$

E = emission factor expressed in pounds (lbs) / ton

k = particle size multiplier (dimension less) = 0.74

U = mean wind speed expressed in miles per hour (MPH) = 11*

M = material moisture content (%) = 0.7**

$$E = 0.028697 \text{ pounds/ton}$$

Assuming a maximum ton per year process weight rate of 657,000

Total tons particulate controlled / year emitted is 3.77 ton per year. Assuming 80 % control with water sprays.

* The highest average wind speed in the State Of Ohio. 11 miles per hour is worst case scenario from Mansfield, Ohio.

** The material moisture content of 0.7% the mean moisture content for limestone crushing operations from Table

13.2.4-1, AP-42, January 1995.

F. Miscellaneous Requirements

1. The terms and conditions of this permit does not include roadways and parking areas. A permit to install may need to be obtained, by the applicant, prior to the relocation of this portable source.