



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL  
PUTNAM COUNTY**

**CERTIFIED MAIL**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049

**Application No: 03-13855**

**DATE: 12/5/2002**

Socar, Inc.  
Craig Bracken  
PO Box 219 21739 Road E-16  
Continental, OH 45831

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Michael W. Ahern, Supervisor  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA

NWDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

---

**Permit To Install  
Terms and Conditions**

**Issue Date: 12/5/2002  
Effective Date: 12/5/2002**

---

**FINAL PERMIT TO INSTALL 03-13855**

Application Number: 03-13855  
APS Premise Number: 0369000036  
Permit Fee: **\$600**  
Name of Facility: Socar, Inc.  
Person to Contact: Craig Bracken  
Address: PO Box 219 21739 Road E-16  
Continental, OH 45831

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**21739 Road E-16, PO Box 219  
Continental, Ohio**

Description of proposed emissions unit(s):  
**3 Paint dip coating operations.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Socar, Inc.

Facility ID: 0369000036

PTI Application: 03-13855

Issued: 12/5/2002

## Part I - GENERAL TERMS AND CONDITIONS

### A. Permit to Install General Terms and Conditions

#### 1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### 2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### 3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### 4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

Socar, Inc.

Facility ID: 0369000036

PTI Application: 03-13855

Issued: 12/5/2002

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

Socar, Inc.

Facility ID: 0369000036

PTI Application: 03-13855

Issued: 12/5/2002

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

#### **10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

#### **11. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

#### **12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

#### **13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

Socar, Inc.  
PTI Application: 03-13855  
Issued: 12/5/2002

Facility ID: 0369000036

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

**B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	99.54

Socar, Inc.

PTI Application: 02 12055

Issued

Facility ID: 0369000036

Emissions Unit ID: K001

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K001 - Paint dip tank "A"	OAC rule 3745-31-02(A)(2)	see A.2.a
	OAC rule 3745-31-05(D)	Group Limit for K001, K002, and K003: 99.54 tons OC per rolling, 12-month period based on coating usage and OC content restrictions (see A.2.b)
	OAC rule 3745-21-09(U)	see A.2.c

**2. Additional Terms and Conditions**

**2.a** The permittee has applied for a PTI to voluntarily limit allowable emissions as provided by OAC rule 3745-31-02(A)(2). This PTI acts upon such application in accordance with OAC rule 3745-31-05 (see A.2.b).

**2.b** The permittee has requested federally enforceable limitation for emissions unit K001, K002, and K003 combined of 99.54 tons of OC per rolling, 12-month period, based on gallon usage and content restrictions (see B.1., B.2., B.3., and B.4.). Federally enforceable OC limitations are being established for the purpose of avoiding Title V applicability.

For purposes of federal enforceability, emission limitations on OC's will effectively restrict emissions of VOC's.

**2.c** In accordance with OAC rule 3745-21-09(A)(3)(b), this emissions unit is not subject to the requirements of OAC rule 3745-21-09(U) since construction of the emissions unit

8

**Socar,  
PTI A  
Issued: 12/5/2002**

Emissions Unit ID: **K001**

commenced in 1972.

**B. Operational Restrictions**

1. The organic compound content for coatings employed in emissions unit K001, K002, and K003 shall not exceed 3.20 pounds per gallon, as applied.
2. The organic compound content for solvent material employed in emissions unit K001, K002, and K003 shall not exceed 6.51 pounds per gallon.
3. The maximum annual coating material usage for emissions unit K001, K002, and K003 shall not exceed 38,000 gallons.

The annual coating usage limitation shall be based upon a rolling, 12-month summation of the monthly coating usage rate.

To ensure federal enforceability during the first 12 calendar months of operation, the permittee shall not exceed the cumulative usage levels specified below:

**Maximum Allowable Cumulative Coating Usage (gallons)**

<b>Month(s)</b>	<b>Combined Gallon Usage</b>
1	3,200
1-2	6,400
1-3	9,600
1-4	12,800
1-5	16,000
1-6	19,200
1-7	22,400
1-8	25,600
1-9	28,800
1-10	32,000
1-11	35,200
1-12	38,000

After the first 12 calendar months of operation, compliance with the annual coating usage limitation shall be based upon a rolling, 12-month summation of the monthly coating usage rates.

4. The maximum annual solvent material usage for emissions unit K001, K002, and K003 shall not exceed 11,900 gallons.

The annual solvent usage limitation shall be based upon a rolling, 12-month summation of the monthly solvent usage rate.

To ensure federal enforceability during the first 12 calendar months of operation, the permittee shall not exceed the cumulative usage levels specified below:

**Maximum Allowable Cumulative Solvent Material Usage (gallons)**

<b>Month(s)</b>	<b>Combined Gallon Usage</b>
1	1,000
1-2	2,000
1-3	3,000
1-4	4,000
1-5	5,000
1-6	6,000
1-7	7,000
1-8	8,000
1-9	9,000
1-10	10,000
1-11	11,000
1-12	11,900

After the first 12 calendar months of operation, compliance with the annual solvent usage limitation shall be based upon a rolling, 12-month summation of the monthly solvent usage rates.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall collect and record the following information each month for coating and solvent material usage in emission units K001, K002, and K003 combined:
  - a. the company name and identification for each coating and solvent material employed;
  - b. the OC content of each coating and solvent material, as applied, in lbs/gal;
  - c. the number of gallons of each coating and solvent material employed per month;
  - d. the OC emission rate for each coating and solvent material, [(b. x c.) x 1 ton/2000 lbs] in tons per month;

**Socar, Inc.****PTI Application: 02 12055****Issued****Facility ID: 0369000036****Emissions Unit ID: K001**

- e. the total OC emission rate for all coatings and solvent material, (summation of d.) in tons per month;
  - f. for the first 12 months of operation under the provisions of this permit, the cumulative monthly emission rate of OC, in tons per year; and,
  - g. after the first 12 months of operation under the provisions of this permit, the annual emissions of OC, based on a rolling, 12-month summation.
2. In addition to the above information, the permittee shall also record the following information for each month for emission units K001, K002, and K003 combined:
- a. for the first 12 months of operation:
    - i. the cumulative gallon usage rate for each coating;
    - ii. the total number of gallons of all coatings;
    - iii. the cumulative gallon usage rate or each solvent material;
    - iv. the total number of gallons of all solvent material; and,
  - b. after the first 12 months of operation the annual number of gallons of all coatings and solvents based upon a rolling, 12-month summation of the coating and solvent material usage rates.

#### **D. Reporting Requirements**

1. In accordance with the General Terms and Conditions of this permit, the permittee shall submit deviation (excursion) reports for emissions unit K001, K002, and K003 which identify exceedance of any of the following:
  - a. Any exceedance of the maximum allowable gallon usage rate of coatings as specified in paragraph B.3..
  - b. Any exceedance of the maximum allowable gallon usage rate of solvents as specified in paragraphs B.4..
  - c. Any exceedance of the 99.54 tons OC per rolling, 12 month period.
2. The permittee shall notify the Northwest District Office in writing of any monthly record showing

the use of noncomplying coatings and solvent material. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.

#### **E. Testing Requirements**

1. Compliance with the emission limitations in section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

- a. Emission Limitation: Group limit for K001, K002, and K003 of 99.54 tons OC per rolling, 12-month period

Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.

- b. Emission Limitation: The maximum annual solvent material usage for emissions unit K001, K002, and K003 shall not exceed 11,900 gallons.

Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.2. of this permit.

- c. Emission Limitation: The maximum annual coating material usage for emissions unit K001, K002, and K003 shall not exceed 38,000 gallons.

Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.2. of this permit.

- d. Emission Limitation: The organic compound content for coatings employed in emissions unit K001, K002, and K003 shall not exceed 3.20 pounds per gallon, as applied.

Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.

- e. Emission Limitation: The organic compound content for solvent material employed in emissions unit K001, K002, and K003 shall not exceed 6.51 pounds per gallon.

Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.

#### **F. Miscellaneous Requirements**

**Socar, Inc.**

**PTI Application: 02 12055**

**Issued**

**Facility ID: 0369000036**

**Emissions Unit ID: K001**

1. The following terms and conditions are federally enforceable: Part II. A, B, C, D & E.

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K002 - Paint dip tank "B"	OAC rule 3745-31-02(A)(2)	see A.2.a
	OAC rule 3745-31-05(D)	Group Limit for K001, K002, and K003: 99.54 tons OC per rolling, 12-month period based on coating usage and OC content restrictions (see A.2.b)
	OAC rule 3745-21-09(U)	see A.2.c

**2. Additional Terms and Conditions**

- 2.a The permittee has applied for a PTI to voluntarily limit allowable emissions as provided by OAC rule 3745-31-02(A)(2). This PTI acts upon such application in accordance with OAC rule 3745-31-05 (see A.2.b).
- 2.b The permittee has requested federally enforceable limitation for emissions unit K001, K002, and K003 combined of 99.54 tons of OC per rolling, 12-month period, based on gallon usage and content restrictions (see B.1., B.2., B.3., and B.4.). Federally enforceable OC limitations are being established for the purpose of avoiding Title V applicability.

For purposes of federal enforceability, emission limitations on OC's will effectively restrict emissions of VOC's.

- 2.c In accordance with OAC rule 3745-21-09(A)(3)(b), this emissions unit is not subject to the requirements of OAC rule 3745-21-09(U) since construction of the emissions unit commenced in 1972.

15

**Socar,**

**PTI A**

**Issued: 12/5/2002**

Emissions Unit ID: **K002**

**B. Operational Restrictions**

1. The organic compound content for coatings employed in emissions unit K001, K002, and K003 shall not exceed 3.20 pounds per gallon as applied.
2. The organic compound content for solvent material employed in emissions unit K001, K002, and K003 shall not exceed 6.51 pounds per gallon.
3. The maximum annual coating material usage for emissions unit K001, K002, and K003 shall not exceed 38,000 gallons.

The annual coating usage limitation shall be based upon a rolling, 12-month summation of the monthly coating usage rate.

To ensure federal enforceability during the first 12 calendar months of operation, the permittee shall not exceed the cumulative usage levels specified below:

**Maximum Allowable Cumulative Coating Usage (gallons)**

<b>Month(s)</b>	<b>Combined Gallon Usage</b>
1	3,200
1-2	6,400
1-3	9,600
1-4	12,800
1-5	16,000
1-6	19,200
1-7	22,400
1-8	25,600
1-9	28,800
1-10	32,000
1-11	35,200
1-12	38,000

After the first 12 calendar months of operation, compliance with the annual coating usage limitation shall be based upon a rolling, 12-month summation of the monthly coating usage rates.

4. The maximum annual solvent material usage for emissions unit K001, K002, and K003 shall not exceed 11,900 gallons.

The annual solvent usage limitation shall be based upon a rolling, 12-month summation of the monthly solvent usage rate.

To ensure federal enforceability during the first 12 calendar months of operation, the permittee shall not exceed the cumulative usage levels specified below:

**Maximum Allowable Cumulative Solvent Material Usage (gallons)**

<b>Month(s)</b>	<b>Combined Gallon Usage</b>
1	1,000
1-2	2,000
1-3	3,000
1-4	4,000
1-5	5,000
1-6	6,000
1-7	7,000
1-8	8,000
1-9	9,000
1-10	10,000
1-11	11,000
1-12	11,900

After the first 12 calendar months of operation, compliance with the annual solvent usage limitation shall be based upon a rolling, 12-month summation of the monthly solvent usage rates.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall collect and record the following information each month for coating and solvent material usage in emission units K001, K002, and K003 combined:
  - a. the company name and identification for each coating and solvent material employed;
  - b. the OC content of each coating and solvent material, as applied, in lbs/gal;
  - c. the number of gallons of each coating and solvent material employed per month;
  - d. the OC emission rate for each coating and solvent material, [(b. x c.) x 1 ton/2000 lbs] in tons per month;

**Socar, Inc.****PTI Application: 02 12055****Issued****Facility ID: 0369000036**Emissions Unit ID: **K002**

- e. the total OC emission rate for all coatings and solvent materials, (summation of d.) in tons per month;
  - f. for the first 12 months of operation under the provisions of this permit, the cumulative monthly emission rate of OC, in tons per year; and,
  - g. after the first 12 months of operation under the provisions of this permit, the annual emissions of OC, based on a rolling, 12-month summation.
2. In addition to the above information, the permittee shall also record the following information for each month for emission units K001, K002, and K003 combined:
- a. for the first 12 months of operation:
    - i. the cumulative gallon usage rate for each coating;
    - ii. the total number of gallons of all coatings;
    - iii. the cumulative gallon usage rate or each solvent material;
    - iv. the total number of gallons of all solvent material; and,
  - b. after the first 12 months of operation the annual number of gallons of all coatings and solvents based upon a rolling, 12-month summation of the coating and solvent material usage rates.

**D. Reporting Requirements**

1. In accordance with the General Terms and Conditions of this permit, the permittee shall submit deviation (excursion) reports for emissions unit K001, K002, and K003 which identify exceedance of any of the following:
  - a. Any exceedance of the maximum allowable gallon usage rate of coatings as specified in paragraph B.3..
  - b. Any exceedance of the maximum allowable gallon usage rate of solvents as specified in paragraphs B.4..
  - c. Any exceedance of the 99.54 tons OC per rolling, 12 month period.
2. The permittee shall notify the Northwest District Office in writing of any monthly record showing

the use of noncomplying coatings and solvent material. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.

#### **E. Testing Requirements**

1. Compliance with the emission limitations in section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - a. Emission Limitation: Group limit of 99.54 tons OC per rolling, 12-month period  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.
  - b. Emission Limitation: 38,000 gallons per rolling, 12-month period of coating usage  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.2. of this permit.
  - c. Emission Limitation: 11,900 gallons per rolling, 12-month period of solvent material usage  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.2. of this permit.
  - d. Emission Limitation: The organic compound content for coatings employed in emissions unit K001, K002, and K003 shall not exceed 3.20 pounds per gallon, as applied.  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.
  - e. Emission Limitation: The organic compound content for solvent material employed in emissions unit K001, K002, and K003 shall not exceed 6.51 pounds per gallon.  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.

#### **F. Miscellaneous Requirements**

1. The following terms and conditions are federally enforceable: Part II. A, B, C, D & E.

20

**Socar,  
PTI A  
Issued: 12/5/2002**

Emissions Unit ID: **K002**

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K003 - Paint dip tank "C"	OAC rule 3745-31-02(A)(2)	see A.2.a
	OAC rule 3745-31-05(D)	Group Limit for K001, K002, and K003: 99.54 tons OC per rolling, 12-month period based on coating usage and OC content restrictions (see A.2.b)
	OAC rule 3745-21-09(U)	see A.2.c

**2. Additional Terms and Conditions**

- 2.a The permittee has applied for a PTI to voluntarily limit allowable emissions as provided by OAC rule 3745-31-02(A)(2). This PTI acts upon such application in accordance with OAC rule 3745-31-05 (see A.2.b).
- 2.b The permittee has requested federally enforceable limitation for emissions unit K001, K002, and K003 combined of 99.54 tons of OC per rolling, 12-month period, based on gallon usage and content restrictions (see B.1., B.2., B.3., and B.4.). Federally enforceable OC limitations are being established for the purpose of avoiding Title V applicability.

For purposes of federal enforceability, emission limitations on OC's will effectively restrict emissions of VOC's.

- 2.c In accordance with OAC rule 3745-21-09(A)(3)(b), this emissions unit is not subject to the requirements of OAC rule 3745-21-09(U) since construction of the emissions unit

22

**Socar, Inc.**

**PTI Application: 02 12055**

**Issued**

**Facility ID: 0369000036**

**Emissions Unit ID: K003**

commenced in 1972.

**B. Operational Restrictions**

1. The organic compound content for coatings employed in emissions unit K001, K002, and K003 shall not exceed 3.20 pounds per gallon as applied.
2. The organic compound content for solvent material employed in emissions unit K001, K002, and K003 shall not exceed 6.51 pounds per gallon.
3. The maximum annual coating material usage for emissions unit K001, K002, and K003 shall not exceed 38,000 gallons.

The annual coating usage limitation shall be based upon a rolling, 12-month summation of the monthly coating usage rate.

To ensure federal enforceability during the first 12 calendar months of operation, the permittee shall not exceed the cumulative usage levels specified below:

**Maximum Allowable Cumulative Coating Usage (gallons)**

<b>Month(s)</b>	<b>Combined Gallon Usage</b>
1	3,200
1-2	6,400
1-3	9,600
1-4	12,800
1-5	16,000
1-6	19,200
1-7	22,400
1-8	25,600
1-9	28,800
1-10	32,000
1-11	35,200
1-12	38,000

After the first 12 calendar months of operation, compliance with the annual coating usage limitation shall be based upon a rolling, 12-month summation of the monthly coating usage rates.

4. The maximum annual solvent material usage for emissions unit K001, K002, and K003 shall not exceed 11,900 gallons.

The annual solvent usage limitation shall be based upon a rolling, 12-month summation of the monthly solvent usage rate.

To ensure federal enforceability during the first 12 calendar months of operation, the permittee shall not exceed the cumulative usage levels specified below:

**Maximum Allowable Cumulative Solvent Material Usage (gallons)**

<b>Month(s)</b>	<b>Combined Gallon Usage</b>
1	1,000
1-2	2,000
1-3	3,000
1-4	4,000
1-5	5,000
1-6	6,000
1-7	7,000
1-8	8,000
1-9	9,000
1-10	10,000
1-11	11,000
1-12	11,900

After the first 12 calendar months of operation, compliance with the annual solvent usage limitation shall be based upon a rolling, 12-month summation of the monthly solvent usage rates.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall collect and record the following information each month for coating and solvent material usage in emission units K001, K002, and K003 combined:
  - a. the company name and identification for each coating and solvent material employed;
  - b. the OC content of each coating and solvent material, as applied, in lbs/gal;
  - c. the number of gallons of each coating and solvent material employed per month;
  - d. the OC emission rate for each coating and solvent material, [(b. x c.) x 1 ton/2000 lbs] in tons per month;

- e. the total OC emission rate for all coatings and solvent materials, (summation of d.) in tons per month;
  - f. for the first 12 months of operation under the provisions of this permit, the cumulative monthly emission rate of OC, in tons per year; and,
  - g. after the first 12 months of operation under the provisions of this permit, the annual emissions of OC, based on a rolling, 12-month summation.
2. In addition to the above information, the permittee shall also record the following information for each month for emission units K001, K002, and K003 combined:
- a. for the first 12 months of operation:
    - i. the cumulative gallon usage rate for each coating;
    - ii. the total number of gallons of all coatings;
    - iii. the cumulative gallon usage rate or each solvent material;
    - iv. the total number of gallons of all solvent material; and,
  - b. after the first 12 months of operation the annual number of gallons of all coatings and solvents based upon a rolling, 12-month summation of the coating and solvent material usage rates.

#### **D. Reporting Requirements**

1. In accordance with the General Terms and Conditions of this permit, the permittee shall submit deviation (excursion) reports for emissions unit K001, K002, and K003 which identify exceedance of any of the following:
- a. Any exceedance of the maximum allowable gallon usage rate of coatings as specified in paragraph B.3..
  - b. Any exceedance of the maximum allowable gallon usage rate of solvents as specified in paragraphs B.4..
  - c. Any exceedance of the 99.54 tons OC per rolling, 12 month period.

Socar, Inc.

PTI Application: 02 12055

Issued

Facility ID: 0369000036

Emissions Unit ID: K003

2. The permittee shall notify the Northwest District Office in writing of any monthly record showing the use of noncomplying coatings and solvent material. The notification shall include a copy of such record and shall be sent to the Northwest District Office within 30 days following the end of the calendar month.

#### E. Testing Requirements

1. Compliance with the emission limitations in section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - a. Emission Limitation: Group limit of 99.54 tons OC per rolling, 12-month period  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.
  - b. Emission Limitation: 38,000 gallons per rolling, 12-month period of coating usage  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.2. of this permit.
  - c. Emission Limitation: 11,900 gallons per rolling, 12-month period of solvent material usage  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.2. of this permit.
  - d. Emission Limitation: The organic compound content for coatings employed in emissions unit K001, K002, and K003 shall not exceed 3.20 pounds per gallon, as applied.  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.
  - e. Emission Limitation: The organic compound content for solvent material employed in emissions unit K001, K002, and K003 shall not exceed 6.51 pounds per gallon.  
  
Applicable Compliance Method: Compliance with this limitation shall be determined by the record keeping in section C.1. of this permit.

#### F. Miscellaneous Requirements

1. The following terms and conditions are federally enforceable: Part II. A, B, C, D & E.