



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION  
SANDUSKY COUNTY**

**CERTIFIED MAIL**

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049

**Application No: 03-06095**

**Fac ID: 0372030210**

**DATE: 2/5/2008**

Style Crest Enterprises, Inc.  
Floyd Johnson  
600 Hagerty Drive  
Fremont, OH 43420

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

CC: USEPA

NWDO



**Permit To Install  
Terms and Conditions**

**Issue Date: 2/5/2008  
Effective Date: 2/5/2008**

**FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 03-06095**

Application Number: 03-06095  
Facility ID: 0372030210  
Permit Fee: **\$0**  
Name of Facility: Style Crest Enterprises, Inc.  
Person to Contact: Floyd Johnson  
Address: 600 Hagerty Drive  
Fremont, OH 43420

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**600 Hagerty Drive  
Fremont, Ohio**

Description of proposed emissions unit(s):  
**2 polyester resin spray booths and 1 gelcoat spray booth.**

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski  
Director

Style Crest Enterprises, Inc.  
PTI Application: 03-06095  
Modification Issued: 2/5/2008

Facility ID: 0372030210

## Part I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

#### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to

Style Crest Enterprises, Inc.  
PTI Application: 03-06095  
Modification Issued: 2/5/2008

Facility ID: 0372030210

the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
  - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

## 2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## 3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

**4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

**5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

**6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to

**Style Crest Enterprises, Inc.**

**PTI Application: 03-06095**

**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

## **7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

## **8. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## **9. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

Style Crest Enterprises, Inc.  
PTI Application: 03-06095  
Modification Issued: 2/5/2008

Facility ID: 0372030210

- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

#### 10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

#### 11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

**12. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

### **13. Permit-To-Install**

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

## **B. State Only Enforceable Permit-To-Install General Terms and Conditions**

### **1. Compliance Requirements**

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

### **2. Reporting Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder.

**Style Crest Enterprises, Inc.**

**PTI Application: 03-06095**

**Modification Issued: 2/5/2008**

**Facility ID:**

**0372030210**

The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

**4. Authorization To Install or Modify**

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**5. Construction of New Sources(s)**

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**6. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**7. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**8. Construction Compliance Certification**

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

**C. Permit-To-Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Organic Compounds (OC)	26.80

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06095**  
**Modification Issued: 2/5/2008**

**Facility ID: 0372030210**

**Style**

**PTI A**

**Modification Issued: 2/5/2008**

Emissions Unit ID: R001

**Part II - FACILITY SPECIFIC TERMS AND CONDITIONS**

**A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions**

None

Style Crest Enterprises, Inc.  
 PTI Application: 03-06095  
 Modif

Facility ID: 0372030210

Emissions Unit ID: R001

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R001 - fiberglass/resin spray booth #1 (airless spray): Administrative modification of PTI No. 03-06095 issued on July 8, 1992. Modification to revise the Operational Restrictions.	OAC rule 3745-31-05(A)(3)	Organic compound (OC) emissions from non-photochemically reactive cleanup material usage shall not exceed 3.0 tons OC/year from units R001 and R002, combined.
	OAC rule 3745-21-07(G)(2)	See Section A.I.2.a
		8 pounds organic compounds (OC)/hour, excluding cleanup
		40 pounds OC/day, excluding cleanup
	OAC rule 3745-17-11(B)(1)	See Section A.II.1
	OAC rule 3745-17-07(A)	0.551 pound particulate emissions (PE)/hour
		Visible PE shall not exceed 20 percent opacity, as a 6-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

- 2.a The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G)(2), 3745-17-11(B)(1) and 3745-17-07(A).

**II. Operational Restrictions**

**Modification Issued: 2/5/2008**

1. The permittee shall not employ any cleanup material in this emissions unit that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall collect and record the following information for each day for this emissions unit:
  - a. the company identification for each polyester resin and catalyst employed;
  - b. the amount of each polyester resin and catalyst employed, in pounds;
  - c. the total amount of all the polyester resins and catalysts employed, in pounds (the sum of "b" for all polyester resins and the sum of "b" for all catalysts);
  - d. the OC content, in percent by weight, of each polyester resin and catalyst employed;
  - e. the OC emission rate for each polyester resin employed ("b" x "d" x emission factor\*), in pounds;
  - f. the OC emission rate for each catalyst employed ("b" x "d" x emission factor\*), in pounds;
  - g. the total OC emission rate for all the polyester resins and catalysts employed, in pounds (the sum of "e" for all polyester resins + the sum of "f" for all catalysts);
  - h. the total number of hours the emissions unit was in operation (when polyester resins and/or catalysts were being employed); and
  - i. the average hourly OC emission rate for all the polyester resins and catalysts employed, in pounds/hour (g/h).
- \* "Technical Discussion of the Unified Emission Factors for the Open Molding of Composites", April 7, 1999 and "Emission Factors for Liquid Organic Peroxide Catalysts Used in the Open Molding of Composites", March 24, 1999.

**Modification Issued: 2/5/2008**

2. The permittee shall collect and record the following information for each month for emissions units R001 and R002, combined:
  - a. the company identification for each cleanup material employed;
  - b. documentation on whether or not each cleanup material employed is a photochemically reactive material;
  - c. the OC content (in pounds/gallon) of each cleanup material employed;
  - d. the amount of each cleanup material employed, in gallons;
  - e. the OC emissions from each cleanup material employed ("c" x "d" for each cleanup material);
  - f. the total OC emissions from all cleanup materials employed (the sum of "e" for all cleanup materials); and
  - g. the calendar-year-to-date OC emissions from all cleanup materials employed (the sum of "f" for each month beginning in January and ending in December of each year).
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation

#### **IV. Reporting Requirements**

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with Section A.1.c.ii. of Part I of the General Terms and Conditions of this permit, that include the following information:
  - a. an identification of each day during which the average hourly OC emission rate for the polyester resins and catalysts exceeded 8 pounds/hour, and the actual average hourly OC emission rate for any such day; and
  - b. an identification of each day during which the OC emissions from the polyester resins and catalysts exceeded 40 pounds/day, and the actual OC emissions for any such day.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office) in

**Style Crest Enterprises, Inc.**  
**PTI Application: 03-06005**  
**Modif**

**Facility ID: 0372030210**

Emissions Unit ID: R001

writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office) within 30 days after the event occurs.

3. The permittee shall notify the Director (the appropriate Ohio EPA District Office) in writing of any monthly record showing the use of noncomplying cleanup materials (i.e., photochemically reactive cleanup materials) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office) within 30 days of the date of the monthly record indicating noncompliance.
4. The permittee shall submit annual reports of the OC emissions from cleanup material usage in emissions units R001 and R002, combined. The report shall be submitted on January 31 of each year and shall cover the previous calendar year.

## **V. Testing Requirements**

1. Compliance with the emissions limitations in Section A.I.1 of these terms and conditions shall be determined in accordance with the following methods:
  - a. Emission Limitations:
 

8 pounds OC/hour and 40 pounds OC/day

Applicable Compliance Method:

Compliance with the hourly and daily OC emission limitations above shall be based upon the record keeping requirements contained in Section A.III.1 of this permit.
  - b. Emission Limitation:
 

3.0 tons OC/year from non-photochemically reactive cleanup material usage in units R001 and R002, combined

Applicable Compliance Method:

Compliance with the annual OC emission limitation above shall be based upon the record keeping requirements contained in Section A.III.2 of this permit.
  - c. Emission Limitation:
 

0.551 pound PE/hour

Applicable Compliance Method:

To determine the actual worst case PE rate (E), the following equation may be used for the spraying operations:

$E = \text{maximum coating solids usage rate for the spray stations, in pounds per hour} \times (1-TE) \times (1-CE)$

where:

$E = \text{PE rate (lbs/hr)}$

$TE = \text{transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used for the spray stations (obtained from the application equipment manufacturer or from technical references), expressed as a fraction}$

$CE = \text{control efficiency of the control equipment (assumed to be 98%), expressed as a fraction}$

If required, the permittee shall demonstrate compliance with the PE limitation above pursuant to OAC rule 3745-17-03(B)(10).

**Style**

**PTI A**

**Modification Issued: 2/5/2008**

Emissions Unit ID: R001

d. Emission Limitation:

Visible PE shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method:

If required, compliance shall be determined through visible emissions observations performed in accordance with 40 CFR, Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

**Style****PTI A****Modification Issued: 2/5/2008**

Emissions Unit ID: R001

**B. State Only Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R001 - fiberglass/resin spray booth #1 (airless spray)	None	None

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

23

**Style Crest Enterprises, Inc.**

**PTI Application: 03 06005**

**Modif**

**Facility ID: 0372030210**

Emissions Unit ID: R001

**Style**

**PTI A**

**Modification Issued: 2/5/2008**

Emissions Unit ID: R002

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R002 - fiberglass/resin spray booth #2 (airless spray): Administrative modification of PTI No. 03-06095 issued on July 8, 1992. Modification to revise the Operational Restrictions.	OAC rule 3745-31-05(A)(3)	Organic compound (OC) emissions from non-photochemically reactive cleanup material usage shall not exceed 3.0 tons OC/year from units R001 and R002, combined.
	OAC rule 3745-21-07(G)(2)	See Section A.I.2.a
	OAC rule 3745-17-11(B)(1)	8 pounds organic compounds (OC)/hour, excluding cleanup
	OAC rule 3745-17-07(A)	40 pounds OC/day, excluding cleanup
		See Section A.II.1
		0.551 pound particulate emissions (PE)/hour
		Visible PE shall not exceed 20 percent opacity, as a 6-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

- 2.a** The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G)(2), 3745-17-11(B)(1) and 3745-17-07(A).

## II. Operational Restrictions

1. The permittee shall not employ any cleanup material in this emissions unit that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

## III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for this emissions unit:
  - a. the company identification for each polyester resin and catalyst employed;
  - b. the amount of each polyester resin and catalyst employed, in pounds;
  - c. the total amount of all the polyester resins and catalysts employed, in pounds (the sum of "b" for all polyester resins and the sum of "b" for all catalysts);
  - d. the OC content, in percent by weight, of each polyester resin and catalyst employed;
  - e. the OC emission rate for each polyester resin employed ("b" x "d" x emission factor\*), in pounds;
  - f. the OC emission rate for each catalyst employed ("b" x "d" x emission factor\*), in pounds;
  - g. the total OC emission rate for all the polyester resins and catalysts employed, in pounds (the sum of "e" for all polyester resins + the sum of "f" for all catalysts);
  - h. the total number of hours the emissions unit was in operation (when polyester resins and/or catalysts were being employed); and

**Style****PTI A****Modification Issued: 2/5/2008**

Emissions Unit ID: R002

- i. the average hourly OC emission rate for all the polyester resins and catalysts employed, in pounds/hour (g/h).
  - \* "Technical Discussion of the Unified Emission Factors for the Open Molding of Composites", April 7, 1999 and "Emission Factors for Liquid Organic Peroxide Catalysts Used in the Open Molding of Composites", March 24, 1999.
2. The permittee shall collect and record the following information for each month for emissions units R001 and R002, combined:
    - a. the company identification for each cleanup material employed;
    - b. documentation on whether or not each cleanup material employed is a photochemically reactive material;
    - c. the OC content (in pounds/gallon) of each cleanup material employed;
    - d. the amount of each cleanup material employed, in gallons;
    - e. the OC emissions from each cleanup material employed ("c" x "d" for each cleanup material);
    - f. the total OC emissions from all cleanup materials employed (the sum of "e" for all cleanup materials); and
    - g. the calendar-year-to-date OC emissions from all cleanup materials employed (the sum of "f" for each month beginning in January and ending in December of each year).
  3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation

**IV. Reporting Requirements**

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with Section A.1.c.ii. of Part I of the General Terms and Conditions of this permit, that include the following information:
  - a. an identification of each day during which the average hourly OC emission rate

**Style Crest Enterprises, Inc.**  
**PTI Application: 03 06005**  
**Modif**

**Facility ID: 0372030210**

Emissions Unit ID: R002

for the polyester resins and catalysts exceeded 8 pounds/hour, and the actual average hourly OC emission rate for any such day; and

- b. an identification of each day during which the OC emissions from the polyester resins and catalysts exceeded 40 pounds/day, and the actual OC emissions for any such day.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office) in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office) within 30 days after the event occurs.
3. The permittee shall notify the Director (the appropriate Ohio EPA District Office) in writing of any monthly record showing the use of noncomplying cleanup materials (i.e., photochemically reactive cleanup materials) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office) within 30 days of the date of the monthly record indicating noncompliance.
4. The permittee shall submit annual reports of the OC emissions from cleanup material usage in emissions units R001 and R002, combined. The report shall be submitted on January 31 of each year and shall cover the previous calendar year.

## **V. Testing Requirements**

1. Compliance with the emissions limitations in Section A.I.1 of these terms and conditions shall be determined in accordance with the following methods:
  - a. Emission Limitations:  
  
8 pounds OC/hour and 40 pounds OC/day  
  
Applicable Compliance Method:  
  
Compliance with the hourly and daily OC emission limitations above shall be based upon the record keeping requirements contained in Section A.III.1 of this permit.
  - b. Emission Limitation:  
  
3.0 tons OC/year from non-photochemically reactive cleanup material usage in units R001 and R002, combined  
  
Applicable Compliance Method:

Compliance with the annual OC emission limitation above shall be based upon the record keeping requirements contained in Section A.III.2 of this permit.

c. Emission Limitation:

0.551 pound PE/hour

Applicable Compliance Method:

To determine the actual worst case PE rate (E), the following equation may be used for the spraying operations:

$E = \text{maximum coating solids usage rate for the spray stations, in pounds per hour} \times (1-TE) \times (1-CE)$

where:

$E = \text{PE rate (lbs/hr)}$

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used for the spray stations (obtained from the application equipment manufacturer or from technical references), expressed as a fraction

CE = control efficiency of the control equipment (assumed to be 98%), expressed as a fraction

If required, the permittee shall demonstrate compliance with the PE limitation above pursuant to OAC rule 3745-17-03(B)(10).

**Style**

**PTI A**

**Modification Issued: 2/5/2008**

Emissions Unit ID: R002

d. Emission Limitation:

Visible PE shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method:

If required, compliance shall be determined through visible emissions observations performed in accordance with 40 CFR, Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

Style Crest Enterprises, Inc.  
PTI Application: 03 06005  
Modif

Facility ID: 0372030210

Emissions Unit ID: R002

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R002 - fiberglass/resin spray booth #2 (airless spray)	See B.III	See B.III

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

- 1. The permit to install for this emissions unit (R002) was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant:

Pollutant: styrene  
 TLV (mg/m3): 215  
 Maximum Hourly Emission Rate (lbs/hr): 8.0  
 Predicted 1-Hour Maximum Ground-Level Concentration (ug/m3): 770  
 MAGLC (ug/m3): 3071

- 2. Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or

not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) is (are) defined as a modification under other provisions of the modification definition, then the permittee shall obtain a final permit to install prior to the change.

3. The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"
  - a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
  - b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and

**Style Crest Enterprises, Inc.**  
**PTI Application: 02 06005**  
**Modif**

**Facility ID: 0372030210**

Emissions Unit ID: R002

- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Style  
PTI A**

Emissions Unit ID: R003

**Modification Issued: 2/5/2008**

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R003 - gelcoat spray booth #1 (airless spray): Administrative modification of PTI No. 03-06095 issued on July 8, 1992. Modification to revise the Operational Restrictions.	OAC rule 3745-31-05(A)(3)	Organic compound (OC) emissions from non-photochemically reactive cleanup material usage shall not exceed 1.90 tons OC/year.
	OAC rule 3745-21-07(G)(2)	See Section A.I.2.a
	OAC rule 3745-17-11(B)(1)	8 pounds organic compounds (OC)/hour, excluding cleanup
	OAC rule 3745-17-07(A)	40 pounds OC/day, excluding cleanup
		See Section A.II.1
		0.551 pound particulate emissions (PE)/hour
		Visible PE shall not exceed 20 percent opacity, as a 6-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

- 2.a The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G)(2), 3745-17-11(B)(1) and 3745-17-07(A).

## II. Operational Restrictions

1. The permittee shall not employ any cleanup material in this emissions unit that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

## III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for this emissions unit:
  - a. the company identification for each gelcoat employed;
  - b. the amount of each gelcoat employed, in pounds;
  - c. the total amount of all the gelcoats employed, in pounds (the sum of "b" for all gelcoats);
  - d. the OC content, in percent by weight, of each gelcoat employed;
  - e. the OC emission rate for each gelcoat employed ("b" x "d" x emission factor\*), in pounds;
  - f. the total OC emission rate for all the gelcoats employed, in pounds (the sum of "e" for all gelcoats);
  - g. the total number of hours the emissions unit was in operation (when gelcoats were being employed); and
  - h. the average hourly OC emission rate for all the gelcoats employed, in pounds/hour (f/g).

\* "Technical Discussion of the Unified Emission Factors for the Open Molding of Composites", April 7, 1999 and "Emission Factors for Liquid Organic Peroxide

**Modification Issued: 2/5/2008**

Catalysts Used in the Open Molding of Composites", March 24, 1999.

2. The permittee shall collect and record the following information for each month:
  - a. the company identification for each cleanup material employed;
  - b. documentation on whether or not each cleanup material employed is a photochemically reactive material;
  - c. the OC content (in pounds/gallon) of each cleanup material employed;
  - d. the amount of each cleanup material employed, in gallons;
  - e. the OC emissions from each cleanup material employed ("c" x "d" for each cleanup material);
  - f. the total OC emissions from all cleanup materials employed (the sum of "e" for all cleanup materials); and
  - g. the calendar-year-to-date OC emissions from all cleanup materials employed (the sum of "f" for each month beginning in January and ending in December of each year).
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation

#### **IV. Reporting Requirements**

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with Section A.1.c.ii. of Part I of the General Terms and Conditions of this permit, that include the following information:
  - a. an identification of each day during which the average hourly OC emission rate for the gelcoats exceeded 8 pounds/hour, and the actual average hourly OC emission rate for any such day; and
  - b. an identification of each day during which the OC emissions from the gelcoats exceeded 40 pounds/day, and the actual OC emissions for any such day.
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office) in

Emissions Unit ID: R003

writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office) within 30 days after the event occurs.

3. The permittee shall notify the Director (the appropriate Ohio EPA District Office) in writing of any monthly record showing the use of noncomplying cleanup materials (i.e., photochemically reactive cleanup materials) in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office) within 30 days of the date of the monthly record indicating noncompliance.
4. The permittee shall submit annual reports of the OC emissions from cleanup material usage in this emissions unit. The report shall be submitted on January 31 of each year and shall cover the previous calendar year.

## **V. Testing Requirements**

1. Compliance with the emissions limitations in Section A.I.1 of these terms and conditions shall be determined in accordance with the following methods:
  - a. Emission Limitations:
 

8 pounds OC/hour and 40 pounds OC/day

Applicable Compliance Method:

Compliance with the hourly and daily OC emission limitations above shall be based upon the record keeping requirements contained in Section A.III.1 of this permit.
  - b. Emission Limitation:
 

1.90 tons OC/year from non-photochemically reactive cleanup material usage

Applicable Compliance Method:

Compliance with the annual OC emission limitation above shall be based upon the record keeping requirements contained in Section A.III.2 of this permit.
  - c. Emission Limitation:
 

0.551 pound PE/hour

Applicable Compliance Method:

To determine the actual worst case PE rate (E), the following equation may be used for the spraying operations:

$E = \text{maximum coating solids usage rate for the spray stations, in pounds per hour} \times (1-TE) \times (1-CE)$

where:

$E = \text{PE rate (lbs/hr)}$

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used for the spray stations (obtained from the application equipment manufacturer or from technical references), expressed as a fraction

CE = control efficiency of the control equipment (assumed to be 98%), expressed as a fraction

If required, the permittee shall demonstrate compliance with the PE limitation above pursuant to OAC rule 3745-17-03(B)(10).

d. Emission Limitation:

Visible PE shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.

**Style**

**PTI A**

**Modification Issued: 2/5/2008**

Emissions Unit ID: R003

Applicable Compliance Method:

If required, compliance shall be determined through visible emissions observations performed in accordance with 40 CFR, Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

Style Crest Enterprises, Inc.  
PTI Application: 02 06005  
Modif

Facility ID: 0372030210

Emissions Unit ID: R003

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R003 - gelcoat spray booth #1 (airless spray)	None	None

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None