

Facility ID: 0354010123 Issuance type: Title V Draft Permit

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part III" and before "I. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

Part II - Specific Facility Terms and Conditions

a State and Federally Enforceable Section

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

b State Only Enforceable Section

1. The following insignificant emissions units are located at this facility:

Motoman Welder, Ohio EPA emissions unit P042;
AMU #2, Ohio EPA emissions unit Z001;
AMU #4, Ohio EPA emissions unit Z002;
AMU #5, Ohio EPA emissions unit Z003;
AMU #8, Ohio EPA emissions unit Z004;
AMU #10, Ohio EPA emissions unit Z005;
AMU #12, Ohio EPA emissions unit Z006;
AMU #13, Ohio EPA emissions unit Z007;
AMU #15, Ohio EPA emissions unit Z008;
Maintenance Parts Washer, Ohio EPA emissions unit Z009;
Forklift Repair Parts Washer, Ohio EPA emissions unit Z010;
Tool Room Parts Washer, Ohio EPA emissions unit Z011;
Solvent Storage Tank #1, Ohio EPA emissions unit Z012;
Solvent Storage Tank #2, Ohio EPA emissions unit Z013;
Solvent Storage Tank #3, Ohio EPA emissions unit Z014;
Solvent Storage Tank #4, Ohio EPA emissions unit Z015;
Waste Oil Storage Tank #1, Ohio EPA emissions unit Z016;
Waste Oil Storage Tank #2, Ohio EPA emissions unit Z017;
Waste Oil Storage Tank #3, Ohio EPA emissions unit Z018;
Boiler #1, Ohio EPA emissions unit B001;
AMU #1, Ohio EPA emissions unit B002;
Boiler #2, Ohio EPA emissions unit B003;
Rim Line Welding, Ohio EPA emissions unit P013;
Paint Strip Dip Tank #1, Ohio EPA emissions unit P014;
Paint Strip Dip Tank #2, Ohio EPA emissions unit P015;
Rim Grinding, Ohio EPA emissions unit P016;
Rim Polishing, Ohio EPA emissions unit P017;
Semi-Automatic Brazing Unit #10, Ohio EPA emissions unit P025;
Fork Cell #1, Ohio EPA emissions unit P026;
Fork Cell #2, Ohio EPA emissions unit P027;
Fork Cell #3, Ohio EPA emissions unit P028;
Fork Cell #4, Ohio EPA emissions unit P029;
Fork Cell #5, Ohio EPA emissions unit P030;
Fork Cell #6, Ohio EPA emissions unit P031;
Frame Weld Cell #1, Ohio EPA emissions unit P032;
Frame Weld Cell #2, Ohio EPA emissions unit P033;
Frame Weld Cell #3, Ohio EPA emissions unit P034;
Frame Weld Cell #4, Ohio EPA emissions unit P035;
Frame Weld Cell #5, Ohio EPA emissions unit P036;
Frame Weld Cell #6, Ohio EPA emissions unit P037;
Lab Fume Hood, Ohio EPA emissions unit P038; and
Welding Degreaser #1, Ohio EPA emissions unit P039.

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within a Permit to Install for the emissions unit.

[Go to Part III for Emissions Unit K001](#)

[Go to Part III for Emissions Unit K003](#)

[Go to Part III for Emissions Unit N001](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0354010123 Emissions Unit ID: K001 Issuance type: Title V Draft Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
main coating line (prime disc 1,2,3; 1st touch-up spray 1,2; 1st oven; pre-touchup spray 1,2; finish disc 1,2,3; 2nd touch-up spray 1,2; 2nd oven; and cleanup operations)	OAC rule 3745-17-11(B)(2) See section A.VI.	5.61 lbs particulate matter (PM)/hr
	OAC rule 3745-31-05 See section A.VI.	8764 lbs volatile organic compounds (VOC)/day, including cleanup materials
	OAC rule 3745-17-07(A)(1-3) See section A.VI.	20% opacity, except as provided by rule
	OAC rule 3745-21-09(U)(2)(f)(ii) See section A.VI.	5.8 lbs VOC/gallon of coatings (based on a daily volume-weighted average)
	OAC rule 3745-31-05 See section A.VI.	7.2 lbs VOC/gallon of cleanup materials

2. Additional Terms and Conditions

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each day for this emissions unit:
 - a. The name and identification number of each coating employed.
 - b. The number of gallons of each coating employed.
 - c. The VOC content (including any water and exempt solvents) of each coating, as applied, in pounds per gallon.
 - d. The VOC emissions from each coating (III.1.b X III.1.c), in pounds.
 - e. The total VOC emissions from all coatings, in pounds.
 - f. The daily volume-weighted average VOC content of all coatings, as applied, calculated in accordance with the equation specified in OAC rule 3745-21-10 (B)(9) for CVOC,2.
 - g. The name and identification number of each cleanup material employed.
 - h. The number of gallons of each cleanup material employed.
 - i. The VOC content of each cleanup material, in pounds per gallon.

- j. The VOC emissions from each cleanup material (III.1.h X III.1.i), in pounds.
- k. The total VOC emissions from all cleanup materials, in pounds.
- l. The number of gallons of waste cleanup material.
- m. The 'emissions credit', in pounds, as determined in accordance with the following equation:

$$\text{emissions credit (lbs/day)} = \text{number of gallons of waste material (gallon/day)} \times \text{VOC content of waste material (lbs VOC/gallon)}$$

The VOC content of the waste cleanup material shall be determined on a 'per batch processed' basis in accordance with section V.1 of this permit. The most recent determination shall be used to calculate the daily emissions credit above.
- n. The total VOC emissions from all coatings and cleanup materials (III.1.e + III.1.k - III.1.m), in pounds.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the daily volume-weighted average VOC content of 5.8 lbs VOC/gallon of coating, the VOC content of 7.2 lbs VOC/gallon of cleanup material, and the daily VOC emissions limitation of 8764 lbs, as well as the corrective action(s) that were taken to achieve compliance.
2. The deviation reports shall be submitted as specified in General Condition A.1.c of this permit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
5.61 lbs PM per hr

 Applicable Compliance Method:
 To determine the actual worst case particulate rate (Et), the following equation shall be used for the paint spraying operations:

$$Et = \text{summation of } Ei \text{ for all paint spraying operations contained in emissions unit K001}$$

$$Ei = \text{particulate matter emissions rate (lbs/hr) for paint operation } i$$

$$Ei = \text{maximum coating solids usage rate for paint operation } i \text{ in pounds per hour} \times (1 - TEi) \times (1 - CEi)$$

$$i = 1, 2, 3, \dots$$

$$TEi = \text{transfer efficiency for paint operation } i, \text{ which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used}$$

$$CEi = \text{control efficiency of the control equipment for paint operation } i$$

If required, the permittee shall demonstrate compliance with the above emissions limit pursuant to OAC rule 3745-17-03(B)(10).
 - b. Emission Limitation:
20% opacity, except as provided by rule

 Applicable Compliance Method:
OAC 3745-17-03(B)(1)
 - c. Emission Limitations:

 8764 lbs VOC/day, including cleanup materials

 5.8 lbs/gallon VOC of coatings (based on a daily volume-weighted average)

 7.2 lbs VOC/gallon of cleanup materials

 Applicable Compliance Method:
 The record keeping requirements in section A.III.1 of this permit shall be used to determine compliance with the above limits.

 Any determination of the VOC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup

material, or from data determined by an analysis of each coating/cleanup material, as received, by Reference Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the VOC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "VOC content" means all volatile organic compounds that are in a coating/cleanup material expressed as pounds of VOC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in permit to install number 03-2820, as issued on August 10, 1994: A.I.1, A.III.1, A.IV, B.I.1, B.III.1, and B.IV.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

[Go to the top of this document](#)

Facility ID: 0354010123 Emissions Unit ID: K001 Issuance type: Title V Draft Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
main coating line (prime disc 1,2,3; 1st touch-up spray 1,2; 1st oven; pre-touchup spray 1,2; finish disc 1,2,3; 2nd touch-up spray 1,2; 2nd oven; and cleanup operations)	OAC rule 3745-31-05 See section A.VI.	543 tons VOC/year based upon a rolling, 365-day summation of the daily emissions, including cleanup materials

2. **Additional Terms and Conditions**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall each day collect and record the rolling, 365-day VOC emissions rate, in tons, for this emissions unit. The rolling, 365-day VOC emissions rate shall be determined in accordance with the following equation:

VOC emissions (tons)/rolling, 365-day period = sum of the VOC emissions from the preceding 364 calendar days (tons)+ the VOC emissions from the current day (tons)*

* The daily VOC emissions required to calculate the rolling, 365-day summation of the VOC emissions are documented pursuant to section A.III.1 of this permit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

1. The permittee shall submit quarterly deviation (excursion) reports which identify all exceedances of the rolling, 365-day VOC emission limitation of 543 tons.
2. The permittee shall submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitations:

543 tons VOC/rolling, 365-day period, including cleanup materials

Applicable Compliance Method:

The record keeping requirements in section B.III.1 of this permit shall be used to determine compliance with the above limit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0354010123 Emissions Unit ID: K003 Issuance type: Title V Draft Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint overspray booths with 2 ovens	OAC rule 3745-17-11(B)(2) See section A.VI.	none (see A.2.a.)
	OAC rule 3745-17-07(A)(1-3) See section A.VI.	20% opacity, except as provided by rule
	OAC rule 3745-31-05 See section A.VI.	980 lbs VOC/day, including cleanup materials
	OAC rule 3745-21-09(U)(2)(f)(ii) See section A.VI.	5.6 lbs VOC/gallon of coatings (based on a daily volume-weighted average)
	OAC rule 3745-31-05 See section A.VI.	7.2 lbs VOC/gallon of cleanup materials

2. Additional Terms and Conditions

- a. Table I does not apply since Mercer is not a P-1 County. Also, Figure II does not apply since the maximum uncontrolled mass rate of particulate emissions is less than 10 lbs/hr.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each day for this emissions unit:
 - a. The name and identification number of each coating employed.
 - b. The number of gallons of each coating employed.
 - c. The VOC content (including any water and exempt solvents) of each coating, as applied, in pounds per gallon.
 - d. The VOC emissions from each coating (III.1.b X III.1.c), in pounds.
 - e. The total VOC emissions from all coatings, in pounds.
 - f. The daily volume-weighted average VOC content of all coatings, as applied, calculated in accordance with the equation specified in OAC rule 3745-21-10 (B)(9) for CVOC,2.
 - g. The name and identification number of each cleanup material employed.
 - h. The number of gallons of each cleanup material employed.
 - i. The VOC content of each cleanup material, in pounds per gallon.
 - j. The VOC emissions from each cleanup material (III.1.h X III.1.i), in pounds.
 - k. The total VOC emissions from all cleanup materials, in pounds.
 - l. The number of gallons of waste cleanup material.
 - m. The 'emissions credit', in pounds, as determined in accordance with the following equation:

 emissions credit (lbs/day) = number of gallons of waste material (gallon/day) x VOC content of waste material (lbs VOC/gallon)

 The VOC content of the waste cleanup material shall be determined on a 'per batch processed' basis in accordance with section V.1 of this permit. The most recent determination shall be used to calculate the daily emissions credit above.
 - n. The total VOC emissions from all coatings and cleanup materials (III.1.e + III.1.k - III.1.m), in pounds.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the daily volume-weighted average VOC content of 5.6 lbs VOC/gallon of coating, the VOC content of 7.2 lbs VOC/gallon of cleanup material, and the daily VOC emissions limitation of 980 lbs, as well as the corrective action(s) that were taken to achieve compliance.
2. The deviation reports shall be submitted as specified in General Condition A.1.c of this permit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section B.I. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
20% opacity, except as provided by rule

 Applicable Compliance Method:
OAC 3745-17-03(B)(1)
 - b. Emission Limitations:

 980 lbs VOC/day, including cleanup materials

 5.6 lbs/gallon VOC of coatings (based on daily volume-weighted average)

 7.2 lbs VOC/gallon of cleanup materials

 Applicable Compliance Method:
The record keeping requirements in section A.III.1 of this permit shall be used to determine compliance with the above limits.

 Any determination of the VOC content*, solids content, or density of a coating and/or cleanup material

shall be based on the coating/cleanup material as as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by Reference Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the VOC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "VOC content" means all volatile organic compounds that are in a coating/cleanup material expressed as pounds of VOC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in permit to install number 03-2820, as issued on August 10, 1994: A.I.1, A.III.1, A.IV, B.I.1, B.III.1, and B.IV.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

[Go to the top of this document](#)

Facility ID: 0354010123 Emissions Unit ID: K003 Issuance type: Title V Draft Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint overspray booths with 2 ovens	OAC rule 3745-31-05 See section A.VI.	9.9 tons VOC/year based upon a rolling, 365-day summation of the daily emissions, including cleanup materials

2. **Additional Terms and Conditions**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall each day collect and record the rolling, 365-day VOC emissions rate, in tons, for this emissions unit. The rolling, 365-day VOC emissions rate shall be determined in accordance with the following equation:

$$\text{VOC emissions (tons)/rolling, 365-day period} = \text{sum of the VOC emissions from the preceding 364 calendar days (tons)} + \text{the VOC emissions from the current day (tons)}^*$$

* The daily VOC emissions required to calculate the rolling, 365-day summation of the VOC emissions are documented pursuant to section A.III.1 of this permit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which identify all exceedances of the rolling, 365-day VOC emission limitation of 9.9 tons.
2. The permittee shall submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section B.I. of these terms and conditions shall be determined in accordance with the following method(s):
 Emission Limitations:
 9.9 tons VOC/rolling, 365-day period, including cleanup materials

 Applicable Compliance Method:
 The record keeping requirements in section B.III.1 of this permit shall be used to determine compliance with the above limit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0354010123 Emissions Unit ID: N001 Issuance type: Title V Draft Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint rack "burn-off" oven (blu-surf unit)	OAC rule 3745-17-09(B) See section A.VI. OAC rule 3745-17-07(A)(1-3) See section A.VI.	0.10 lb PM/100 lbs materials charged 20 percent opacity, except as provided by rule

2. Additional Terms and Conditions

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. The permittee shall maintain the temperature within the combustion chamber of the oven, when the unit is in operation, at not less than 1250 degrees Fahrenheit.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall operate and maintain a continuous temperature monitor and recorder which measures

and records the temperature of the combustion chamber of the oven when the emissions unit is in operation. Units shall be in degrees Fahrenheit. The accuracy for each thermocouple, monitor, and recorder shall be guaranteed by the manufacturer to be within +/- 1 percent of the temperature being measured or +/- 5 degrees Fahrenheit, whichever is greater. The temperature monitor and recorder shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

The permittee shall collect and record the following information for each day:

- a. All time periods during which the temperature of the combustion chamber of the oven, when in operation, was less than 1250 degrees Fahrenheit.
- b. A log of the downtime for the monitoring equipment, when the oven was in operation.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the temperature of the combustion chamber of the oven fell below 1250 degrees Fahrenheit, as well as the corrective action(s) taken.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:
20% opacity, except as provided by rule

Applicable Compliance Method:
OAC 3745-17-03(B)(1)

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

a. The emission testing shall be conducted within 6 months prior to permit renewal.

b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for particulate matter.

c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, 40 CFR Part 60, Appendix A. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in permit to install number 03-7031, as issued on July 8, 1993: A.I, B.I, B.II and B.III.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0354010123 Issuance type: Title V Draft Permit

[Go to the top of this document](#)

Facility ID: 0354010123 Emissions Unit ID: N001 Issuance type: Title V Draft Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
paint rack "burn-off" oven (blu-surf unit)	OAC rule 3745-31-05 See section A.VI.	See B.2.a.

2. Additional Terms and Conditions

- a. The visible particulate emissions from this emissions unit shall not exceed five percent opacity, as a ten-minute average, for more than one ten-minute period in any sixty-minute period.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. The permittee shall not incinerate any hazardous waste materials as specified in 40 CFR 261.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance Methods-
 - Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - Visible Emissions Restrictions:
5% opacity
 - Applicable Compliance Method:
Compliance shall be determined by visible emission evaluations performed in accordance with procedures specified in USEPA Reference Method 9 (40 CFR Part 60, App. A) with the opacity values determined based on a 10-minute average.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. None