



State of Ohio Environmental Protection Agency

Street Ad
50 West

Address:
7 Center
Box 1049

**RE: FINAL PERMIT TO INSTALL
WILLIAMS COUNTY
Application No: 03-17277
Fac ID: 0386010201**

CERTIFIED MAIL

DATE: 4/12/2007

Plastech Engineered Products, Inc
Rob Foust
918 South Union St
Bryan, OH 43506

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NWDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

FINAL PERMIT TO INSTALL 03-17277

Application Number: 03-17277
Facility ID: 0386010201
Permit Fee: **\$2400**
Name of Facility: Plastech Engineered Products, Inc
Person to Contact: Rob Foust
Address: 918 South Union St
Bryan, OH 43506

Location of proposed air contaminant source(s) [emissions unit(s)]:
918 South Union Street
Bryan, Ohio

Description of proposed emissions unit(s):
Multiple spray coating operations.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to

the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

Plastech Engineered Products, Inc
PTI Application: 03-17277
Issued: 4/12/2007

Facility ID: 0386010201

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Plastech Engineered Products, Inc
PTI Application: 03-17277
Issued: 4/12/2007

Facility ID: 0386010201

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Plastech Engineered Products, Inc
PTI Application: 03-17277
Issued: 4/12/2007

Facility ID: 0386010201

13. Permit-To-Install

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

B. State Only Enforceable Permit-To-Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder.

Plastech Engineered Products, Inc
PTI Application: 03-17277
Issued: 4/12/2007

Facility ID: 0386010201

The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

Plastech Engineered Products, Inc
PTI Application: 03-17277
Issued: 4/12/2007

Facility ID: 0386010201

4. Authorization To Install or Modify

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

Plastech Engineered Products, Inc
 PTI Application: 03-17277
 Issued: 4/12/2007

Facility ID: 0386010201

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit-To-Install Summary of Allowable Emissions

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	49.6
PE	2.67
Individual HAPs	9.00
Aggregate HAPs	24.00

Plastech Engineered Products, Inc
PTI Application: 03-17277
Issued: 4/12/2007

Facility ID: 0386010201

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Emissions Unit ID: P002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P002) - assembly (gluing station)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56

Emissions Unit ID: P002

1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the pounds per gallon of each HAP in each coating and cleanup material employed;

Issued: 4/12/2007

- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

- 1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section

A.III.1. of this permit.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P002) - assembly (gluing station)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

Issued: 4/12/2007

Emissions Unit ID: P002

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R006) - paint booth 6 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Issued: 4/12/2007

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

Emissions Unit ID: R006

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the pounds per gallon of each HAP in each coating and cleanup material employed;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
 - e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
 - f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
 - g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Issued: 4/12/2007

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R006) - paint booth 6 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Emissions Unit ID: R012

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R012) - paint booth 12 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56

Issued: 4/12/2007

1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:

Issued: 4/12/2007

- a. the company identification of each coating and cleanup material employed;
- b. the pounds per gallon of each HAP in each coating and cleanup material employed;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

Plastech Engineered Products, Inc

DTL Application: 02 17277

Facility ID: 0386010201

Emissions Unit ID: R012

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R012) - paint booth 12 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R013) - paint booth 13 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Emissions Unit ID: R013

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

- The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:

Issued: 4/12/2007

- a. the company identification of each coating and cleanup material employed;
- b. the pounds per gallon of each HAP in each coating and cleanup material employed;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Issued: 4/12/2007

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R013) - paint booth 13 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R014) - paint booth 14 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Issued: 4/12/2007

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

Emissions Unit ID: R014

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the pounds per gallon of each HAP in each coating and cleanup material employed;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
 - e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
 - f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
 - g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Issued: 4/12/2007

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R014) - paint booth 14 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R015) - paint booth 15 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Emissions Unit ID: R015

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

- The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:

Issued: 4/12/2007

- a. the company identification of each coating and cleanup material employed;
- b. the pounds per gallon of each HAP in each coating and cleanup material employed;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Plastech Engineered Products, Inc

DTI Application: 02-17277

Facility ID: 0386010201

Emissions Unit ID: R015

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R015) - paint booth 15 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R016) - paint booth 16 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Issued: 4/12/2007

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

Emissions Unit ID: R016

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the pounds per gallon of each HAP in each coating and cleanup material employed;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
 - e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
 - f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
 - g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Issued: 4/12/2007

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R016) - paint booth 16 (spray booth w/filters)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R017) - paint booth 17 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Emissions Unit ID: R017

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

- The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:

Issued: 4/12/2007

- a. the company identification of each coating and cleanup material employed;
- b. the pounds per gallon of each HAP in each coating and cleanup material employed;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Plastech Engineered Products, Inc

DTI Application: 02 17277

Facility ID: 0386010201

Emissions Unit ID: R017

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R017) - paint booth 17 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment (R018) - paint booth 18 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Issued: 4/12/2007

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

Emissions Unit ID: R018

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the pounds per gallon of each HAP in each coating and cleanup material employed;
 - c. the number of gallons of each coating and cleanup material employed;
 - d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
 - e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
 - f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
 - g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Issued: 4/12/2007

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R018) - paint booth 18 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Emissions Unit ID: R019

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R019) - paint booth 19 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56

Issued: 4/12/2007

1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:

Issued: 4/12/2007

- a. the company identification of each coating and cleanup material employed;
- b. the pounds per gallon of each HAP in each coating and cleanup material employed;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

Plastech Engineered Products, Inc

DTL Application: 02 17277

Facility ID: 0386010201

Emissions Unit ID: R019

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R019) - paint booth 19 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R027) - paint booth 27 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G)	See A.I.2.c
OAC rule 3745-17-11 (B) (2)	See A.I.2.d
OAC rule 3745-17-07 (A)	See A.I.2.e

2. Additional Terms and Conditions

- 2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:
 - i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
----------	----------------	---------------

Emissions Unit ID: R027

1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

- 2.b** This emissions unit is not a "new source" as defined in OAC rule 3745-31-01 (TTT) and hence is not subject to the Best Available Technology requirements of OAC rule 3745-31-05 (A) (3).
- 2.c** This facility is not located in a "Priority I" county as indicated in paragraph (A) of OAC rule 3745-21-06, and is not a "new source." Therefore, pursuant to OAC rule 3745-21-07 (A), it is exempt from the requirements of OAC rule 3745-21-07 (G).
- 2.d** The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11 (A) (2) (a) (ii), this emissions unit is exempt from the requirements of OAC rule 3745-17-11 (B) (2).
- 2.e** This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07 (A) pursuant to OAC rule 3745-17-07 (A) (3) (h), because OAC rule 3745-17-11 is not applicable.

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

- The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:

Issued: 4/12/2007

- a. the company identification of each coating and cleanup material employed;
- b. the pounds per gallon of each HAP in each coating and cleanup material employed;
- c. the number of gallons of each coating and cleanup material employed;
- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
- e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
- f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
- g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling,

Issued: 4/12/2007

12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1. of this permit.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R027) - paint booth 27 (spray booth w/filters).

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
None	None

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R029) - paint spray booth 29 -plastic molded products (with drying oven), administrative modification to PTI 03-16134 issued on 6/24/04 to allow for federally enforceable restrictions on HAPs.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05 (A) (3)	Use of dry filtration (See A.II.2) On any day when no photochemically reactive materials (PRM's) are employed, 46.4 lbs organic compounds (OC)/hr from coating operations 48.8 tons OC/yr from coating operations 132 lbs OC/month & 0.79 ton OC/yr from cleanup operations (See A.II.1) 0.61 lb particulate emissions (PE)/hr & 2.67 ton PE/yr The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07 (A) and 3745-21-07 (G) (2)
OAC rule 3745-31-05 (C)	Annual hazardous air pollutant (HAP) emissions from emissions units P002, R006, R012 through R019, R027, and R029 combined shall not exceed 9.00 tons per rolling 12-month period for any individual HAP and 24.00 tons per rolling 12-month period for all HAPs combined (see A.I.2.a)
OAC rule 3745-21-07 (G) (2)	On any day when employing a photochemically reactive material 8 lbs OC/hr & 40 lbs OC/day
OAC rule 3745-17-07 A)	Visible PE shall not exceed 20% opacity, as a six-minute average, except as provided by rule
OAC rule 3745-17-11 (B) (2)	See A.I.2.b

Issued: 4/12/2007

2. Additional Terms and Conditions

2.a The permit establishes the following federally enforceable emission limitations for purposes of avoiding Major Source thresholds for HAPs:

- i. 9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

To ensure federal enforceability during the first 12 calendar months of operation under the provisions of this permit, the permittee shall not exceed the HAP emission rates specified in this table:

Maximum Allowable Cumulative HAP Emission Rate (tons):

Month(s)	Individual HAP	Combined HAPs
1-1	2.25	6.00
1-2	2.86	7.64
1-3	3.47	9.28
1-4	4.08	10.92
1-5	4.69	12.56
1-6	5.30	14.20
1-7	5.91	15.84
1-8	6.52	17.48
1-9	7.13	19.12
1-10	7.74	20.73
1-11	8.35	22.37
1-12	9.00	24.00

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual HAP limitations shall be based upon a rolling, 12-month summation of the monthly emission rates.

2.b The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05 (A) (3).

II. Operational Restrictions

- 1. The permittee shall not employ any cleanup material in this emissions unit that is a

Issued: 4/12/2007

photochemically reactive material as defined in OAC rule 3745-21-01.

2. The permittee shall operate the dry filtration system on th paint spray booth whenever the emissions unit is in operation.

Issued: 4/12/2007

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for this emissions unit:
 - a. the company identification for each coating material employed; and
 - b. documentation on whether or not each coating employed is a photochemically reactive material.
2. The permittee shall collect and record the following information each day during which any photochemically reactive coating material is employed as determined in section A.III.2.b above:
 - a. the number of gallons of each coating material employed;
 - b. the OC content, in pounds per gallon, of each coating material employed;
 - c. the OC emission rate for each coating material employed (A.III.2.a x A.III.2.b.), in pounds;
 - d. the total OC emission rate for all coatings employed (summation of A.III.2.c.), in pounds;
 - e. the total number of hours the emissions unit was in operation, and
 - f. the average hourly OC emission rate for all the coatings employed, i.e., (A.III.d/A.III.e), in pounds per hour (average).
3. In conjunction with A.III.2., the permittee shall collect and record the following information each month for this emissions unit:
 - a. the number of gallons of each coating material employed;
 - b. the OC content, in pounds per gallon, for each coating material employed;
 - c. the OC emission rate for each coating material employed (A.III.3.a. x A.III.3.b.), in pounds;
 - d. the total OC emission rate for all coatings employed (summation of A.III.3.c.), in

Emissions Unit ID: R029

pounds; and

- e. the annual, year to date OC emissions from all coatings employed (summation of A.III.3.d., for each calendar month to date from January to December).

- 4. The permittee shall collect and record the following information each month for this emissions unit:

- a. the company identification for each cleanup material employed;
- b. documentation on whether or not each cleanup material employed is a photochemically reactive material;
- c. the number of gallons of each cleanup material employed;
- d. the OC content, in pounds per gallon, for each cleanup material employed;
- e. the OC emission rate for each cleanup material employed (A.III.4.c x A.III.4.d), in pounds;
- f. the total OC emission rate for all cleanup material employed (summation of A.III.4.e), in pounds; and

the company may calculate OC emissions from cleanup operations in accordance with the following formula if waste cleanup materials are sent off-site for reclamation/disposal:

OC emissions from cleanup operations + (total gallons of cleanup material used x solvent density of cleanup material) - (total gallons cleanup material sent off-site for disposal or reclamation [minus solids content of said material]) x solvent density.

- g. the annual, year to date OC emissions from all cleanup materials employed (summation of A.III.4.f., for each calendar month to date from January to December).
- 5. The permittee shall collect and record the following information regarding HAP emissions each month for emissions units P002, R006, R012 through R019, R027, and R029 combined:
 - a. the company identification of each coating and cleanup material employed;
 - b. the pounds per gallon of each HAP in each coating and cleanup material employed;
 - c. the number of gallons of each coating and cleanup material employed;

Issued: 4/12/2007

- d. the total emissions rate for each HAP from all coatings and cleanup materials employed [summation of each HAP emissions rate (A.III.b. x A.III.c.) for each individual coating and cleanup material employed, in lbs/month;
 - e. the total HAP rate for the combination of all HAPs from all coatings and cleanup materials employed (sum of A.III.d. for all HAPs), in lbs/month;
 - f. for the first 12 months of operation, the cumulative monthly emission rate of each individual HAP and all HAPs combined in tons per month; and
 - g. beginning the first month after the first 12 calendar months of operation, the annual emission of each individual HAP and all HAPs combined, based upon a rolling, 12-month summation of monthly HAP emissions.
6. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. for the days during which a photochemically reactive material was employed, an identification of each day during which the average hourly organic compounds emissions from this emissions unit exceeded 8 pounds per hour, and the actual organic compounds emissions for each such day; and
 - b. for the days during which a photochemically reactive material was employed, an identification of each day during which the organic compounds emissions from this emissions unit exceeded 40 pounds per day, and the actual organic compounds emissions for each such day.

The permittee shall submit these deviation (excursion) reports in accordance with the General Terms and Conditions of this permit.

2. The permittee shall submit deviation (excursion) reports for this emissions unit which identify exceedances of the 132 lbs OC/month for cleanup material.

The permittee shall submit these deviation (excursion) reports in accordance with the

Emissions Unit ID: R029

General Terms and Conditions of this permit.

3. The permittee shall submit deviation (excursion) reports that identify each day during which a photochemically reactive cleanup material was employed. The report shall be submitted within 45 days after the deviation occurs.
4. The permittee shall submit deviation (excursion) reports which identify any exceedances of the following:
 - a. any exceedance of the rolling individual HAP and combined HAPs emission limitations specified in Section A.I.2.a.i. of this permit; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable individual HAP limitations and combined HAPs emission limitations specified in section A.I.2.a.i. of this permit.
5. The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the even occurs.

V. Testing Requirements

1. Compliance with the emission limitations(s) in Section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
On any day when employing a photochemically reactive coating material, 8 lbs OC/hr & 40 lbs OC/day

Applicable Compliance Method:
Compliance shall be based on the record keeping requirements specified in section A.III.2. of this permit.
 - b. Emission Limitation:
46.4 lbs OC/hr from coating operations

Applicable Compliance Method:
The hourly OC emission limitation is based on the emission unit's potential to emit.* Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance.

*The potential to emit for this emissions unit was based on a maximum emission rate, of 3.6 lbs OC per gallon combined with an hourly usage rate of 12.9 gallons

Issued: 4/12/2007

per hour.

- c. Emission Limitation:
48.8 tons OC/yr from coating operations

Applicable Compliance Method:

The annual OC emission limitation represents the potential to emit of the emissions unit and is based on inherent limitations associated with product molding throughput capacities. compliance shall be verified based on the record keeping requirements as specified in Section A.III.3. of this permit.

- d. Emission Limitations:
132 lbs OC/month & 0.79 ton OC/yr from cleanup operations

Applicable Compliance Method:

Compliance with the monthly limitation shall be based on the record keeping requirements as specified in section A.III.4. of this permit.

The annual allowable OC limitation was developed by multiplying the monthly limitation by a maximum operating schedule of 12 months, and then dividing by 2000. Therefore, if compliance is shown with the monthly limitation, compliance is shown with the annual limitation.

- e. Emission Limitation:
0.61 lb PE /hr, 2.67 ton PE /yr

Applicable Compliance Method:

The permittee may calculate actual PE rate from the unit utilizing the following equation:

$$E = (\text{maximum coating solids usage rate}) \times (1-TE) \times (1-CE)$$

where:

E = PE rate (pounds/hour).

TE = Transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used.

Emissions Unit ID: R029

CE = Control efficiency of the control equipment (filters).

If required, compliance with the hourly PE limitation shall be determined in accordance with Methods 1 - 5 of 40 CFR, Part 60, Appendix A.

The annual allowable PE limitation was developed by multiplying the hourly limitation by 8760, and then dividing by 2000. Therefore, if compliance is shown with the hourly limitation, compliance is shown with the annual limitation.

f. Emission Limitation:

20% opacity, as a six-minute average, except as provided by rule.

Applicable Compliance Method:

If required, compliance shall be determined through visible emissions observations performed in accordance with OAC rule 3745-17-03 (B) (1).

g. Emission Limitation:

9.00 tons per rolling, 12-month period for any individual HAP and 24.00 tons per rolling, 12-month period for any combination of HAPs for emissions units P002, R006, R012 through R019, R027, and R029 combined.

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.5. of this permit.

2. Formulation data or US EPA Method 24 shall be used to determine the OC content of the coatings.

VI. Miscellaneous Requirements

None

Issued: 4/12/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R029) - paint spray booth 29 -plastic molded products (with drying oven), administrative modification to PTI 03-16134 issued on 6/24/04 to allow for federally enforceable restrictions on HAPs.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
See section B.III.1 through B.III.3	See section B.III.1 through B.III.3

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permit to install for this emissions unit R029 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: methyl amyl ketone

TLV (ug/m3): 233,000

Maximum Hourly Emission Rate (lbs/hr): 47.6 (includes clean-up)

Issued: 4/12/2007

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m3): 4186
MAGLC (ug/m3): 5550

2. Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:
 - a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
 - b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
 - c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).
3. If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) is (are) defined as a modification under other provisions of the modification definition, then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

Emissions Unit ID: R029

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None