



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
WYANDOT COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 03-13790

DATE: 7/30/2002

Walton Agri-Service, Inc. Wharton Branch
Keith Martin
P.O. Box 360 601 S. Logan Street
Wapakoneta, OH 45895

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

NWDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

**Permit To Install
Terms and Conditions**

**Issue Date: 7/30/2002
Effective Date: 7/30/2002**

FINAL PERMIT TO INSTALL 03-13790

Application Number: 03-13790
APS Premise Number: 0388000046
Permit Fee: **\$3400**
Name of Facility: Walton Agri-Service, Inc. Wharton Branch
Person to Contact: Keith Martin
Address: P.O. Box 360 601 S. Logan Street
Wapakoneta, OH 45895

Location of proposed air contaminant source(s) [emissions unit(s)]:

**110 Railroad St
Wharton, Ohio**

Description of proposed emissions unit(s):

Installation of 3000 bushel/hr column grain dryer and modification to increase throuput capacity of grain receiving, transferring and conveying, drying, and shipping.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Walton Agri-Service, Inc. Wharton Branch
PTI Application: 03-13790
Issued: 7/30/2002

Facility ID: 0388000046

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Fugitive PE	5.39

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F001 - Grain receiving stations and transferring/conveying operations (modification to PTI #03-8905, issued 2/22/96). Modification involves increasing the annual throughput and changing emission limits.	OAC rule 3745-31-05(A)(3)	Control Requirements (See A.2.a.) <u>Receiving:</u> 0.08 ton fugitive particulate emissions (PE)/year visible fugitive PE shall not exceed 5% opacity, as a 6-minute average <u>Transferring and Conveying:</u> 0.13 ton fugitive PE/year visible fugitive PE shall not exceed 0% opacity, as a 6-minute average
	OAC rule 3745-17-08(A)	See A.2.b.
	OAC rule 3745-17-07 (B)	See A.2.c.

2. Additional Terms and Conditions

- 2.a The "Best Available Technology" (BAT) control requirements for this emissions unit has been determined to be:
 - i. grain receiving: use of a three-sided enclosure; and
 - ii. transferring/conveying: use of a total enclosure and the application of

mineral oil.

2.b Walton Agri-service, Inc. is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08.

2.c This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).

B. Operational Restrictions

1. The maximum annual grain throughput rate for this emissions unit shall not exceed 87,000 tons.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the amount of (tons per month and total tons, to date for the calendar year) grain throughput for this emissions unit.
2. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the grain receiving, transferring, and conveying operations. The presence or absence of any visible fugitive emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the location and color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emission incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit annual reports which identify any exceedances of the annual grain throughput limitation, as well as the corrective actions that were taken to achieve compliance. If no deviations occurred during the calendar year, the permittee shall submit an annual report, which states that no deviations occurred during that calendar year.

These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

2. The permittee shall submit semiannual written reports that (a) identify all days during which any visible fugitive particulate emissions were observed from the grain receiving, transferring, and

conveying operations and (b) describe any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation

Receiving: 0.08 ton fugitive PE/year

Applicable Compliance Method

The permittee shall demonstrate compliance by multiplying an AP-42 emission factor of 0.18 lbs PE/ton grain (Section 9.9.1 (5/98)) by a maximum annual throughput of 87,000 tons of grain, multiplying by a conversion factor of ton/2000 lbs, and applying a 95% control efficiency for using a three-sided enclosure.

- b. Emission Limitation

Receiving: visible fugitive PE shall not exceed 5% opacity, as a 6-minute average

Applicable Compliance Method

If required, compliance with the visible fugitive PE limitation shall be determined in accordance with the test methods and procedures in USEPA Method 9, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation

Transferring and Conveying: 0.13 ton fugitive PE/year

Applicable Compliance Method

The permittee shall demonstrate compliance by multiplying an AP-42 emission factor of 0.061 lbs PE/ton grain (Section 9.9.1 (5/98)) by a maximum annual grain throughput of 87,000 tons grain/year, multiplying by a conversion factor of ton/2000 lbs, and applying a 95% control efficiency for use of a total enclosure and mineral oil application.

- d. Emission Limitation

Transferring and Conveying: visible fugitive PE shall not exceed 0% opacity, as a 6-minute average

Applicable Compliance Method

Walton Agri-Service, Inc. Wharton Branch

PTI Application: 03-12700

Issued

Facility ID: 0388000046

Emissions Unit ID: **F001**

If required, compliance with the visible fugitive PE limitation shall be determined in accordance with the test methods and procedures in USEPA Method 9, which is located in 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

1. This permit supercedes PTI #03-8905, issued on 2/22/96, for emissions unit F001 and F003 only.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F003 - Loading operations (modification of PTI #03-8905, issued 2/22/96). Modification involves increasing the annual throughput and changing emission limits.	OAC rule 3745-31-05(A)(3)	Control requirements (See A.2.a.) 0.19 ton fugitive PE/year Visible fugitive PE shall not exceed 5% opacity, as a 6-minute average
	OAC rule 3745-17-08(A)	See A.2.b.
	OAC rule 3745-17-07 (B)	See A.2.c.

2. Additional Terms and Conditions

- 2.a The "Best Available Technology" (BAT) control requirements for this emissions unit has been determined to be the use of a three-sided enclosure and the application of mineral oil.
- 2.b Walton Agri-service, Inc. is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08.
- 2.c This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).

B. Operational Restrictions

1. The maximum annual grain throughput rate for emissions unit shall not exceed 87,000 tons.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the amount of (tons per month and total tons, to date for the calendar year) grain throughput for this emissions unit.
2. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the loading operations. The presence or absence of any visible fugitive emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the location and color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emission incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit annual reports which identify any exceedances of the annual grain throughput limitation, as well as the corrective actions that were taken to achieve compliance. If no deviations occurred during the calendar year, the permittee shall submit an annual report, which states that no deviations occurred during that calendar year. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
2. The permittee shall submit semiannual written reports that (a) identify all days during which any visible fugitive particulate emissions were observed from the loading operations and (b) describe any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

Walton Agri-Service, Inc. Wharton Branch
PTI Application: 02 12700
Issued

Facility ID: 0388000046

Emissions Unit ID: F003

- a. Emission Limitation
Loading: 0.19 ton fugitive PE/year

Applicable Compliance Method

The permittee shall demonstrate compliance by multiplying an AP-42 emission factor of 0.18 lbs PE/ton grain (Section 9.9.1 (5/98)), a maximum annual throughput of 87,000 tons of grain, multiplying by a conversion factor of ton/2000 lbs, and applying a 95% control efficiency for use of a three-sided enclosure and mineral oil application.

b. Emission Limitation

Loading: visible fugitive PE shall not exceed 5% opacity, as a 6-minute average

Applicable Compliance Method

If required, compliance with the visible fugitive PE limitation shall be determined in accordance with the test methods and procedures in USEPA Method 9, which is located in 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

1. This permit supercedes PTI #03-8905, issued on 2/22/96, for emissions unit F001 and F003 only.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F004 - 3,000 bushels/hr column grain dryer.	OAC rule 3745-31-05(A)(3)	Control requirements (See A.2.a.)
		5.12 tons fugitive particulate emissions (PE)/year
		Visible fugitive PE shall not exceed 20% opacity as a 3-minute average
	OAC rule 3745-17-08(A)	See A.2.b.
	OAC rule 3745-17-07(B)	See A.2.c.

2. Additional Terms and Conditions

- 2.a The "Best Available Technology" (BAT) control requirement for this emissions unit has been determined to be the use of column plate perforation with a diameter equal to or less than 0.078 inches.
- 2.b Walton Agri-Service is not located within an "Appendix A" area identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.c This emissions unit is exempt from the visible particulate emissions limitation specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).

B. Operational Restrictions

Walton Agri-Service, Inc. Wharton Branch

PTI Application: 02 12700

Issued

Facility ID: 0388000046

Emissions Unit ID: F004

1. The maximum annual throughput for this emissions unit shall not exceed 46,500 tons of grain.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the amount of (tons per month and total tons, to date for the calendar year) grain throughput for this emissions unit.

D. Reporting Requirements

1. The permittee shall submit annual deviation (excursion) reports that identify any and all exceedances of the annual grain throughput limitation, as well as the corrective actions taken to achieve compliance. The reports shall be submitted by January 31 of each year and shall cover the previous 12-month period. If no deviations occurred during a calendar year, the permittee shall submit an annual report, which states that no deviations occurred during that year.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation:
5.12 TPY fugitive PE

Applicable Compliance Method:

The permittee shall demonstrate compliance by multiplying an AP-42 emission factor of 0.22 lb PE/ton grain (Section 9.9.1 (5/98)) by the maximum annual grain throughput of 46,500 tons and multiplying by a conversion factor of ton/2000 lbs.

- b. Emission Limitation:
Visible fugitive PE shall not exceed 20% opacity as a 3-minute average.

Applicable Compliance Method:

If required, compliance shall be determined by visible emissions evaluations using the methods and procedures specified in USEPA Method 9 of 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

None