



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
LUCAS COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 04-00485

Fac ID: 0448002011

DATE: 11/1/2007

Johnson Controls battery Group, Inc.
Chris Schlachter
10300 Industrial Road
Holland, OH 43528

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

TDES



**Permit To Install
Terms and Conditions**

**Issue Date: 11/1/2007
Effective Date: 11/1/2007**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 04-00485

Application Number: 04-00485
Facility ID: 0448002011
Permit Fee: **\$0**
Name of Facility: Johnson Controls battery Group, Inc.
Person to Contact: Chris Schlachter
Address: 10300 Industrial Road
Holland, OH 43528

Location of proposed air contaminant source(s) [emissions unit(s)]:
**10300 Industrial Road
Holland, Ohio**

Description of proposed emissions unit(s):
Lead Oxide Plate Setting Curing Oven Chem and Set/Plate Curing (Chemset No. 4).

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Johnson Controls battery Group, Inc.

PTI Application: 04-00485

Modification Issued: 11/1/2007

Facility ID: 044800201

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Johnson Controls battery Group, Inc.
PTI Application: 04-00485
Modification Issued: 11/1/2007

Facility ID: 044800201

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Johnson Controls battery Group, Inc.
 PTI Application: 04-00485
 Modification Issued: 11/1/2007

Facility ID: 044800201

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

	<u>Pollutant</u>	<u>Tons Per Year</u>
PE		0.158
Lead		0.08
CO		0.65
NOx		0.77

Johnson Controls battery Group, Inc.
PTI Application: 04-00485
Modification Issued: 11/1/2007

Facility ID: 044800201

Modification Issued: 11/1/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment -(P020) - Chemset Chamber No. 4: Drying room stack w/no controls and Natural gas burner stack, 1.8 mmBtu/hr indirect-fired burner with no controls

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
Drying Room Stack with no controls.	
OAC rule 3745-31-05(A)(3)	Emissions of lead shall not exceed 0.08 ton per year. See Sections A.2.a, A.2.b and A.2.e.
40 CFR Part 60, Subpart KK	Lead emissions shall not exceed 0.000437 gr/dscf. Visible particulate emissions shall not exceed 0% opacity as a 6-minute average. See Section A.2.c.
OAC rule 3745-17-07(A)(1)	See Section A.2.d.
OAC rule 3745-17-11(B)(1)	PE shall not exceed 0.551 lb/hr.
Natural gas burner stack, 1.8 mmBtu/hr indirect-fired burner with no controls.	

Modification Issued: 11/1/2007

OAC rule 3745-31-05(A)(3)	Carbon monoxide (CO) emissions shall not exceed 0.65 ton per year. Nitrogen oxide (NOx) emissions shall not exceed 0.77 ton per year. PE shall not exceed 0.158 ton per year. See Sections A.2.a, A.2.e and A.2.f.
OAC rule 3745-21-08(B)	See Section A.2.g.
OAC rule 3745-21-07(B)	See Section A.2.h.
OAC rule 3745-18-06(B)	Exemption, see section A.2.i.
OAC rule 3745-17-10(B)(1)	PE shall not exceed 0.020 pound per mmBtu of heat input.
OAC rule 3745-17-07(A)(1)	See Section A.2.j.

2. Additional Terms and Conditions

- 2.a** Operate according to good engineering practice and the use of good housekeeping practices.
- 2.b** The requirements of this rule also include compliance with the requirements of 40 CFR 60, Subpart KK and OAC rule 3745-17-11(B)(1).
- 2.c** The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.
- 2.d** The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.e** The annual emission limitations for lead and for the combustion products were established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop recordkeeping and/or reporting requirements to ensure compliance with these limitations.
- 2.f** The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-10(B)(1) and OAC rule 3745-17-07(A)(1).

Modification Issued: 11/1/2007

- 2.g** The permittee shall satisfy the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology (BAT) requirements established pursuant to OAC rule 3745-31-05(A)(3) in this permit to install. The design of the emissions unit and the technology associated with the current operating practices satisfy the BAT requirements.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. On June 24, 2003, the rule revision was submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP); however, until the U.S. EPA approves the revision to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.h** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-21-07(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.
- 2.i** This emissions unit is exempt from the requirements of OAC rule 3745-18-06(D), (F), and (G).
- 2.j** Visible particulate emissions, from the natural gas burner stack serving this emissions unit, shall not exceed 20% opacity as a 6-minute average except as provided by the rule.

B. Operational Restrictions

1. The permittee shall burn only natural gas in this emissions unit.

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

D. Reporting Requirements

Emissions Unit ID: P020

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0 percent opacity, as a 6-minute average

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through visible emission observations performed in accordance with 40 CFR Part 60, Section 60.374 using methods and procedures specified in Method 9 of 40 CFR Part 60, Appendix A and Section 60.11.

- b. Emission Limitation:

Lead emissions shall not exceed 0.000437 gr/dscf of lead for the drying room stack

Applicable Compliance Method:

This emission limitation was established to reflect the potential to emit for this emissions unit. Compliance may be demonstrated based on the most recent stack test (0.000018 gr/dscfm at 4,891 dscf/min, tested 4/12/1995).

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with 40 CFR Part 60, Sections 60.8, 60.372 and 60.374 using methods and procedures specified in Method 12 of 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

PE shall not exceed 0.551 lb/hr for the drying room stack

Applicable Compliance Method:

Modification Issued: 11/1/2007

If required, the permittee shall demonstrate compliance with this emissions limitation using Methods 1 through 5 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(10). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

d. Emission Limitation:

Lead emissions shall not exceed 0.08 ton per year for the drying room stack.

Applicable Compliance Method:

This emission limitation was established to reflect the potential to emit for this emissions unit. Compliance may be demonstrated through calculations based on the most recent stack test (0.000018 gr/dscfm at 4,891 dscf/min, tested 4/12/1995) as follows: multiply 0.000018 gr/dscf by 4,891 dscf/min multiplied by 60 minutes per hour multiplied by 8,760 hours per year and divide by 7,000 grains per pound and divide by 2,000 pounds per ton.

If required, the permittee shall perform stack testing to demonstrate the short term lead emission rate through emission testing performed in accordance with Methods 1 through 4 and Method 12 of 40 CFR Part 60, Appendix A and Section 60.8. Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

e. Emission Limitation:

PE shall not exceed 0.020 lb/mmBtu of heat input from the natural gas burner stack.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emissions limitation using Methods 1 through 5 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(9). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

f. Emission Limitation:

PE shall not exceed 0.158 tpy for the natural gas burner stack

Applicable Compliance Method:

This emission limitation was established to reflect the potential to emit for this emissions unit. Compliance may be demonstrated through calculations performed as follows: multiply 0.02 lb PE/mmBtu by the maximum burner rate of 1.8 mmBtu/hr by 8,760 hours per year and divide by 2,000 pounds per ton.

If required, the permittee shall perform stack testing to demonstrate the short term particulate emission rate through emission testing performed in accordance with Methods 1 through 5 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(10). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

g. Emission Limitation:

The emissions of CO shall not exceed 0.65 ton per year from the natural gas burner stack.

Applicable Compliance Method:

Compliance may be demonstrated through calculations based on emissions factors specified in USEPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Table 1.4-2, dated 7/98, as follows: divide the emission factor of 84 pounds of CO emissions per million standard cubic feet by a heating value of 1,020 Btu per standard cubic foot and multiply the result by the maximum heat input capacity of 1.8 mmBtu per hour multiplied by 8,760 hours per year and divide by 2,000 pounds per ton.

If required, the permittee shall demonstrate compliance with the 84 pounds of CO emissions per million standard cubic feet emissions factor in accordance with the methods and procedures specified in Methods 1 through 4 and 10 of 40 CFR Part 60, Appendix A. Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

h. Emission Limitation:

The emissions of NOx shall not exceed 0.77 ton per year from the natural gas

Modification Issued: 11/1/2007

burner stack.

Applicable Compliance Method:

Compliance may be determined through calculations based on emissions factors specified in USEPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Table 1.4-2, dated 7/98, as follows: divide the emission factor of 100 pounds of NOx emissions per million standard cubic feet by a heating value of 1,020 Btu per standard cubic foot and multiply the result by the maximum heat input capacity of 1.8 mmBtu per hour multiplied by 8,760 hours per year and divide by 2,000 pounds per ton.

If required, the permittee shall demonstrate compliance with the 100 pounds of NOx emissions per million standard cubic feet emissions factor in accordance with the methods and procedures specified in Methods 1 through 4 and 7E of 40 CFR Part 60, Appendix A. Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

i. Emission Limitation:

20 percent opacity, as a 6-minute average from the natural gas burner stack

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through visible emission observations performed in accordance with 40 CFR Part 60, Section 60.374 using methods and procedures specified in Method 9 of 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

None