



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
LUCAS COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 04-01431

Fac ID: 0448010131

DATE: 9/20/2005

ADM Grain Company
Kristin Reynolds
1001 N. Brush College Rd.
Decatur, IL 62521

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

TDES



Permit To Install
Terms and Conditions

Issue Date: 9/20/2005
Effective Date: 9/20/2005

FINAL PERMIT TO INSTALL

04-01431

Application Number: 04-01431
Facility ID: 0448010131
Permit Fee: **\$200**
Name of Facility: ADM Grain Company
Person to Contact: Kristin Reynolds
Address: 1001 N. Brush College Rd.
Decatur, IL 62521

Location of proposed air contaminant source(s) [emissions unit(s)]:
1308 Miami St.
Toledo, Ohio

Description of proposed emissions unit(s):
diesel fueled electric generator.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

ADM Grain Company
PTI Application: 04-01431
Issued: 9/20/2005

Facility ID: 0448010131

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

ADM Grain Company
PTI Application: 04-01431
Issued: 9/20/2005

Facility ID: 0448010131

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

6

ADM Grain Company
PTI Application: 04-01431
Issued: 9/20/2005

Facility ID: 0448010131

7

ADM Grain Company
PTI Application: 04-01431
Issued: 9/20/2005

Facility ID: 0448010131

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
------------------	----------------------

ADM Grain Company
PTI Application: 01-01131
Issue:

Facility ID: 0448010131

Emissions Unit ID: P006

CO	2.24
NOx	8.43
PE	0.16
PM10	0.15
SO2	1.33
VOC	0.22

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
P006 - diesel fueled electric generator	OAC rule 3745-31-05(A)(3)
	OAC rule 3745-17-07(A)(1)
	OAC rule 3745-17-11(B)(5)(A)
	OAC rule 3745-18-06(B)
	OAC rule 3745-21-08(B)
	OAC rule 3745-23-06(B)

<u>Applicable Emissions Limitations/Control Measures</u>	
Carbon monoxide (CO) emissions shall not exceed 2.89 pounds per hour and 2.24 tons per year.	PE shall not exceed 0.35 pound per mmBtu of actual heat input.
Nitrogen oxide (NOx) emissions shall not exceed 10.88 pounds per hour and 8.43 tons per year.	See Section II.A.2.e. Exemption, <10 mmBtu/hr.
Particulate emissions (PE) shall not exceed 0.21 pound per hour and 0.16 ton per year.	See Section II.A.2.f.
Particulate emissions as PM10 shall not exceed 0.19 pound per hour and 0.15 ton per year.	See Section II.A.2.g.
Sulfur dioxide (SO2) emissions shall not exceed 1.72 pounds per hour and 1.33 tons per year.	
Volatile organic compound (VOC) emissions shall not exceed 0.28 pound per hour and 0.22 ton per year.	
Visible emissions shall not exceed 10% opacity, as a 6-minute average.	
See Sections II.A.2.a thru II.A.2.c.	
See Section II.A.2.d.	

2. Additional Terms and Conditions

- 2.a The sulfur content of the diesel fuel received for combustion in this emissions unit shall not exceed 0.5% by weight.
- 2.b The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-11(B)(5)(a).
- 2.c The hourly emission limitations specified above are based upon the emissions unit's potential to emit. Therefore, no hourly records are required to be maintained to demonstrate compliance with these limitations.
- 2.d The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.e This limitation reflects the current State Implementation Plan (SIP) for Ohio approved by the U.S. EPA. Ohio EPA has requested that the limitation be modified to 0.062 lb PE/mmBtu of actual heat input but the new limitation will not become effective until it is approved by U.S. EPA as a revision to the Ohio SIP for particulate matter.
- 2.f The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by complying with all applicable rules.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.g The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On February 14, 2005, OAC rule 3745-23-06 was rescinded; therefore, paragraph (B) is no longer part of the State regulations. However, that rule

Emissions Unit ID: **P006**

revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the U.S. EPA approves the revision to OAC rule 3745-23-06, the requirement to satisfy the "latest available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

B. Operational Restrictions

1. The oil combusted in this emissions unit shall only be number 2 diesel fuel oil, as defined by the American Society for Testing and Materials in ASTM D396-78, 89, 90, 92, 96, or 98, "Standard Specification for Fuel Oils" (i.e., "on-spec" with $\leq 0.5\%$ sulfur by weight).
2. The permittee shall maintain and operate a positive crankcase ventilation system at all times when the emissions unit is in operation.
3. The maximum annual hours of operation for this emissions unit shall not exceed 1,550 hours.

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than the number 2 diesel fuel oil specified above (i.e., "on-spec" with $\leq 0.5\%$ sulfur by weight), the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall maintain records of the cumulative hours of operation for each calendar year.
3. The permittee shall perform monthly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note following in the operation log.
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

- d. the total duration of any visible emissions incident;
- e. any corrective action taken to eliminate the visible.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than the number 2 diesel fuel oil specified above (i.e., "on-spec" with $\leq 0.5\%$ sulfur by weight) was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The permittee shall submit annual deviation (excursion) reports that identify all exceedances of the of the maximum allowable cumulative operating hours. These reports shall be submitted to the Toledo Division of Environmental Services (TDOES) by January 31 of each year and shall cover the previous calendar year.
3. The permittee shall submit annual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Toledo Division of Environmental Services (TDOES) by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the emission limitations in section A.1. of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation:

Visible emissions of particulate from the stack shall not exceed 10% opacity as a six-minute average.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through visible emission observations performed in accordance with Method 9 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(1).

b. Emission Limitation:

The emissions of CO shall not exceed 2.89 pounds per hour.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum hourly fuel input (3.4 mmBtu/hr) and the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-1. Gaseous Emission Factors for Large Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (0.85 lb CO/mmBtu) as follows:

$$(3.4 \text{ mmBtu/hr})(0.85 \text{ lb CO/mmBtu}) = 2.89 \text{ lb CO/hr}$$

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Methods 1 thru 4 and 10 of 40 CFR Part 60 Appendix A. Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

c. Emission Limitation:

The emissions of CO shall not exceed 2.24 tons per year.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum annual operating period (1,550 hours/yr) and the hourly emissions rate, as follows:

$$(1,550 \text{ hours/yr})(2.89 \text{ lb CO/hr}) \div (2000 \text{ lb/t}) = 2.24 \text{ tons CO/yr}$$

d. Emission Limitation:

The emissions of NOx shall not exceed 10.88 pounds per hour.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum hourly fuel input (3.4 mmBtu/hr) and the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-1. Gaseous Emission Factors for Large Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (3.2 lbs

NOx/mmBtu) as follows:

$$(3.4 \text{ mmBtu/hr})(3.2 \text{ lbs NOx/mmBtu}) = 10.88 \text{ lb NOx/hr}$$

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Methods 1 thru 4 and 7 of 40 CFR Part 60 Appendix A. Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

e. Emission Limitation:

The emissions of NOx shall not exceed 8.43 tons per year.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum annual operating period (1,550 hours/yr) and the hourly emissions rate, as follows:

$$(10.88 \text{ lb NOx/hr})(1,550 \text{ hours/yr}) \div (2000 \text{ lb/t}) = 8.43 \text{ tons NOx/yr}$$

f. Emission Limitation:

0.062 pound of PE per mmBtu of actual heat input

Applicable Compliance Method:

Compliance shall be demonstrated by the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-2. Gaseous Emission Factors for Large Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (0.062 lb/mmBtu).

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Methods 1 thru 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(9). Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

g. Emission Limitation:

The emissions of PE shall not exceed 0.21 pound per hour.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum hourly fuel input (3.4 mmBtu/hr) and the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-2. Gaseous Emission Factors for Large Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (0.062 lb/mmBtu) as follows:

$$(3.4 \text{ mmBtu/hr})(0.062 \text{ lb/mmBtu}) = 0.21 \text{ lb PE/hr}$$

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Methods 1 thru 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(9). Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

h. Emission Limitation:

The emissions of PE shall not exceed 0.16 ton per year.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum annual operating period (1,550 hours/yr) and the hourly emissions rate, as follows:

$$(1,550 \text{ hours/yr})(0.21 \text{ lb PE/hr}) \div (2000 \text{ lb /ton}) = 0.16 \text{ ton PE/yr}$$

i. Emission Limitation:

The emissions of PM10 shall not exceed 0.19 pound per hour.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum hourly heat fuel input (3.4 mmBtu/hr) and the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-2. Gaseous Emission Factors for Large

Emissions Unit ID: **P006**

Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (0.0573 lb PM10/mmBtu) as follows:

$$(3.4 \text{ mmBtu/hr})(0.0573 \text{ lb PM10/mmBtu}) = 0.19 \text{ lb PM10/hr}$$

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with Methods 201 and 202 of 40 CFR Part 51, Appendix M. Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

j. Emission Limitation:

The emissions of PM10 shall not exceed 0.15 ton per year.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum annual operating period (1,550 hours/yr) and the hourly emissions rate, as follows:

$$(1,550 \text{ hours/yr})(0.19 \text{ lb PM10/hr}) \div (2000 \text{ lb /ton}) = 0.15 \text{ ton PM10/yr}$$

k. Emission Limitation:

The emissions of SO₂ shall not exceed 1.72 pounds per hour.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum hourly heat fuel input (3.4 mmBtu/hr) and the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-1. Gaseous Emission Factors for Large Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (1.01S lb SO₂/mmBtu, where S<0.5%) as follows:

$$(3.4 \text{ mmBtu/hr})(1.01S \text{ lb SO}_2/\text{mmBtu where } S<0.5\%) = 1.72 \text{ lbs SO}_2/\text{hr}$$

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Methods 1 thru 4 and 6 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-18-04. Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

l. Emission Limitation:

The emissions of SO₂ shall not exceed 1.33 tons per year.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum annual operating period (1,550 hours/yr) and the hourly emissions rate, as follows:

$$(1,550 \text{ hours/yr})(1.72 \text{ lbs SO}_2/\text{hr}) \div (2000 \text{ lb /ton}) = 1.33 \text{ tons SO}_2/\text{yr}$$

m. Emission Limitation:

The emissions of VOC shall not exceed 0.28 pound per hour.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing

the maximum hourly heat fuel input (3.4 mmBtu/hr) and the uncontrolled emissions factor listed in AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.4, Table 3.4-1. Gaseous Emission Factors for Large Stationary Diesel and All Stationary Dual Fuel Engines, dated 10/96, (0.082 lb VOC/mmBtu) as follows:

$$(3.4 \text{ mmBtu/hr})(0.082 \text{ lb VOC/mmBtu}) = 0.28 \text{ lb VOC/hr}$$

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Methods 1 thru 4 and 25 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-21-10. Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

n. Emission Limitation:

The emissions of VOC shall not exceed 0.22 ton per year.

Applicable Compliance Method:

Compliance shall be demonstrated by a one-time emissions calculation utilizing the maximum annual operating period (1,550 hours/yr) and the hourly emissions rate, as follows:

$$(1,550 \text{ hours/yr})(0.28 \text{ lb VOC/hr}) \div (2000 \text{ lb /ton}) = 0.22 \text{ ton VOC/yr}$$

F. Miscellaneous Requirements

none