



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION  
LUCAS COUNTY**

**CERTIFIED MAIL**

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:  
Lazarus Gov. Center  
P.O. Box 1049

**Application No: 04-01294**

**Fac ID: 0448011713**

**DATE: 10/4/2007**

C n C Concrete n Supply Co.  
Kenneth Mikolas  
2724 Avondale Ave.  
Toledo, OH 43607

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

CC: USEPA

TDES



**Permit To Install  
Terms and Conditions**

**Issue Date: 10/4/2007  
Effective Date: 10/4/2007**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 04-01294

Application Number: 04-01294  
Facility ID: 0448011713  
Permit Fee: **\$0**  
Name of Facility: C n C Concrete n Supply Co.  
Person to Contact: Kenneth Mikolas  
Address: 2724 Avondale Ave.  
Toledo, OH 43607

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**2724 Avondale Ave.**  
**Toledo, Ohio**

Description of proposed emissions unit(s):  
**Concrete Batch Plant, Roadways, Stockpiles.**

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski  
Director

## **Part I - GENERAL TERMS AND CONDITIONS**

### **A. Permit to Install General Terms and Conditions**

#### **1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### **2. Reporting Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

**C n C Concrete n Supply Co.**  
**PTI Application: 04-01294**  
**Modification Issued: 10/4/2007**

**Facility ID: 0448011713**

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

**C n C Concrete n Supply Co.**  
**PTI Application: 04-01294**  
**Modification Issued: 10/4/2007**

**Facility ID: 0448011713**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

#### **10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

#### **11. Applicability**

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

#### **12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**C n C Concrete n Supply Co.**  
**PTI Application: 04-01294**  
**Modification Issued: 10/4/2007**

**Facility ID: 0448011713**

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

**B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

**Pollutant**  
PE

**Tons Per Year**  
6.0 (no change)

7

**C n C Concrete n Supply Co.**  
**PTI Application: 04-01294**  
**Modification Issued: 10/4/2007**

**Facility ID: 0448011713**

Modification Issued: 10/4/2007

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - (F001) - Sand and aggregate storage**

<b>Applicable Rules/Requirements</b>	<b>Applicable Emissions Limitations/Control Measures</b>
load-in and load-out of storage piles (see Section A.2.a for identification of storage piles)	
OAC rule 3745-31-05 (A)(3)	no visible emissions except for one minute in any hour 1.58 pounds of fugitive particulate emissions (PE) per hour
	best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b, A.2.c, A.2.f and A.2.h.)
OAC rule 3745-17-07(B)(6)	The emission limitation specified by this rule is less stringent than the above-mentioned visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B), (B)(6)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See Sections A.2.b, A.2.c, and A.2.f.
wind erosion from storage piles (see Section A.2.a for identification of storage piles)	
OAC rule 3745-31-05 (A)(3)	no visible emissions except for one minute in any hour 0.07 pound of fugitive PE per hour
	best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.d through A.2.f and Section A.2.h.)
OAC rule 3745-17-07(B)(6)	The emission limitation specified by this rule is less stringent than the above-mentioned visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

**Modification Issued: 10/4/2007**

OAC rule 3745-17-08(B), (B)(6)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See Sections A.2.d through A.2.f.
load-in and load-out of storage piles, and wind erosion from storage piles	
OAC rule 3745-31-05 (A)(3)	1.08 tons of PE per calendar year
	See Section A.2.h.
OAC rule 3745-31-05(C)	See Section A.2.g.

**2. Additional Terms and Conditions**

- 2.a** The storage piles that are covered by this permit and subject to the above-mentioned requirements are listed below:

Limestone storage pile  
Sand storage pile

- 2.b** The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the load-in and load-out material(s) with water and to maintain a wind guard enclosure to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- 2.d** The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the storage

Emissions Unit ID: F001

pile with water and to maintain a wind guard enclosure to ensure compliance to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.e The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.f Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.
- 2.g The maximum annual production rate for this emissions unit shall not exceed 100,000 cubic yards of concrete.
- 2.h The hourly and annual emission limitations were established for PTI purposes to reflect the potential to emit for this emissions unit at 100,000 cuyd/hr. Therefore, it is not necessary to develop monitoring, record keeping and/or reporting requirements to ensure compliance with these limitations.

**B. Operational Restrictions**

None

**C. Monitoring and/or Recordkeeping Requirements**

- 1. Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-in inspection frequency</u>
limestone	daily
sand	daily

- 2. Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following

**Modification Issued: 10/4/2007**

frequencies:

<u>storage pile identification</u>	<u>minimum load-out inspection frequency</u>
limestone	daily
sand	daily

3. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum wind erosion inspection frequency</u>
limestone	daily
sand	daily

4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.
6. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
7. The permittee shall maintain records of the following information:

**Modification Issued: 10/4/2007**

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures; and
- c. the dates the control measures were implemented.
- d. The permittee shall maintain annual records of the quantity, in cubic yards, of concrete produced in this emissions unit.

**D. Reporting Requirements**

1. The permittee shall submit deviation reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
  - c. any exceedances of the annual production rate limitation.
2. These reports shall be submitted within 30 days of discovery.

**E. Testing Requirements**

Compliance with the allowable emission limitations in this permit shall be determined according to the following methods:

1. Emission Limitation;

no visible emissions from wind erosion except for one minute in any hour

Applicable Compliance Method;

Compliance with the visible emission limitations for the storage piles identified above

Emissions Unit ID: **F001**

shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

2. Emission Limitation;

1.58 pounds of particulate emissions (PE) per hour from load-in/load-out operations.

Applicable Compliance Method;

Compliance may be determined through calculations based on emission factors specified in USEPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Table 11.12-3 dated 10/01, as follows: sum the emission factors of; 0.0064 pound of PE per cubic yard of concrete for aggregate delivery to ground storage, 0.0015 pound of PE per cubic yard of concrete for sand delivery to ground storage, 0.0064 pound of PE per cubic yard of concrete for aggregate transfer to elevated storage and 0.0015 pound of PE per cubic yard of concrete for sand transfer to elevated storage, and multiply this summation by the design maximum throughput capacity of 100 cubic yards per hour.

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Method 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(7).

***Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.***

**Modification Issued: 10/4/2007**

3. Emission Limitation;

0.07 pound of particulate emissions (PE) per hour from wind erosion of storage piles.

Applicable Compliance Method;

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Method 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(7). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

4. Emission Limitation;

1.08 tons of PE per calendar year from load-in/load-out and wind erosion of storage piles.

Applicable Compliance Method;

This limitation represents the full potential to emit for this emissions unit operating at the maximum annual allowable throughput rate. Therefore, provided compliance is shown with the annual allowable throughput limitation, and compliance is also shown with the short term emissions limitations above, compliance shall also be shown with the annual emission limitation.

5. Emission Limitation:

Visible emissions of fugitive dust from load-in/load-out operations shall not exceed 10 percent opacity, as a 3-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with Method 9 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(1). *Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.*

**F. Miscellaneous Requirements**

None

**C n C Concrete n Supply Co.**  
**DTI Application: 04 01204**

**Facility ID: 0448011713**

**Emissions Unit ID: F001**

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - (F004) - Roadways and parking lots**

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
Concrete batch plant: roadways and parking lots (see A.2.a)	
OAC rule 3745-31-05(A)(3)	no visible particulate emissions except for one minute during any 60-minute period
	1.19 tons of particulate emissions (PE) per year
	best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (See Sections A.2.b through A.2.f.)
OAC rule 3745-31-05(C)	See Section A.2.g.
OAC rule 3745-17-07(B)(4)	The emission limitation specified by this rule is less stringent than the above-mentioned visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3). less stringent than the above-mentioned visible emission limitation
OAC rule 3745-17-08(B), (B)(8), (B)(9)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See Sections A.2.b through A.2.f.

**2. Additional Terms and Conditions**

- 2.a The paved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

paved roadways:

Main roadway

paved parking areas:

Main parking area

- 2.b** The permittee shall employ best available control measures on all paved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas by flushing with water, sweeping, and/or watering at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance. (Note that "water flushing" refers to using large quantities of water to carry off surface material, while "watering" refers to simply wetting the surface material.)
- 2.c** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- 2.d** The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- 2.e** Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- 2.g** The maximum annual production rate for this emissions unit shall not exceed 100,000 cubic yards of concrete.

**B. Operational Restrictions**

None

### **C. Monitoring and/or Recordkeeping Requirements**

1. Except as otherwise provided in this section, the permittee shall perform inspections of the paved roadways and parking areas in accordance with the following frequencies:

paved roadways	minimum inspection frequency
----------------	------------------------------

Main roadway	daily
--------------	-------

paved parking areas	minimum inspection frequency
---------------------	------------------------------

Main parking lot	daily
------------------	-------

2. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures; and
  - c. the dates the control measures were implemented.
5. The permittee shall maintain annual records of the quantity, in cubic yards, of concrete produced in this emissions unit.

**D. Reporting Requirements**

1. The permittee shall submit deviation reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
  - c. any exceedances of the annual production rate limitation.
2. These reports shall be submitted within 30 days of discovery.

**E. Testing Requirements**

1. Compliance with the emission limitation for the paved roadways and parking areas identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.
2. The 1.19 tons of PE per year emission limitation was established by multiplying the 1.98 pounds per vehicle mile traveled emission rate predicted by Equation #1 in AP-42 Section 13.2.1.3 dated 10/97 by the number of miles traveled to load-out a maximum annual through-put of 100,000 cubic yards of concrete (1200 miles), and dividing by 2000 pounds per ton. Therefore, provided compliance is shown with the annual through-put limitation, compliance shall also be shown with the annual emission limitation.

**F. Miscellaneous Requirements**

None

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - (P901) - Transfer of sand and aggregate to elevated bins, cement unloading to elevated storage silos and silo vents**

<b>Applicable Rules/Requirements</b>	<b>Applicable Emissions Limitations/Control Measures</b>
Concrete batch plant: transfer of sand and aggregate to elevated bins with no control	
OAC rule 3745-31-05(A)(3)	
	Visible emissions of fugitive dust shall not exceed 10% opacity, as a 3-minute average.
	0.79 pound of fugitive particulate emissions (PE) per hour
	0.40 ton of PE per calendar year
	best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see A.2.b through A.2.d and A.2.f.)
OAC rule 3745-31-05(C)	See Section A.2.e.
OAC rule 3745-17-07(B)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B)	
	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See Sections A.2.b through A.2.d.
cement unloading to elevated storage bins controlled by fabric filters	
OAC rule 3745-31-05(A)(3)	no visible emissions from the baghouse exhaust stack
	0.05 pound of PE per hour
	0.02 ton of PE per calendar year

	best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see A.2.b through A.2.d and A.2.f.)
OAC rule 3745-31-05(C)	See Section A.2.e.
OAC rule 3745-17-07(B)(1)	The emission limitation specified by this rule is less stringent than the above-mentioned visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B), (B)(3)	
	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See Sections A.2.b through A.2.d.
OAC rule 3745-17-07(A)	See Section 2.g.
OAC rule 3745-17-11(B)	See Section 2.g.

**2. Additional Terms and Conditions**

**2.a** The material handling operation(s) that are covered by this permit and subject to the above-mentioned requirements are listed below:

transfer of sand and aggregate to elevated bins, and  
 cement unloading to elevated storage bins controlled by fabric filters

**2.b** The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee’s permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

material handling operation(s)	control measure(s)
transfer of sand and aggregate to elevated bins	partial enclosure adequate moisture
cement unloading to elevated storage bins	fabric filters

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

**2.c** For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee

determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.

- 2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.
- 2.e** The maximum annual production rate for this emissions unit shall not exceed 100,000 cubic yards of concrete.
- 2.f** The hourly and annual emission limitations were established for PTI purposes to reflect the restricted potential to emit for this emissions unit. Therefore, it is not necessary to develop monitoring, record keeping and/or reporting requirements to ensure compliance with these limitations.
- 2.g** The requirements established pursuant to OAC rule 3745-17-07(A) and OAC rule 3745-17-11(B) are less stringent than the requirements established pursuant to OAC rule 3745-31-05(A)(3).

**B. Operational Restrictions**

None

**C. Monitoring and/or Recordkeeping Requirements**

- 1. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

material handling operation(s)	minimum inspection frequency
transfer of sand to elevated bins	daily
transfer of aggregate to elevated bins	daily
cement unloading to elevated storage bins	daily

- 2. The above-mentioned inspections shall be performed during representative, normal operating conditions.

Emissions Unit ID: **P901**

3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s); and
  - c. the dates the control measure(s) was (were) implemented.
5. The permittee shall maintain annual records of the quantity, in cubic yards, of concrete produced in this emissions unit.

#### **D. Reporting Requirements**

1. The permittee shall submit deviation reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
  - c. any exceedances of the annual production rate limitation.
2. These reports shall be submitted within 30 days of discovery.

#### **E. Testing Requirements**

Compliance with the allowable emission limitations in this permit shall be determined according to the following methods:

1. Emission Limitation:

Emissions Unit ID: **P901**

Visible emissions of fugitive dust from the transfer of sand and aggregate to elevated bins shall not exceed 10 percent opacity, as a 3-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with Method 9 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(1).

2. Emission Limitation;

0.79 pound of particulate emissions (PE) per hour for the transfer of sand and aggregate to elevated bins.

Applicable Compliance Method;

Compliance may be determined through calculations based on emission factors specified in USEPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Table 11.12-3 dated 10/01, as follows: sum the emission factors of; 0.0064 pound of PE per cubic yard of concrete for aggregate transfer to elevated storage and 0.0015 pound of PE per cubic yard of concrete for sand transfer to elevated storage, and multiply this summation by the design maximum throughput capacity of 100 cubic yards of concrete per hour.

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Method 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(7). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

3. Emission Limitation;

0.40 ton of PE per calendar year for the transfer of sand and aggregate to elevated bins.

Applicable Compliance Method;

This limitation represents the full potential to emit for this emissions unit operating at the maximum annual allowable throughput rate. Therefore, provided compliance is shown with the annual allowable throughput limitation, and compliance is also shown with the short term emissions limitations above, compliance shall also be shown with the annual emission limitation.

4. Emission Limitation;

no visible emissions from the baghouse exhaust stack

Applicable Compliance Method;

Compliance with the visible emission limitations for the storage piles identified above

Emissions Unit ID: **P901**

shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

5. Emission Limitation;

0.05 pound of particulate emissions (PE) per hour for cement unloading to elevated storage bins.

Applicable Compliance Method;

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Method 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(10). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

6. Emission Limitation;

0.02 ton of PE per calendar year for cement unloading to elevated storage bins.

Applicable Compliance Method;

This limitation represents the full potential to emit for this emissions unit operating at the maximum annual allowable throughput rate. Therefore, provided compliance is shown with the annual allowable throughput limitation, and compliance is also shown with the short term emissions limitations above, compliance shall also be shown with the annual emission limitation.

**F. Miscellaneous Requirements**

None

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - (P902) - Weigh hopper loading and loading of transit mix trucks**

<b>Applicable Rules/Requirements</b>	<b>Applicable Emissions Limitations/Control Measures</b>
Concrete batch plant: weigh hopper and mixer loading of cement, sand and aggregate OAC rule 3745-31-05 (A)(3)	
	Visible emissions of fugitive dust shall not exceed 10% opacity as a three-minute average during sand and aggregate loading.
	no visible emissions from the baghouse exhaust stack
	6.6 pounds of particulate emissions (PE) per hour
	3.3 tons of PE per calendar year
	best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see A.2.b through A.2.d and A.2.f.)
OAC rule 3745-31-05(C)	See Section A.2.e.
OAC rule 3745-17-07 (B)(1)	The emission limitation specified by this rule is less stringent than the above-mentioned visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08 (B)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See Sections A.2.b through A.2.d.
OAC rule 3745-17-07(A)	See Section 2.g.
OAC rule 3745-17-11(B)	See Section 2.g.

**2. Additional Terms and Conditions**

**2.a** The material handling operation(s) that are covered by this permit and subject to the above-mentioned requirements are listed below:

weigh hopper and mixer loading of cement, sand and aggregate

**2.b** The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

material handling operation(s)	control measure(s)
weigh hopper loading of cement, sand and aggregate	fabric filter
mixer loading of cement, sand and aggregate	telescopic boot and curtains

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

**2.c** For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.

**2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

**2.e** The maximum annual production rate for this emissions unit shall not exceed 100,000 cubic yards of concrete.

**2.f** The hourly and annual emission limitations were established for PTI purposes to reflect the restricted potential to emit for this emissions unit. Therefore, it is not necessary to develop monitoring, record keeping and/or reporting requirements

to ensure compliance with these limitations.

- 2.g** The requirements established pursuant to OAC rule 3745-17-07(A) and OAC rule 3745-17-11(B) are less stringent than the requirements established pursuant to OAC rule 3745-31-05(A)(3).

**B. Operational Restrictions**

None

**C. Monitoring and/or Recordkeeping Requirements**

1. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

material handling operation(s)	minimum inspection frequency
weigh hopper loading of cement, sand and aggregate	daily
mixer loading of cement, sand and aggregate	daily

2. The above-mentioned inspections shall be performed during representative, normal operating conditions.
3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s): and
  - c. the dates the control measure(s) was (were) implemented.
5. The permittee shall maintain annual records of the quantity, in cubic yards, of concrete produced in this emissions unit.

**D. Reporting Requirements**

1. The permittee shall submit deviation reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required

frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and

- b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
  - c. any exceedances of the annual production rate limitation.
2. These reports shall be submitted within 30 days of discovery.

## **E. Testing Requirements**

Compliance with the allowable emission limitations in this permit shall be determined according to the following methods:

1. Emission Limitation:

Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 3-minute average during sand and aggregate loading.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with Method 9 of 40 CFR Part 60, Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(3).

2. Emission Limitation;

6.6 pounds of particulate emissions (PE) per hour from weigh hopper and mixer loading of cement, sand, and aggregate.

Applicable Compliance Method;

Compliance may be determined through calculations based on emission factors specified in USEPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Table 11.12-3 dated 10/01, as follows: sum the emission factors of; 0.0079 pound of PE per cubic yard of concrete for weigh hopper loading and 0.058 pound of PE per cubic yard of concrete for controlled mix truck loading, and multiply this summation by the design maximum throughput capacity of 100 cubic yards per hour.

Emissions Unit ID: **P902**

If required, the permittee shall demonstrate compliance with this emission limitation through emission testing performed in accordance with Method 5 of 40 CFR Part 60 Appendix A using the methods and procedures specified in OAC rule 3745-17-03(B)(7). Alternative U.S. EPA approved test methods may be used with prior written approval from the Ohio EPA.

3. Emission Limitation;

3.3 tons of PE per calendar year from weigh hopper and mixer loading of cement, sand, and aggregate.

Applicable Compliance Method;

This limitation represents the full potential to emit for this emissions unit operating at the maximum annual allowable throughput rate. Therefore, provided compliance is shown with the annual allowable throughput limitation, and compliance is also shown with the short term emissions limitations above, compliance shall also be shown with the annual emission limitation.

4. Emission Limitation;

no visible emissions from the baghouse exhaust stack

Applicable Compliance Method;

Compliance with the visible emission limitations for the storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

**F. Miscellaneous Requirements**

None

**NEW SOURCE REVIEW FORM B**

PTI Number: 04-01294 Facility ID: 0448011713

FACILITY NAME C n C Concrete n Supply Co.

FACILITY DESCRIPTION Concrete Batch Plant Roadways CITY/TWP Toledo

Emissions Unit ID: P902

SIC CODE 3273 SCC CODE 30510305 EMISSIONS UNIT ID F001

EMISSIONS UNIT DESCRIPTION Sand and aggregate storage

DATE INSTALLED 5/15/99

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	N/A	0.45 lb/hr	0.45	1.65 lb/hr	1.08
PM <sub>10</sub>	Unclassified				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment				
Nitrogen Oxides	Unclassified/Attainment				
Carbon Monoxide	Unclassified/Attainment				
Lead	N/A (Attainment)				
Other: Air Toxics	N/A				

APPLICABLE FEDERAL RULES:

NSPS? no NESHAP? no PSD? no OFFSET POLICY? no

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

water as necessary and enclosure, no visible emissions except for 1 min/hr, 10% opacity

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

**NEW SOURCE REVIEW FORM B**

PTI Number: 04-01294 Facility ID: 0448011713

FACILITY NAME C n C Concrete n Supply Co.

FACILITY DESCRIPTION Concrete Batch Plant Roadways CITY/TWP Toledo

Emissions Unit ID: **P902**

SIC CODE 3273 SCC CODE 30510599 EMISSIONS UNIT ID F004

EMISSIONS UNIT DESCRIPTION Roadways and parking lots

DATE INSTALLED 5/15/99

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	N/A	1.98 lb/vmt	0.24	n/a	1.19
PM <sub>10</sub>	Unclassified				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment				
Nitrogen Oxides	Unclassified/Attainment				
Carbon Monoxide	Unclassified/Attainment				
Lead	N/A (Attainment)				
Other: Air Toxics	N/A				

APPLICABLE FEDERAL RULES:

NSPS? no NESHAP? no PSD? no OFFSET POLICY? no

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

**no VEs except for 1 minute, watering**

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ \_\_\_\_\_

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? \_\_\_\_\_ YES X NO

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_

NE  
P1  
FA

Emissions Unit ID: **P902**

FACILITY DESCRIPTION Concrete Batch Plant, Roadways,  
Stockpiles.

CITY/TWP Toledo

SIC CODE 3273 SCC CODE 30510505 EMISSIONS UNIT ID P901

EMISSIONS UNIT DESCRIPTION Transfer of sand and aggregate to elevated bins, cement unloading to elevated storage silos and silo vents

DATE INSTALLED 5/15/99

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	N/A	0.25 lb/hr	0.08	0.84 lb/hr	0.42
PM <sub>10</sub>	Unclassified				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment				
Nitrogen Oxides	Unclassified/Attainment				
Carbon Monoxide	Unclassified/Attainment				
Lead	N/A (Attainment)				
Other: Air Toxics	N/A				

APPLICABLE FEDERAL RULES:

NSPS? no

NESHAP? no

PSD? no

OFFSET POLICY? no

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

**partial enclosure, adequate moisture, fabric filters & no visible emissions, 10% opacity**

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ \_\_\_\_\_

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? \_\_\_\_\_ YES X NO

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_

**38 NEW SOURCE REVIEW FORM B**

PTI Number: 04-01294 Facility ID: 0448011713

FACILITY NAME C n C Concrete n Supply Co.

FACILITY DESCRIPTION Concrete Batch Plant Roadways CITY/TWP Toledo

Emissions Unit ID: **P902**

SIC CODE 3273 SCC CODE 30510502 EMISSIONS UNIT ID P902

EMISSIONS UNIT DESCRIPTION Weigh hopper loading and loading of transit mix trucks

DATE INSTALLED 30510502

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	N/A	1.81 lb/hr	0.66	6.6 lb/hr	3.3
PM <sub>10</sub>	Unclassified				
Sulfur Dioxide	Attainment				
Organic Compounds	Attainment				
Nitrogen Oxides	Unclassified/Attainment				
Carbon Monoxide	Unclassified/Attainment				
Lead	N/A (Attainment)				
Other: Air Toxics	N/A				

APPLICABLE FEDERAL RULES:

NSPS? no NESHAP? no PSD? no OFFSET POLICY? no

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

**fabric filter, telescopic boot and curtains, no visible emissions except for 1 min/hr, 10% opacity**

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ \_\_\_\_\_

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? \_\_\_\_\_ YES X NO

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_