

1

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

GENERAL PERMIT CONDITIONS

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCES

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as

2

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement

3

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

of operation.

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

4

Facility Name: **Stein, Inc**

Application Number: **02-2237**

Date: **October 15, 1998**

5

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
---	---	------------------------------	---	--

AIR EMISSION SUMMARY

The air contaminant emissions units listed below comprise the Permit to Install for **Stein, Inc** located in **Lorain** County. The emissions units listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

F007

Piles for
Portable
Screening Plant

Ohio
EPA
Source
Number

Source
Identification
Description

F006

Portable Aggregate
Screening Plant

F007 Cont'd

Aggregate Handling &
Storage

Facility Name: **Stein, Inc**
 Application Number: **02-2237**
 Date: **October 15, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
		particulate emissions except for a period of time not to exceed one minute during any sixty minute observation period.	Applicable Federal & OAC Rules	3745-17-07
	BAT <u>Determination</u>		3745-31-05	
	Wet Suppression System (Chemical Suppressant Capability)		3745-17-07	3745-17-08
			3745-17-08	
			3745-31-05	
	Wet Suppression System (Chemical Suppressant Capability)			
	No visible			

Facility Name: **Stein, Inc**
 Application Number: **02-2237**
 Date: **October 15, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
Permit Allowable Mass Emissions and/or Control/Usage Requirements	suppression system with chemical suppressant capability.			
PM: 0.22 lb/hr & 0.97 TPY				
No visible particulate emissions except for a period of time not to exceed one minute during any sixty minute observation period.				
See Additional Special Term and Condition A.				
Use of wet suppression system with chemical suppressant capability.				

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

SUMMARY
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
PM	15.7 TPY

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MALFUNCTION/ABATEMENT

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the **Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio 44087.**

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

AIR POLLUTION NUISANCES PROHIBITED

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

NOTICE OF INTENT TO RELOCATE

Pursuant to OAC Rule 3745-31-03(A)(1)(n), the owner or operator of the portable or mobile source identified within this Permit to Install may relocate within the state of Ohio without first obtaining a Permit to Install providing the following criteria are met:

- a. the source is equipped with the Best Available Control Technology for such source;
- b. the source is operating pursuant to a currently effective Permit to Operate;
- c. the applicant has provided proper notice of intent to relocate the source to the Director within a minimum of 30 days prior to the scheduled relocation; and
- d. in the Director's judgement, the proposed site is acceptable under Rule 3745-15-07 of the Administrative Code.

In order for the Director to determine compliance with all of the above criteria, the owner or operator of the portable or mobile source must file a "Notice of Intent to Relocate" at least 30 days prior to relocation of the source with the **Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio 44087**. Upon receipt of the notice, the Director, or the Director's authorized representative, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio Environmental Protection Agency approval prior to relocation of the source may result in fines and civil penalties.

CONSTRUCTION COMPLIANCE CERTIFICATION

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

ADDITIONAL SPECIAL TERMS AND CONDITIONS

A. Source Descriptions

1. The emissions units covered by this permit to install are a portable aggregate screening plant (F006) and aggregate handling and storage piles for the portable screening plant (F007). Operations include batch loading and feeding, batch and continuous drop operations, conveying, aggregate screening and product loadout.
2. The emissions limit based on OAC Rule 3745-17-07 is less stringent than the limit established pursuant to OAC Rule 3745-31-05.

B. Additional Terms and Conditions

F007 - Aggregate Handling and Storage Piles

1. The storage piles that are covered by this permit and subject to the above-mentioned requirements are listed below:

Aggregate storage piles (<³/₄" material pile and >³/₄" material pile)

2. The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the load-in and load-out material(s) with water and/or any other suitable dust suppression chemicals to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
3. The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.

4. The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat each storage pile with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
5. The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
6. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

Facility Name: **Stein, Inc**
 Application Number: **02-2237**
 Date: **October 15, 1998**

C. Operational Restrictions

Portable Aggregate Screening Plant (F006) and Aggregate Handling and Storage Piles (F007)

A wet suppression system shall be employed at emissions units F006 and F007 to minimize or eliminate visible emissions of fugitive dust generated by the aggregate screening plant and handling and storage operations. The wet suppression system shall be capable of using chemical dust suppressants for fugitive dust control.

D. Monitoring and/or Record Keeping Requirements

F007 - Aggregate Handling and Storage Piles

1. Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum</u>	<u>load-in</u>
<u>inspection frequency</u>		
All	Daily	

2. Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum</u>	<u>load-out</u>
<u>inspection frequency</u>		
All	Daily	

3. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

Facility Name: **Stein, Inc**
 Application Number: **02-2237**
 Date: **October 15, 1998**

<u>storage pile identification</u>	<u>minimum</u>	<u>wind</u>	<u>erosion</u>
<u>inspection frequency</u>			
All	Daily		

4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.
6. The permittee may, upon receipt of written approval from the Ohio EPA, Northeast District Office, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
7. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and,

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

- d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in 7.d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

E. Reporting Requirements

F007 - Aggregate Handling and Storage Piles

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and,
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

F. Testing Requirements

F006 - Portable Aggregate Screening Plant

1. **Emission Limit:** 3.35 pounds per hour particulate
Applicable Compliance Method: To determine the actual hourly emission rate for particulate matter, emission factors outlined in AP-42, Sections 13.2.4 (Fifth Edition), 8.19.1 (Fourth Edition) and 8.19.2 (Fourth Edition) shall be used.

Facility Name: **Stein, Inc**
Application Number: **02-2237**
Date: **October 15, 1998**

2. **Emission Limit:** 14.7 tons per year particulate
Applicable Compliance Method: Compliance shall be based on hours of operation and emission factors outlined in AP-42, Sections 13.2.4 (Fifth Edition), 8.19.1 (Fourth Edition) and 8.19.2 (Fourth Edition).
3. **Emission Limit:** 20% opacity
Applicable Compliance Method: U.S. EPA reference method 9, if required by the Ohio EPA.

F007 - Aggregate Handling and Storage Piles

1. **Emission Limit:** 0.22 pounds per hour particulate
Applicable Compliance Method: To determine the actual hourly emission rate for particulate matter, emission factors outlined in AP-42, Sections 13.2.2, 13.2.4 and 13.2.5 (Fifth Edition) shall be used.
2. **Emission Limit:** 0.98 tons per year particulate
Applicable Compliance Method: Compliance shall be based on hours of operation and emission factors outlined in AP-42, Sections 13.2.2, 13.2.4 and 13.2.5 (Fifth Edition).
3. Compliance with the visible emission limitations for the storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

G. Miscellaneous Requirements

None