

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part III" and before "I. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part II - Specific Facility Terms and Conditions

a State and Federally Enforceable Section

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

b State Only Enforceable Section

1. The following insignificant emissions units are located at the facility:

B002 - 6.0 mmBtu/hr, natural gas fired boiler
B003 - 6.0 mmBtu/hr, natural gas fired boiler
N001 - Pyrolytic Oven
P001 - Autoclave 8140
P002 - Autoclave 8141
P003 - Autoclave 8310
P004 - Autoclave 8313
P005 - Autoclave 8311
P006 - Autoclave 8312
P007 - Autoclave 8315
P008 - Autoclave 8314
P009 - Autoclave 8316
P010 - Autoclave 8317
P012 - Autoclave 8319
P013 - Autoclave 8318
P014 - Autoclave 8322
P015 - Autoclave 8321
P016 - Autoclave 8323
P017 - Autoclave 8324
Z001 - Rubber Mill
Z002 - Cold Solvent Degreaser #1
Z003 - Cold Solvent Degreaser #2
Z004 - 9.66 mmBtu/hr, natural gas boiler

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations as well as any emission limitations and/or control requirements contained within a PTI for the unit.

- [Go to Part III for Emissions Unit R001](#)
- [Go to Part III for Emissions Unit R002](#)
- [Go to Part III for Emissions Unit R003](#)
- [Go to Part III for Emissions Unit R004](#)
- [Go to Part III for Emissions Unit R005](#)
- [Go to Part III for Emissions Unit R006](#)
- [Go to Part III for Emissions Unit R007](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R001 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).
	OAC Rule 3745-21-07(G)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D). See Sections A.II.1 and 2 of the terms and conditions of this permit.
	OAC rule 3745-31-05(D) PTI No. 03-10028	The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. Additional Terms and Conditions

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. the company identification for each coating and cleanup material employed;
 - b. documentation on whether or not each coating employed is a photochemically reactive material;
 - c. the number of gallons of each coating employed;

- d. the OC content of each coating employed, in pounds per gallon;
- e. the OC emission rate from each coating employed (c x d) , in pounds;
- f. the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
- g. the total number of days the emissions units were in operation;
- h. the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
- i. documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule 3745-21-01 (C)(5).]

- 2. The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - b. The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons..

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
- 2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.
- 3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

- 1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

 - 2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)
 - 130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:
Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.
- 2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R001 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	none	none
2. Additional Terms and Conditions		
<ol style="list-style-type: none"> 1. None 		

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. **Testing Requirements**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air Toxics Policy does not apply to this emissions unit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R002 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).
	OAC Rule 3745-21-07(G)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D).
	OAC rule 3745-31-05(D) PTI No. 03-10028	See Sections A.II.1 and 2 of the terms and conditions of this permit. The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. Additional Terms and Conditions

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. the company identification for each coating and cleanup material employed;
 - b. documentation on whether or not each coating employed is a photochemically reactive material;
 - c. the number of gallons of each coating employed;
 - d. the OC content of each coating employed, in pounds per gallon;
 - e. the OC emission rate from each coating employed (c x d), in pounds;
 - f. the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
 - g. the total number of days the emissions units were in operation;
 - h. the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
 - i. documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule

3745-21-01 (C)(5).]

2. The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - b. The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons..

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:
Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.
2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R002 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

- 1. None.

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	none	none

2. Additional Terms and Conditions

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

- 1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air Toxics Policy does not apply to this emissions unit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R003 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

- 1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).
	OAC Rule 3745-21-07(G)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D). See Sections A.II.1 and 2 of the terms and conditions of this permit.
	OAC rule 3745-31-05(D) PTI No. 03-10028	The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. **Additional Terms and Conditions**

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

- The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
- The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

- The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - the company identification for each coating and cleanup material employed;
 - documentation on whether or not each coating employed is a photochemically reactive material;
 - the number of gallons of each coating employed;
 - the OC content of each coating employed, in pounds per gallon;
 - the OC emission rate from each coating employed (c x d), in pounds;
 - the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
 - the total number of days the emissions units were in operation;
 - the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
 - documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule 3745-21-01 (C)(5).]
- The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:

Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.
2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R003 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or

control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank		none
2. Additional Terms and Conditions		
1. None		

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

- 1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air Toxics Policy does not apply to this emissions unit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R004 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

- 1. None.

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).

The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D).

OAC Rule 3745-21-07(G)

See Sections A.II.1 and 2 of the terms and conditions of this permit.

OAC rule 3745-31-05(D)
PTI No. 03-10028

The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. **Additional Terms and Conditions**

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

1. The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. the company identification for each coating and cleanup material employed;
 - b. documentation on whether or not each coating employed is a photochemically reactive material;
 - c. the number of gallons of each coating employed;
 - d. the OC content of each coating employed, in pounds per gallon;
 - e. the OC emission rate from each coating employed (c x d) , in pounds;
 - f. the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
 - g. the total number of days the emissions units were in operation;
 - h. the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
 - i. documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule 3745-21-01 (C)(5).]
2. The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - b. The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons..

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.

3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. **Testing Requirements**

1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:

Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.

2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R004 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	none	none
2. Additional Terms and Conditions		
1. None		

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

- 1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air Toxics Policy does not apply to this emissions unit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R005 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

- 1. None.

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).
	OAC Rule 3745-21-07(G)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D). See Sections A.II.1 and 2 of the terms and conditions of this permit.
	OAC rule 3745-31-05(D) PTI No. 03-10028	The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. Additional Terms and Conditions

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

1. The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. the company identification for each coating and cleanup material employed;
 - b. documentation on whether or not each coating employed is a photochemically reactive material;
 - c. the number of gallons of each coating employed;
 - d. the OC content of each coating employed, in pounds per gallon;
 - e. the OC emission rate from each coating employed (c x d) , in pounds;
 - f. the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
 - g. the total number of days the emissions units were in operation;
 - h. the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
 - i. documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule 3745-21-01 (C)(5).]
2. The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - b. The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons..

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. **Testing Requirements**

1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:

Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.

2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R005 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	none	none
2. Additional Terms and Conditions		
1. None		

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. **Testing Requirements**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

- 1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air Toxics Policy does not apply to this emissions unit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R006 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

- 1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).
	OAC Rule 3745-21-07(G)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D).
	OAC rule 3745-31-05(D) PTI No. 03-10028	See Sections A.II.1 and 2 of the terms and conditions of this permit. The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. **Additional Terms and Conditions**

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

- 1. The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
- 2. The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. the company identification for each coating and cleanup material employed;
 - b. documentation on whether or not each coating employed is a photochemically reactive material;
 - c. the number of gallons of each coating employed;
 - d. the OC content of each coating employed, in pounds per gallon;
 - e. the OC emission rate from each coating employed (c x d) , in pounds;
 - f. the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
 - g. the total number of days the emissions units were in operation;
 - h. the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
 - i. documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule 3745-21-01 (C)(5).]
2. The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - b. The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons..

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:
Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.
2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material

by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

- 1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R006 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

- 1. None.

I. **Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	none	none
2. Additional Terms and Conditions		
1. None		

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. **Operational Restrictions**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. **Monitoring and/or Record Keeping Requirements**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. **Reporting Requirements**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. **Testing Requirements**

- 1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. **Miscellaneous Requirements**

- 1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air

Toxics Policy does not apply to this emissions unit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

Part III - Terms and Conditions for Emissions Units

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R007 Issuance type: Title V Preliminary Proposed Permit

A. State and Federally Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Conventional Line Adhesive Flow Coat Tank	OAC rule 3745-31-05(A)(3) PTI No. 03-10028	The emissions of organic compounds (OC) from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 2,100.0 pounds/day (as a weekly average).
	OAC Rule 3745-21-07(G)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-07(G) and 3745-31-05(D). See Sections A.II.1 and 2 of the terms and conditions of this permit.
	OAC rule 3745-31-05(D) PTI No. 03-10028	The emissions of OC from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, shall not exceed 130.0 tons/rolling, 12-month period.

2. Additional Terms and Conditions

- (a) None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. The permittee shall not employ any material (i.e., coating) in emissions units R001, R002, R003, R004, R005, R006 and R007 that is a photochemically reactive material. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
2. The permittee shall not employ any cleanup material in emissions units R001, R002, R003, R004, R005, R006 and R007 that would result in the emission of OCs.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each week for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. the company identification for each coating and cleanup material employed;
 - b. documentation on whether or not each coating employed is a photochemically reactive material;
 - c. the number of gallons of each coating employed;
 - d. the OC content of each coating employed, in pounds per gallon;
 - e. the OC emission rate from each coating employed (c x d) , in pounds;
 - f. the total OC emission rate from all the coatings employed (summation of e for all coatings), in pounds;
 - g. the total number of days the emissions units were in operation;

- h. the average daily OC emission rate, i.e. (f)/(g), in pounds per day (average); and
- i. documentation on whether or not each cleanup material employed resulted in the emission of OCs.

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definition of "photochemically reactive material" is based upon OAC Rule 3745-21-01 (C)(5).]

- 2. The permittee shall maintain monthly records of the following information for emissions units R001, R002, R003, R004, R005, R006 and R007, combined:
 - a. The total OC emissions from all the coatings employed [calculated by summing the weekly OC emission rates (from Section III.1.f) for the calendar month, divided by 2000], in tons.
 - b. The total rolling, 12-month summation of the monthly OC emission rates (from all the coatings employed), in tons..

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports that identify the following:
 - a. all exceedances of the daily OC emission limitation of 2,100.0 pounds;
 - b. all exceedances of the rolling, 12-month OC emission limitation of 130 tons; and
 - c. all time periods during which a noncomplying (i.e., photochemically reactive) coating was employed.

The quarterly deviation (excursion) reports shall be submitted in accordance with paragraph A.1.c. of the General Terms and Conditions of this permit.
- 2. The permittee shall submit reports, on an annual basis, that summarize the total OC emissions from emissions units R001, R002, R003, R004, R005, R006 and R007, combined, for the previous calendar year. These reports shall be submitted by January 31 of each year.
- 3. The permittee shall submit quarterly summary reports that include an identification of all time periods during which any cleanup material employed resulted in the emissions of OCs, including an estimate of the amount of OCs emitted.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

- 1. Compliance with the emission limitation(s) in the Applicable Emission Limitations and/or Control Requirements of these terms and conditions shall be determined in accordance with the following method (s):

Emission Limitations:

2,100.0 lbs OC/day (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

130.0 tons per year, based on a rolling, 12-month summation of the monthly OC emission rates (from emissions units R001, R002, R003, R004, R005, R006 and R007, combined)

Applicable Compliance Method:

Compliance with the daily and annual allowable OC emission limitations above shall be based upon the record keeping requirements specified in Sections A.III.1 and 2 of the terms and conditions of this permit.
- 2. Any determination of the OC content*, solids content, or density of a coating and/or cleanup material shall be based on the coating/cleanup material as applied, including the addition of any thinner or viscosity reducer to the coating/cleanup material. The permittee shall determine the composition of the coating/cleanup material by formulation data supplied by the manufacturer of the coating/cleanup material, or from data determined by an analysis of each coating/cleanup material, as received, by 40 CFR 60, Appendix A, Method 24. The Ohio EPA may require the permittee, if it uses the formulation data supplied by the manufacturer, to determine data used in the calculation of the OC content of the coating/cleanup material by Reference Method 24 or an equivalent or alternative method.

* "OC content" means all organic compounds that are in a coating/cleanup material expressed as pounds of OC per gallon.

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

- 1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0387020330 Issuance type: Title V Preliminary Proposed Permit

[Go to the top of this document](#)

Facility ID: 0387020330 Emissions Unit ID: R007 Issuance type: Title V Preliminary Proposed Permit

B. State Enforceable Section

The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

1. None.

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
Conventional Line Adhesive Flow Coat Tank	none	none
2. Additional Terms and Conditions		
1. None		

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

II. Operational Restrictions

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

III. Monitoring and/or Record Keeping Requirements

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

IV. Reporting Requirements

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

V. Testing Requirements

1. None

[Go to the top of this document](#)

[Go to the top of Part III for this Emissions Unit](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION.

VI. Miscellaneous Requirements

1. There are no TLVs established for the solvents employed in this emissions unit. Therefore, Ohio EPA's Air Toxics Policy does not apply to this emissions unit.