



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
LOGAN COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 05-13448

Fac ID: 0546000117

DATE: 11/30/2004

Honda of America East Liberty Plant
Jeff Waid
11000 State Rte 347
East Liberty, OH 43319

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

SWDO



**Permit To Install
Terms and Conditions**

**Issue Date: 11/30/2004
Effective Date: 11/30/2004**

FINAL PERMIT TO INSTALL 05-13448

Application Number: 05-13448
Facility ID: 0546000117
Permit Fee: **\$600**
Name of Facility: Honda of America East Liberty Plant
Person to Contact: Jeff Waid
Address: 11000 State Rte 347
East Liberty, OH 43319

Location of proposed air contaminant source(s) [emissions unit(s)]:
**11000 State Rte 347
East Liberty, Ohio**

Description of proposed emissions unit(s):
Electric generators.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition

declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Honda of America East Liberty Plant
PTI Application: 05-13448
Issued: 11/30/2004

Facility ID: 0546000117

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Honda of America East Liberty Plant
PTI Application: 05-13448
Issued: 11/30/2004

Facility ID: 0546000117

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete

within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

Honda of America East Liberty Plant
PTI Application: 05-13448
Issued: 11/30/2004

Facility ID: 0546000117

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NOx	13.12
CO	3.48
VOC	0.33
PE	0.26
SO2	2.07

Honda of America East Liberty Plant

Facility ID: 0546000117

PTI Application: 05-13448

Issued: 11/30/2004

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
B035 - Generator No. 2 (emergency and peak shaving)	OAC rule 3745-31-05(A)(3)
	OAC rule 3745-31-05(C)
	OAC rule 3745-17-07(A)(1)

	<u>Applicable Emissions Limitations/Control Measures</u>	
<p>OAC rule 3745-17-11(B)(5)(b) [As approved for the State Implementation Plan, effective 6/27/94]</p>	<p>Nitrogen oxide (NOx) emissions shall not exceed 24.0 pounds per hour*.</p> <p>Carbon monoxide (CO) emissions shall not exceed 6.4 pounds per hour*.</p>	<p>Carbon monoxide (CO) emissions shall not exceed 1.59 tons per rolling, 12-month summation.</p> <p>Volatile organic compound (VOC) emissions shall not exceed 0.15 tons per rolling, 12-month summation.</p>
<p>OAC rule 3745-18-06(G)</p>	<p>Volatile organic compound (VOC) emissions shall not exceed 0.6 pound per hour*.</p>	<p>Particulate emissions (PE) shall not exceed 0.68 tons per rolling, 12-month summation.</p>
<p>OAC rule 3745-21-08(B)</p>	<p>Particulate emissions (PE) shall not exceed 2.7 pound per hour*.</p>	<p>Sulfur dioxide (SO₂) emissions shall not exceed 0.95 tons rolling, 12-month summation.</p>
<p>OAC rule 3745-23-06(B)</p>	<p>Sulfur dioxide (SO₂) emissions shall not exceed 3.8 pounds per hour*.</p>	<p>Visible particulate emissions from any stack shall not exceed 20 percent opacity, as a six-minute average, except as specified by rule.</p>
	<p>*These emission limitations are based upon the emissions unit's potential to emit. Therefore, no records are required to demonstrate compliance with these limits.</p>	<p>PE shall not exceed 0.35 lb/mmBtu of actual heat input.</p>
	<p>See A.II.1.</p>	
	<p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A), OAC rule 3745-17-07(B)(5) and OAC rule 3745-31-05(C).</p>	<p>This unit is exempt per OAC rule 3745-18-06(B).</p> <p>See A.I.2.a</p> <p>See A.I.2.b</p>
	<p>Nitrogen oxide (NOx) emissions shall not exceed 6.0 tons per rolling, 12-month summation.</p>	

2. Additional Terms and Conditions

- 2.a** The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08 by committing to comply with the best available technology requirements. .

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.b** The permittee shall satisfy the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by complying with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this permit to install.

II. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 500 hours as a rolling, 12-month summation. (This company has sufficient records to begin demonstrating immediate compliance with this limitation. Therefore, it is not necessary to establish operating hour limitations for the first 12-months of operation after the effective date of this permit.)
2. The permittee shall burn only diesel fuel (no. 2 fuel oil) in this emissions unit that has a sulfur content of 0.5% or less. Compliance with the above-mentioned specifications shall be determined by using analytical results provided by the permittee or oil supplier for each shipment of oil received.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for this emissions unit:
 - a. the total hours of operation for this emissions unit for each month; and
 - b. the rolling, 12-month summation of operating hours.
2. For each shipment of diesel fuel (no. 2 fuel oil) received for burning in this emissions unit, the

Honda of America East Liberty Plant**PTI Application: 05-12448****Issued****Facility ID: 0546000117****Emissions Unit ID: B035**

permittee shall collect or require the oil supplier to collect a representative grab sample of oil and maintain records of the total quantity of oil received, the permittee's or oil supplier's analyses for sulfur content and heat content, and the calculated SO₂ emission rate (in lbs/MMBtu). The SO₂ emission rate shall be calculated in accordance with the formula specified in OAC rule 3745-18-04(F). A shipment may be comprised of multiple tank truck loads from the same supplier's batch, and the quality of the oil for those loads may be represented by a single batch analysis from the supplier.

The permittee shall perform or require the supplier to perform the analyses for sulfur content and heat content in accordance with 40 CFR Part 60, Appendix A, Method 19, or the appropriate ASTM methods (such as, ASTM methods D240 and D4294), or equivalent methods as approved by the Director.

IV. Reporting Requirements

The permittee shall submit quarterly deviation (excursion) reports to Ohio EPA, Southwest District Office that identify the following:

1. each day when a fuel other than diesel fuel was burned in this emissions unit;
2. all exceedances of the rolling, 12-month hours of operation limitation.
3. all exceedances of the sulfur content restriction in II.2.

The quarterly deviation reports shall be submitted in accordance with the reporting requirements specified in Part I - General Terms and Conditions.

V. Testing Requirements

Compliance with the emission limitations in Section A.I.1. of these terms and conditions shall be determined in accordance with the following methods:

1. Emission Limitations:
NO_x - 24.0 lbs/hr and 6.0 tons/rolling, 12-month summation
CO - 6.4 lbs/hr and 1.59 tons/rolling, 12-month summation
VOC - 0.6 lb/hr and 0.15 tons/rolling, 12-month summation
PE - 2.7 and 0.68 tons/rolling, 12-month summation
SO₂ - 3.8 lbs/hr and 0.95 tons/rolling, 12-month summation

Applicable Compliance Method:

The hourly allowable emission limitations mentioned-above were established by multiplying the maximum hourly heat input rating for the diesel generator of 7.49 MMBTU/hr by the emission factor* for each pollutant, from AP-42, Table 3.4-1.

* for NO_x, 3.2 lb/MMBTU; for CO, 0.85 lb/MMBTU; for PE, 0.35 lb/MMBTU; for VOC, 0.0819 lb/MMBTU; and for SO₂, 1.01 x % sulfur content, by weight (0.5%) lb/MMBTU.

If required, compliance with the hourly allowable emission limitations above shall be determined in accordance with the appropriate Methods** of 40 CFR Part 60, Appendix .

** For NO_x, Methods 1 - 4 and 7; for CO, Methods 1 - 4 and 10; for VOC, Methods 1 - 4 and 25 or 25A, as appropriate; for PE, Methods 1 - 5; and for SO₂, Methods 1 - 4 and 6.

The rolling, 12-month emission limitations were established by multiplying the maximum hourly emission limitations by 500 hours per rolling, 12-months, and then dividing the results by 2000 lbs/ton. If compliance is demonstrated with the 500 hours per rolling, 12-month summation limitation, then compliance is ensured with the rolling, 12-month emissions limitations.

2. Visible Emissions Limitation:

Visible PE from any stack shall not exceed 20% opacity, as a 6-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance with the visible PE limitation shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Test Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

3. Emission Limitation:
0.35 lb PE/mmBtu

Applicable Compliance Limit:

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
B008 - Generator No. 2	OAC rule 3745-17-11(B)(5)(b)	PE shall not exceed 0.062 lb/mmBtu (See Section B.VI. below.)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

Compliance with the emission limitations in Section A.I.1. of these terms and conditions shall be determined in accordance with the following method:

Emissions Limitation:
0.062 lb PE/mmBtu

Applicable Compliance Method:
Compliance with the PE limitation shall be demonstrated by the use of AP-42, Table 3.4-1.

VI. Miscellaneous Requirements

1. The emission limitation of OAC rule 3745-17-11(B)(5) became effective with the January 31, 1998, rule revisions. The revision failed to account for these types of engines. For this and other reasons, Ohio will be revising this rule in the near future. The revisions will account for these types of emissions units.

The January 31, 1998, rule revision is not part of Ohio's approved State Implementation Plan (SIP). For this reason, the rule is only identified within Part III-Section B. of the permit.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
B409 - Generator No. 3 (emergency and peak shaving)	OAC rule 3745-31-05(A)(3)
	OAC rule 3745-31-05(C)
	-OAC rule 3745-17-07(A)(1)

Hond
PTI A
Issued: 11/30/2004

Emissions Unit ID: B409

	<u>Applicable Emissions Limitations/Control Measures</u>	
<p>OAC rule 3745-17-11(B)(5)(b) [As approved for the State Implementation Plan, effective 6/27/94]</p>	<p>Nitrogen oxide (NO_x) emissions shall not exceed 28.5 pounds per hour*.</p>	<p>shall not exceed 1.89 tons per rolling, 12-month summation.</p>
<p>OAC rule 3745-18-06(G)</p>	<p>Carbon monoxide (CO) emissions shall not exceed 7.6 pounds per hour*.</p>	<p>Volatile organic compound (VOC) emissions shall not exceed 0.18 tons per rolling, 12-month summation.</p>
<p>OAC rule 3745-21-08(B)</p>	<p>Particulate emissions (PE) shall not exceed 3.2 pound per hour*.</p>	<p>Particulate emissions (PE) shall not exceed 0.8 tons per rolling, 12-month summation.</p>
<p>OAC rule 3745-23-06(B)</p>	<p>Volatile organic compound (VOC) emissions shall not exceed 0.7 pound per hour*.</p>	<p>Sulfur dioxide (SO₂)emissions shall not exceed 1.12 tons rolling, 12-month summation.</p>
	<p>Particulate emissions (PE) shall not exceed 3.2 pound per hour*.</p>	<p>Visible particulate emissions from any stack shall not exceed 20 percent opacity, as a six-minute average, except as specified by rule.</p>
	<p>Sulfur dioxide (SO₂)emissions shall not exceed 4.5 pounds per hour*.</p>	<p>PE shall not exceed 0.35 lb/mmBtu of actual heat input.</p>
	<p>*These emission limitations are based upon the emissions unit's potential to emit. Therefore, no records are required to demonstrate compliance with these limits.</p>	
	<p>See A.II.1.</p>	<p>This unit is exempt per OAC rule 3745-18-06(B).</p>
	<p>The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(A), 3745-17-07(B)(5) and 3745-31-05(C).</p>	<p>See A.I.2.a</p>
		<p>See A.I.2.b</p>
	<p>Nitrogen oxide (NO_x) emissions shall not exceed 7.12 tons per rolling, 12-month summation.</p>	
	<p>Carbon monoxide (CO) emissions</p>	

2. Additional Terms and Conditions

- 2.a** The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08 by committing to comply with the best available technology requirements.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.b** The permittee shall satisfy the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by complying with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this permit to install.

II. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 500 hours as a rolling, 12-month summation. (This company has sufficient records to begin demonstrating immediate compliance with this limitation. Therefore, it is not necessary to establish operating hour limitations for the first 12-months of operation after the effective date of this permit.) .

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for this emissions unit:
- a. the total hours of operation for this emissions unit for each month; and
 - b. the rolling, 12-month summation of operating hours.
2. For each shipment of diesel fuel (no. 2 fuel oil) received for burning in this emissions unit, the permittee shall collect or require the oil supplier to collect a representative grab sample of oil and maintain records of the total quantity of oil received, the permittee's or oil supplier's analyses for sulfur content and heat content, and the calculated SO₂ emission rate (in lbs/MMBTU). The SO₂ emission rate shall be calculated in accordance with the formula specified in OAC rule 3745-18-04(F). A shipment may be comprised of multiple tank truck loads from the same supplier's batch, and the quality of the oil for those loads may be represented by a single batch analysis from the supplier.

The permittee shall perform or require the supplier to perform the analyses for sulfur content and

heat content in accordance with 40 CFR Part 60, Appendix A, Method 19, or the appropriate ASTM methods (such as, ASTM methods D240 and D4294), or equivalent methods as approved by the Director.

IV. Reporting Requirements

The permittee shall submit quarterly deviation (excursion) reports to Ohio EPA, Southwest District Office that identify the following:

1. each day when a fuel other than diesel fuel was burned in this emissions unit;
2. all exceedances of the rolling, 12-month hours of operation limitation.

The quarterly deviation reports shall be submitted in accordance with the reporting requirements specified in Part I - General Terms and Conditions.

V. Testing Requirements

Compliance with the emission limitations in Section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

1. Emission Limitations:
NO_x - 28.5 lbs/hr and 7.12 tons/rolling, 12-month summation
CO - 7.6 lbs/hr and 1.89 tons/rolling, 12-month summation
VOC - 0.7 lb/hr and 0.18 tons/rolling, 12-month summation
PE - 3.2 lb/hr and 0.8 tons/rolling, 12-month summation
SO₂ - 4.5 lbs/hr and 1.12 tons/rolling, 12-month summation

Applicable Compliance Method:

The hourly allowable emission limitations mentioned-above were established by multiplying the maximum hourly heat input rating for the diesel generator of 8.91 MMBTU/hr by the emission factor* for each pollutant, from AP-42, Table 3.4-1.

* for NO_x, 3.2 lb/MMBTU; for CO, 0.85 lb/MMBTU; for PE, 0.35 lb/MMBTU; for VOC, 0.0819 lb/MMBTU; and for SO₂, 1.01 x % sulfur content, by weight (0.5%) lb/MMBTU.

If required, compliance with the hourly allowable emission limitations above shall be determined in accordance with the appropriate Methods** of 40 CFR Part 60, Appendix .

** For NO_x, Methods 1 - 4 and 7; for CO, Methods 1 - 4 and 10; for VOC, Methods 1 - 4 and 25 or 25A, as appropriate; for PE, Methods 1 - 5; and for SO₂, Methods 1 - 4 and 6.

The rolling, 12-month emission limitations were established by multiplying the maximum hourly

Honda of America East Liberty Plant

PTI Application: 05 12448

Issued

Facility ID: 0546000117

Emissions Unit ID: B409

emission limitations by 500 hours per rolling, 12-months, and then dividing the results by 2000 lbs/ton. If compliance is demonstrated with the 500 hours per rolling, 12-month summation limitation, then compliance is ensured with the rolling, 12-month emissions limitations.

2. Visible Emissions Limitation:
Visible PE from any stack shall not exceed 20% opacity, as a 6-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance with the visible PE limitation shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Test Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

3. Emission Limitation:
0.35 lb PE/mmBtu

Applicable Compliance Limit:

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
B409 - Generator No. 3	OAC rule 3745-17-11(B)(5)(b)	PE shall not exceed 0.062 lb/mmBtu (See Section B.VI. below.)

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

Compliance with the emission limitations in Section A.I.1. of these terms and conditions shall be determined in accordance with the following method:

Emissions Limitation:
 0.062 lb PE/mmBtu

27

Hond

PTI A

Issued: 11/30/2004

Emissions Unit ID: B409

Applicable Compliance Method:

Compliance with the PE limitation shall be demonstrated by the use of AP-42, Table 3.4-1.

VI. Miscellaneous Requirements

The emission limitation of OAC rule 3745-17-11(B)(5) became effective with the January 31, 1998, rule revisions. The revision failed to account for these types of engines. For this and other reasons, Ohio will be revising this rule in the near future. The revisions will account for these types of emissions units.

The January 31, 1998, rule revision is not part of Ohio's approved State Implementation Plan (SIP). For this reason, the rule is only identified within Part III-Section B. of the permit.