

Synthetic Minor Determination and/or Netting Determination

Permit To Install: "05-14436"

A. Source Description

Airstream, has an Recreational Vehicle Assemble plant at 419 West Pike Street, Jackson Center, Shelby County, Ohio. This Permit to Install (PTI) is to cover the modification material usage in the window line spray booth (K006). This facility is a Minor Source under PSD regulations.

B. Facility Emissions and Attainment Status

Shelby County is attainment for all criteria pollutants. The Airstream is defined as a non-major stationary source for all criteria pollutants thresholds under Prevention of Significant Deterioration (PSD) standards. The facility is a Title V due to HAP(s) emissions.

C. Source Emissions

This PTI will cover the modification in the window line both spray booth (K006): Airstream has agreed to limit the coatings employed in this booth to compliance coating as defined in OAC Rule 3745-21-09(U). This will eliminate the old usage restriction of 10 gallons per day.

D. Conclusion

Airstream's Jackson Center, Ohio, Plant, is defined as a minor source for Federal Regulation under PSD. The facility is already a Title V for HAP(s) and the increase in emissions from this modification will not trigger any additional Federal regulations. The concentrations for each Toxics emitted are below the MAGLC for each toxic.



State of Ohio Environmental Protection Agency

**RE: DRAFT PERMIT TO INSTALL
SHELBY COUNTY**

CERTIFIED MAIL

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

Application No: 05-14436

Fac ID: 0575000095

DATE: 2/21/2008

Airstream Inc
Terry Coleman
419 W Pike St
Jackson Center, OH 45334

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43216-1049.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$200** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

SWDO

IN

SHELBY COUNTY

PUBLIC NOTICE
ISSUANCE OF DRAFT PERMIT TO INSTALL 05-14436 FOR AN AIR CONTAMINANT SOURCE
FOR Airstream Inc

On 2/21/2008 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Airstream Inc**, located at **419 W Pike St, Jackson Center**, Ohio.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 05-14436:

Modification to PTI: 05-8817 to remove 10 gallon per day usage limit and increase potential usage to 3000 gallons per year.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Jeff Hines, Ohio EPA, Southwest District Office, 401 East Fifth Street, Dayton, OH 45402-2911
[(937)285-6357]



**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 05-14436

Application Number: 05-14436
Facility ID: 0575000095
Permit Fee: **To be entered upon final issuance**
Name of Facility: Airstream Inc
Person to Contact: Terry Coleman
Address: 419 W Pike St
Jackson Center, OH 45334

Location of proposed air contaminant source(s) [emissions unit(s)]:
**419 W Pike St
Jackson Center, Ohio**

Description of proposed emissions unit(s):
Modification to PTI: 05-8817 to remove 10 gallon per day usage limit and increase potential usage to 3000 gallons per year.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written

Airstream Inc

Facility ID: 057500095

PTI Application: 05-14436

Issued: To be entered upon final issuance

reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

Airstream Inc

PTI Application: 05-14436

Issued: To be entered upon final issuance

Facility ID: 057500095

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

13. Permit-To-Install

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

B. State Only Enforceable Permit-To-Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing

13

Airstream Inc

PTI Application: 05-14436

**Issued: To be entered upon final issuance
of any transfer of this permit.**

Facility ID: 0575000095

Airstream Inc**Facility ID: 0575000095****PTI Application: 05-14436****Issued: To be entered upon final issuance****4. Authorization To Install or Modify**

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

Airstream Inc**Facility ID: 0575000095****PTI Application: 05-14436****Issued: To be entered upon final issuance**

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit-To-Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	6.77
HAP	0.66
HAP(s)	1.0

Airstream Inc

Facility ID: 0575000095

PTI Application: 05-14436

Issued: To be entered upon final issuance

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (K006) - Window Line Spray Booth with paper paint booth filters

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(C) Synthetic minor to avoid PSD and BAT	Total combined VOC from the coating and cleanup operations shall not exceed 6.77 tons per rolling, 12-month period for emissions unit K006. The VOC content of liquid organic cleanup materials employed in this emissions unit shall not exceed 3.04 lbs/gallon. See Sections A.II.1 and 2.
OAC Rule 3745-21-09(U)	The VOC content of the coating materials employed in this emissions unit shall not exceed 3.5 lbs/gallon excluding water and exempt solvents.
OAC rule 3745-31-05(A)(3)(b)	See Section A.I.2.a.

2. Additional Terms and Conditions

- 2.a The Best Available Technology (BAT) requirement under OAC rule 3745-31-05(A)(3) do not apply to the organic compound (OC), volatile organic compound (VOC) and particulate emissions (PE) from this emissions unit since the potential emissions are less than ten tons per year.

II. Operational Restrictions

1. The maximum annual coating usage shall not exceed 3,000 gallons per rolling, 12-month period excluding water and exempt solvents for emissions unit K006.

The permittee has sufficient existing records to demonstrate compliance with this limitation during the first twelve months after issuance of this permit.
2. The maximum annual cleaning solvent usage shall not exceed 1,000 gallons per

Emissions Unit ID: K006

rolling, 12-month period for emissions unit K006.

The permittee has sufficient existing records to demonstrate compliance with this limitation during the first twelve months after issuance of this permit.

III. Monitoring and/or Recordkeeping Requirements

1. This facility shall maintain the following monthly records on all coatings employed in emissions unit K006:
 - a. the name of the coating employed;
 - b. the volatile organic compound content, in lbs/gallon excluding water and exempt solvents;
 - c. the amount of coating employed, in gallons;
 - d. the 12-month rolling total amount of coatings employed, in gallons per last 12-month period;
 - e. the VOC emission of all coatings employed, in tons per month; and
 - f. the 12-month rolling total amount of VOC emitted from the use of coatings, in tons per last 12-month period.
2. This facility shall maintain the following monthly records on all cleanup material employed in emissions unit K006:
 - a. the name of the material employed;
 - b. the volatile organic compound content, in lbs/gallon;
 - c. the amount of material employed, in gallons;
 - d. the 12-month rolling total amount of cleanup materials employed, in gallons per last 12-month period;
 - e. the VOC emission of all cleanup materials, in tons per month; and
 - f. the 12-month rolling total amount of VOC emitted from the use of cleanup materials, in tons per last 12-month period.
3. This facility shall maintain the following monthly records on all coating and cleanup material employed in emissions unit K006:
 - a. the combined monthly VOC emissions for coating and cleanup materials

Issued: To be entered upon final issuance

employed, in tons per month; and

- b. the combined 12-month rolling total amount of VOC emitted from the use of coating and cleanup materials, in tons per last 12-month period.

IV. Reporting Requirements

- 1. The permittee shall submit quarterly deviation reports that identify the following:
 - a. all exceedances of the rolling, 12-month period coating usage limitation of 3,000 gallons excluding water and exempt solvents;
 - b. all exceedances of coating VOC content of 3.5 lbs/gal;
 - c. all exceedances of the rolling, 12-month period cleaning solvent usage limitation of 1,000 gallons;
 - d. all exceedances of liquid clean up VOC content of 3.04 lbs/gal; and/or
 - e. all exceedances of the rolling, 12-month period VOC emission limitation of 6.77 tons for emissions unit K006.

These quarterly deviation reports are due by the dates specified in Part I - General Terms and Conditions A.1.

- 2. The permittee shall also submit annual reports that specify the total VOC emissions from this emissions unit for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

V. Testing Requirements

- 1. Compliance with the emission limitations of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:

6.77 tons of VOC per rolling, 12-month period for emissions unit K006.

Applicable Compliance Method:

Airstream Inc**DTI Application: 05 14426****Facility ID: 0575000095**

Emissions Unit ID: K006

The permittee shall demonstrate compliance with the above limit based upon the record keeping requirements of Sections A.III.1.(e) and A.III.2.(e). of these T&C's.

Formulation data or Method 24 of 40 CFR, Part 60, Appendix A, shall be used to determine the organic compound contents of the materials employed.

Airstream Inc**DTI Application: 05 14126****Facility ID: 0575000095**

Emissions Unit ID: K006

b. Emission Limitation:

The VOC content of the coating materials employed in this emissions unit shall not exceed 3.5 lbs/gallon, as applied.

The VOC content of liquid organic cleanup materials employed in this emissions unit shall not exceed 3.04 lbs/gallon, as applied.

Applicable Compliance Method:

Formulation data or Method 24 of 40 CFR, Part 60, Appendix A, shall be used to demonstrate compliance with the organic compound content limitations.

VI. Miscellaneous Requirements

None

Issued: To be entered upon final issuance

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (K006) - Window Line Spray Booth with paper paint booth filters

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-114-01	Ohio Toxics Policy

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. The permit to install for this emissions unit was evaluated based on the actual materials and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted

Issued: To be entered upon final issuance

by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration result(s) from the use of the SCREEN 3.0 (or other approved) model, was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC), calculated as required in Engineering Guide #70. The following summarizes the results for the "worst case" pollutant(s):

Pollutant: Butyl Acetate

TLV (ppm): 200

Maximum Hourly Emission Rate (g/s): 0.4817

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m3): 424.9

MAGLC (ug/m3): 22,623.4

Pollutant: Toluene

TLV (ppm): 50

Maximum Hourly Emission Rate (g/s): 0.0832

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m3): 73.39

MAGLC (ug/m3): 4,485.8

Pollutant: Xylene

TLV (ppm): 100

Maximum Hourly Emission Rate (g/s): 0.0671

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m3): 54.51

MAGLC (ug/m3): 10,337.9

2. Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be still satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:
 - a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;

Emissions Unit ID: K006

- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(PPP)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (PPP)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

- 3. The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"
 - a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
 - b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
 - c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.
- 4. Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:
 - a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
 - b. changes in the composition of the materials, or use of new materials, that would

Issued: To be entered upon final issuance

result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and

- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(PPP)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (PPP)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

5. The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"
 - a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
 - b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
 - c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

Airstream Inc
PTI Application: 05-14436
Issued: To be entered upon final issuance

Facility ID: 057500095

Emissions Unit ID: K006

SIC CODE 3714 SCC CODE 4-02025-01 EMISSIONS UNIT ID K006

EMISSIONS UNIT DESCRIPTION Window Line Spray Booth with paper paint booth filters

DATE INSTALLED upon issuance

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	attainment		6.77		6.77
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics			0.66 HAP/ 1.0 HAPs		0.66 HAP/ 1.0 HAPs

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination This emission unit will employ compliance coatings as defined in OAC Rule 3745-21-09(U) and limit the usage to 3000 gallons/12-month rolling period; limit the VOC content and usage of liquid organic cleanup materials employed to 3.04 lbs of VOC/gallon and 1000 gallons/ 12-month rolling period, respectively.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? X YES NO

IDENTIFY THE AIR CONTAMINANTS: Butyl acetate, Toluene, Xylene