



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL  
SHELBY COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049

**Application No: 05-11292**

**DATE: 2/27/2001**

Ross Aluminum Foundries  
Ted Settlege  
707-815 N Oak Ave  
Sidney, OH 45365

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

CC: USEPA

SWDO



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

**FINAL PERMIT TO INSTALL 05-11292**

Application Number: 05-11292  
APS Premise Number: 0575010009  
Permit Fee: **\$1400**  
Name of Facility: Ross Aluminum Foundries  
Person to Contact: Ted Settlege  
Address: 707-815 N Oak Ave  
Sidney, OH 45365

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**815 N Oak Ave**  
**Sidney, Ohio**

Description of proposed emissions unit(s):  
**Sand mulling and handling process.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. Permit to Install General Terms and Conditions

#### 1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### 2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### 3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### 4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

**Ross Aluminum Foundries**  
**PTI Application: 05-11292**  
**Issued: 2/27/2001**

**Facility ID: 0575010009**

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

**Ross Aluminum Foundries**  
**PTI Application: 05-11292**  
**Issued: 2/27/2001**

**Facility ID: 0575010009**

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

**B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)**  
**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate Emissions	7.8

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P901 - Aluminum Pouring and Mold Release (shake-out) Area for Green Sand	OAC rule 3745-31-05 (A)(3)	4.6 lbs PE/hr, 2.6 TPY PE
	OAC rule 3745-17-07 (B)(1)	Visible emissions of fugitive dust shall not exceed 5 percent opacity as a 3-minute average, except as provided by rule
	OAC rule 3745-17-08 (B)	The emissions limitation specified by this rule for fugitive dust is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3)
		See term A.2.a

**2. Additional Terms and Conditions**

- 2.a The visible emissions of fugitive dust from any window, door, or other egress point from the pouring building shall not exceed 5 percent opacity as a 3-minute average.
- 2.b The emissions limitation of 4.6 pounds per hour of particulate emissions is based upon potential-to-emit for this emissions unit. Therefore, it is not necessary to establish record keeping and/or reporting requirements to ensure compliance with this limitation.

**B. Operational Restrictions**

Emissions Unit ID: **P901**

The maximum annual amount of aluminum poured for this emissions source shall not exceed 4,305.6 tons. It is conservatively assumed that the make-up of the aluminum poured is equally bifurcated between castings and scrap.

**C. Monitoring and/or Recordkeeping Requirements**

The permittee shall maintain monthly records of the pounds of aluminum castings poured for this emissions unit.

**D. Reporting Requirements**

1. The permittee shall submit annual reports which identify all days when emissions exceeding 5 percent opacity as a 3-minute average (except as provided by rule) were observed, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year. If no exceedances occurred during the year, then the permittee is not required to submit a report.
2. The permittee shall submit annual reports that identify any exceedances of the annual aluminum pouring limitation (4,305.6 tons), as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year. If no exceedances occurred during the year, then the permittee is not required to submit a report.

**E. Testing Requirements**

Compliance with the emissions limitations specified in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

1. Emissions Limitation -  
4.6 pounds of particulate emissions per hour

Applicable Compliance Method -  
Compliance shall be determined by the following:

BH = number of batches per hour: 60;  
 SA = pounds of sand per batch: 3,300;  
 RA = aluminum to sand ratio: 1 to 26;  
 EF = emission factor from AP-42, 5th Edition, Volume I, Table 12. 10- 6: 1.2 pounds PE per ton of metal poured

$$\text{Emissions} = (\text{BH})(\text{SA})(\text{RA})(\text{tn}/2,000 \text{ lbs})(\text{RA})$$

$$\text{Emissions} = (60 \text{ batches/hr})(3,300 \text{ lbs sand/batch})(1 \text{ part aluminum}/26 \text{ parts sand})(\text{tn}/2,000 \text{ lbs})(1.2 \text{ lbs PE/tn aluminum poured})$$

$$\text{Emissions} = 4.6 \text{ lbs PE/hr}$$

2. Emissions Limitation -  
2.6 tons of particulate emissions per year

Applicable Compliance Method -  
Compliance shall be determined by the following:

Compliance shall be determined by the following method: (a) sum the monthly production of aluminum castings (in tons) for the calendar year; (b) multiple the yearly sum by 2 (it is conservatively assumed that the make-up of the aluminum poured is equally bifurcated between castings and scrap); (c) multiply the total of (b) by 1.2 pounds PE per ton of metal poured; (d) convert the results to tons by dividing the sum by 2,000 lbs/ton.

3. Emissions Limitation -

Visible emissions of fugitive dust shall not exceed 5% opacity, as a 3-minute average, except as provided by rule.

Applicable Compliance Method -  
Compliance shall be based upon visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

## **F. Miscellaneous Requirements**

None

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P902 - Sand Muller and Sand Handling (including molders) for Green Sand	OAC rule 3745-31-05 (A)(3)	9.1 lbs PE/hr; 5.2 TPY PE  Visible emissions from the stack shall not exceed 5 percent opacity as a 6-minute average  Visible emissions of fugitive dust shall not exceed 5 percent opacity as a 3-minute average
	OAC rule 3745-17-07(A)(1)	The visible emissions limitation specified by this rule for the stack is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3)
	OAC rule 3745-17-07(B)(1)	The emissions limitation specified by this rule for fugitive dust is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3)
	OAC rule 3745-17-08(B)	See A.2.a
	OAC rule 3745-17-11	The stack emissions limitation specified by this rule is less stringent than the emissions limitation

established pursuant to OAC rule  
3745-31-05(A)(3)

## 2. Additional Terms and Conditions

- 2.a The visible emissions of fugitive dust from any window, door, or other egress point from the pouring building shall not exceed 5 percent opacity as a 3-minute average.
- 2.b The emissions limitation of 9.1 pounds per hour of particulate emissions is based upon potential-to-emit for this emissions unit. Therefore, it is not necessary to establish record keeping and/or reporting requirements to ensure compliance with this limitation.

## B. Operational Restrictions

- 1. This emissions unit shall be used for the production of molds for the green sand line only.
- 2. The maximum annual amount of aluminum poured for this emissions source shall not exceed 4,305.6 tons. It is conservatively assumed that the make-up of the aluminum poured is equally bifurcated between castings and scrap.

## C. Monitoring and/or Recordkeeping Requirements

The permittee shall maintain monthly records of the pounds of aluminum castings poured for this emissions unit. It is conservatively assumed that the make-up of the aluminum poured is equally bifurcated between castings and scrap.

## D. Reporting Requirements

- 1. The permittee shall submit annual reports which identify all days when emissions exceeding 5 percent opacity as a 3-minute average (except as provided by rule) were observed, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year. If no exceedances occurred during the year then the permittee is not required to submit a report.
- 2. The permittee shall submit annual reports that identify any exceedances of the annual aluminum pouring limitation (4,305.6 tons), as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year. If no exceedances occurred during the year then the permittee is not required to submit a report.

**E. Testing Requirements**

1. Emissions Limitation -  
9.1 pound of particulate emissions per hour

Applicable Compliance Method -  
Compliance shall be determined by the following:

BH = number of batches per hour: 60;

SA = pounds of sand per batch: 3,300;

EF = emission factor from AP-42, 5th Edition, Volume I, Table 12. 10- 6: 0.092 PE per ton of sand

Emissions = (BH)(SA)(tn/2,000 lbs)(EF)

Emissions = (60 batches/hr)(3,300 lbs sand/batch)(tn/2,000 lbs)(0.092.2 lbs PE/tn sand)

Emissions = 9.1 lbs PE/hr

2. Emissions Limitation -  
5.2 tons of particulate emissions per year

Applicable Compliance Method -  
Compliance shall be determined by the following:

Compliance shall be determined by the following method: (a) sum the monthly production of aluminum castings (in tons) for the calendar year; (b) multiple the yearly sum by 2 (it is conservatively assumed that the make-up of the aluminum poured is equally bifurcated between castings and scrap); (c) multiply the total of (b) by the ratio of 26 parts sand to 1 part aluminum metal poured; (d) multiply the total of (c) by 0.092 pound PE per ton of sand. (e) Convert the results to tons by dividing the sum by 2,000 lbs/ton;

3. Emissions Limitation -  
Visible emissions of fugitive dust shall not exceed 5% opacity, as a 3-minute average, except as provided by rule.

Applicable Compliance Method -

Compliance shall be based upon visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

**Ross Aluminum Foundries**  
**PTI Application: 05-11202**  
**Issued**

**Facility ID: 0575010009**

Emissions Unit ID: **P902**

**F. Miscellaneous Requirements**

None

**NEW SOURCE REVIEW FORM B**

PTI Number: 05-11292

Facility ID: 0575010009

FACILITY NAME Ross Aluminum Foundries

FACILITY DESCRIPTION Sand mulling and handling process

CITY/TWP Sidnev

Emissions Unit ID: P902

SIC CODE 3365

SCC CODE 304100114

EMISSIONS UNIT ID P901

EMISSIONS UNIT DESCRIPTION Aluminum Pouring and Mold Release (shake-out) Area for Green Sand

DATE INSTALLED

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		4.6 lbs/hr	4.7	4.6 lbs/hr	4.7
PM <sub>10</sub>					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

The use of a wet collection system for dust collection and control. Yearly aluminum castings production limitation. 5% opacity as a 3-minute average.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

**NEW SOURCE REVIEW FORM B**

PTI Number: 05-11292 Facility ID: 0575010009

FACILITY NAME Ross Aluminum Foundries

FACILITY DESCRIPTION Sand mulling and handling process CITY/TWP Sidnev

Emissions Unit ID: **P902**

SIC CODE 3365 SCC CODE 30502599 EMISSIONS UNIT ID P902

EMISSIONS UNIT DESCRIPTION Sand Muller and Sand Handling (including molders) for Green Sand

DATE INSTALLED

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		9.1 lbs/hr	9.4	9.7 lbs/hr	9.4
PM <sub>10</sub>					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Yearly aluminum castings production limitation. 5% opacity as a 3-minute average.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? YES NO

IDENTIFY THE AIR CONTAMINANTS:

**NEW SOURCE REVIEW FORM B**

PTI Number: 05-11292

Facility ID: 0575010009

FACILITY NAME Ross Aluminum Foundries

FACILITY DESCRIPTION Sand mulling and handling process

CITY/TWP Sidnev

Emissions Unit ID: **P902**

**Ohio EPA Permit to Install Information Form** Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to [airpti@epa.state.oh.us](mailto:airpti@epa.state.oh.us)

Please fill out the following. If the checkbox does not work, replace it with an 'X'

	Electronic	<u>Additional information File Name Convention (your PTI # plus this letter)</u>	Hard Copy	None
Calculations (required)	<input checked="" type="checkbox"/>	0511292c.wpd	<input type="checkbox"/>	
Modeling form/results	<input type="checkbox"/>	0000000s.wpd	<input type="checkbox"/>	<input type="checkbox"/>
PTI Application (complete or partial)*	<input type="checkbox"/>	0000000a.wpd	<input type="checkbox"/>	<input type="checkbox"/>
BAT Study	<input type="checkbox"/>	0000000b.wpd	<input type="checkbox"/>	<input type="checkbox"/>
Other/misc.	<input type="checkbox"/>	0000000t.wpd	<input type="checkbox"/>	<input type="checkbox"/>

\* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

### NSR Discussion

Ross Aluminum submitted a PTI application on September 15, 1997, to modify two previously permitted sources. This modification request was to reflect an increase in production of aluminum castings at the green sand line. Because of the installation date, both emissions units (P901 and P902) are operating under a PTO only.

P901 emissions are fugitive as no current control device is in place. General ventilation (roof vents) are operated to remove the fugitive dust from the employee work area. For simplicity of tracking and to avoid future confusion, the emissions unit id was not changed from the original P9xx to a Fxxx code.

The emissions generated from the sand muller (P902) are captured and controlled by a wet dust collector and vented outside. The emissions from the molders are fugitive and negligible according to the facility representative (Ted Settlage).

Since no emissions factors were available for the aluminum foundry industry, it was decided to use factors from AP-42 for the nonferrous industry.

The facility currently records monthly casting weight for the green sand line. This net weight doesn't represent the total amount of aluminum poured, as risers and scrap metal are not accounted for in this monthly record keeping. Therefore, in order to reflect the total amount of aluminum poured, it was conservatively assumed that multiplying the total net weight of the aluminum castings by 2 would represent the total amount of aluminum poured.

#### **Fees:**

P901 PWR: 5001-10000 lbs aluminum /hr \$600

P902 PWR: 10001-50000 lbs sand/hr \$800

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

**1 NEW SOURCE REVIEW FORM B**

PTI Number: 05-11292

Facility ID: 0575010009

FACILITY NAME Ross Aluminum Foundries

FACILITY DESCRIPTION Sand mulling and handling process

CITY/TWP Sidnev

Emissions Unit ID: **P902**

**Synthetic Minor Determination and/or**  **Netting Determination**  
Permit To Install **ENTER PTI NUMBER HERE**

- A. Source Description
- B. Facility Emissions and Attainment Status
- C. Source Emissions
- D. Conclusion

**PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:**

NONE

Please complete:

**SUMMARY (for informational purposes only)**

**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate Emissions	7.8