

Facility ID: 0448010099 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

- [Go to Part II for Emissions Unit T009](#)
- [Go to Part II for Emissions Unit T010](#)
- [Go to Part II for Emissions Unit T011](#)
- [Go to Part II for Emissions Unit T012](#)
- [Go to Part II for Emissions Unit T013](#)
- [Go to Part II for Emissions Unit T014](#)
- [Go to Part II for Emissions Unit T015](#)
- [Go to Part II for Emissions Unit T016](#)
- [Go to Part II for Emissions Unit T017](#)
- [Go to Part II for Emissions Unit T018](#)
- [Go to Part II for Emissions Unit T019](#)
- [Go to Part II for Emissions Unit T020](#)
- [Go to Part II for Emissions Unit T021](#)
- [Go to Part II for Emissions Unit T022](#)
- [Go to Part II for Emissions Unit T023](#)
- [Go to Part II for Emissions Unit T024](#)
- [Go to Part II for Emissions Unit T025](#)
- [Go to Part II for Emissions Unit T026](#)
- [Go to Part II for Emissions Unit T027](#)
- [Go to Part II for Emissions Unit T028](#)
- [Go to Part II for Emissions Unit T029](#)
- [Go to Part II for Emissions Unit T030](#)
- [Go to Part II for Emissions Unit T031](#)
- [Go to Part II for Emissions Unit T032](#)
- [Go to Part II for Emissions Unit T033](#)

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T009 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-201)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity.

This record shall be kept for the life of the emissions unit.

- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T010 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-202)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T011 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

(a) None.

2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

(a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-203)	OAC rule 3745-31-05	0.10 TPY of VOC
	PTI 04-968	See A.2.a
	OAC rule 3745-21-09(L)	See A.2.b
	40 CFR Part 60, Subpart Kb	See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T012 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-206)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

- 2. **Additional Terms and Conditions**
  - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:
 

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T013 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-207)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T014 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

- (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
- (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-208)	OAC rule 3745-31-05	0.10 TPY of VOC
	PTI 04-968	See A.2.a
	OAC rule 3745-21-09(L)	See A.2.b
	40 CFR Part 60, Subpart Kb	See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T015 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the

applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-209)	OAC rule 3745-31-05 PTI 04-968	0.10 TPY of VOC See A.2.a
	OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T016 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2010)	OAC rule 3745-31-05 PTI 04-968	0.10 TPY of VOC See A.2.a
	OAC rule 3745-21-09(L)	See A.2.b

40 CFR Part 60, Subpart Kb See C.1

2. **Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. **Operational Restrictions**

- 1. None

C. **Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

D. **Reporting Requirements**

- 1. None

E. **Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

F. **Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T017 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

A. **Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2011)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

2. **Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. **Operational Restrictions**

- 1. None

C. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
  2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.
- D. Reporting Requirements**
1. None
- E. Testing Requirements**
1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:  
  
 Emission Limitation:  
 0.10 TPY of VOC  
  
 Applicable Compliance Method:  
 Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.
- F. Miscellaneous Requirements**
1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T018 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2012)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T019 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

(a) None.

2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

(a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2013)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T020 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2014)	OAC rule 3745-31-05 PTI 04-968	0.10 TPY of VOC See A.2.a
	OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	See A.2.b See C.1

- 2. **Additional Terms and Conditions**
  - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:
 

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T021 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2015)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T022 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

- (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
- (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2016)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T023 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the

applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2017)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T024 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2018)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L)	0.10 TPY of VOC See A.2.a See A.2.b

40 CFR Part 60, Subpart Kb See C.1

- 2. **Additional Terms and Conditions**
  - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.
- B. **Operational Restrictions**
  - 1. None
- C. **Monitoring and/or Record Keeping Requirements**
  - 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
  - 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.
- D. **Reporting Requirements**
  - 1. None
- E. **Testing Requirements**
  - 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:  
  
Emission Limitation:  
0.10 TPY of VOC  
  
Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.
- F. **Miscellaneous Requirements**
  - 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T025 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.
- A. **Applicable Emissions Limitations and/or Control Requirements**
  - 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.
 

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2019)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1
- 2. **Additional Terms and Conditions**
  - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.
- B. **Operational Restrictions**
  - 1. None
- C. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
  2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.
- D. Reporting Requirements**
1. None
- E. Testing Requirements**
1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:  
  
Emission Limitation:  
0.10 TPY of VOC  
  
Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.
- F. Miscellaneous Requirements**
1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T026 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (a) None.
  2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (a) None.
- A. Applicable Emissions Limitations and/or Control Requirements**
1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.
 

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2020)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1
  2. **Additional Terms and Conditions**
    - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T027 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2021)	OAC rule 3745-31-05	0.10 TPY of VOC
	PTI 04-968	See A.2.a
	OAC rule 3745-21-09(L)	See A.2.b
	40 CFR Part 60, Subpart Kb	See C.1

2. **Additional Terms and Conditions**
  - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T028 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2022)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

- 2. **Additional Terms and Conditions**
  - (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:
 

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T029 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2023)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T030 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

- (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2024)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T031 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the

applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2026)	OAC rule 3745-31-05 PTI 04-968	0.10 TPY of VOC See A.2.a
	OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	See A.2.b See C.1

**2. Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

- 1. None

**E. Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T032 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2027)	OAC rule 3745-31-05 PTI 04-968	0.10 TPY of VOC See A.2.a
	OAC rule 3745-21-09(L)	See A.2.b

40 CFR Part 60, Subpart Kb See C.1

2. **Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. **Operational Restrictions**

- 1. None

C. **Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

D. **Reporting Requirements**

- 1. None

E. **Testing Requirements**

- 1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

F. **Miscellaneous Requirements**

- 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0448010099 Emissions Unit ID: T033 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

A. **Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
19,800 gallon fixed roof storage tank (Temp T-2028)	OAC rule 3745-31-05 PTI 04-968 OAC rule 3745-21-09(L) 40 CFR Part 60, Subpart Kb	0.10 TPY of VOC See A.2.a See A.2.b See C.1

2. **Additional Terms and Conditions**

- (a) The submerged fill pipe shall be maintained within six (6) inches of the bottom of the storage tank. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. **Operational Restrictions**

- 1. None

C. **Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain records of the type and quantity of volatile organic liquid(s) stored, the period(s) of storage, and the maximum true vapor pressure(s) of the volatile organic liquid(s) during the respective storage period.

**D. Reporting Requirements**

1. None

**E. Testing Requirements**

1. Compliance with the emission limitations specified in A.1 of these terms and conditions shall be determined in accordance with the following method:

Emission Limitation:  
0.10 TPY of VOC

Applicable Compliance Method:  
Compliance shall be determined through emission calculations using TANKS software, version 3.0, and the actual annual throughput and average annual vapor pressure as determined through the recordkeeping requirement of section C.2.

**F. Miscellaneous Requirements**

1. None