



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
BELMONT COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-08253

Fac ID: 0607110163

DATE: 10/23/2007

Ohio Valley Transloading Co.
David Bartsch
56854 Pleasant Ridge Rd.
Alledonia, OH 43902

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 10/23/2007
Effective Date: 10/23/2007**

FINAL PERMIT TO INSTALL 06-08253

Application Number: 06-08253
Facility ID: 0607110163
Permit Fee: **\$7900**
Name of Facility: Ohio Valley Transloading Co.
Person to Contact: David Bartsch
Address: 56854 Pleasant Ridge Rd.
Alledonia, OH 43902

Location of proposed air contaminant source(s) [emissions unit(s)]:
**155 Rear Highway 7 South
Powhatan Point, Ohio**

Description of proposed emissions unit(s):
Chapter 31 modification to PTI 06 06463 to increase production limits and vehicle mileage limits.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Ohio Valley Transloading Co.
PTI Application: 06-08253
Issued: 10/23/2007

Facility ID: 0607110163

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Ohio Valley Transloading Co.
PTI Application: 06-08253
Issued: 10/23/2007

Facility ID: 0607110163

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Ohio Valley Transloading Co.
PTI Application: 06-08253
Issued: 10/23/2007

Facility ID: 0607110163

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Ohio Valley Transloading Co.
PTI Application: 06-08253
Issued: 10/23/2007

Facility ID: 0607110163

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this

Emissions Unit ID: F001

permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant

Tons Per Year

PE

28.1

Emissions Unit ID: **F001****PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - F001 - Plant paved and unpaved roadways and parking areas; Chapter 31 modification to increase mileage limits to 12,150 vehicle miles traveled per year (supercedes PTI No. 17-681, EU F001, issued on 2/28/90 and modified PTI No. 17-727, EU F001, issued on 4/24/91)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3) <i>Plant paved roadways and parking areas</i>	Fugitive particulate emissions (PE) shall not exceed 1.4 tons per year. No visible PE except for one minute during any 60-minute period. Best available control measures that are sufficient to minimize or eliminate visible PE of fugitive dust (see Sections A.2.a-f).
OAC rule 3745-17-07(B)(4)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-31-05(A)(3) <i>Plant unpaved roadways and parking areas</i>	Fugitive PE shall not exceed 0.5 ton per year. No visible PE except for three minutes during any 60-minute period. Best available control measures that are sufficient to minimize or eliminate visible PE of fugitive dust (See Sections A.2.a through A.2.f).
OAC rule 3745-17-07(B)(5)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

Issued: 10/23/2007

OAC rule 3745-17-08(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
------------------------	--

2. Additional Terms and Conditions

- 2.a** The permittee shall employ best available control measures on all paved and unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas using vacuum sweeping and good housekeeping at sufficient treatment frequencies to ensure compliance. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways and parking areas by surface improvement and/or watering at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.b** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for paved and unpaved roadways and parking areas that are covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- 2.c** Any unpaved roadway or parking area, which during the term of this permit is paved shall be subject to the visible emission limitation of one minute during any 60-minute period. Any unpaved roadway or parking area, which during the term of this permit takes the characteristics of a paved surface due to the application of certain types of dust suppressants, shall remain subject to the visible emission limitation for unpaved roadways and parking areas.
- 2.d** The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.

Emissions Unit ID: **F001**

- 2.e** Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-17-08 and OAC rule 3745-31-05.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. Except as otherwise provided in this section, the permittee shall perform inspections of each of the roadway segments and parking areas in accordance with the following frequencies:

<u>paved roadways and parking areas</u>	<u>minimum inspection frequency</u>
all plant paved roadways and parking areas	daily

<u>unpaved roadways and parking areas</u>	<u>minimum inspection frequency</u>
all plant unpaved roadways and parking areas	daily

2. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
3. The permittee shall maintain records of the following information:
- the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - the date of each inspection where it was determined by the permittee that it was

Issued: 10/23/2007

necessary to implement the control measures;

- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in 3.d. shall be kept separately for (i) the paved roadways and (ii) the unpaved roadways and parking areas, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

- 1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
- 2. The deviation reports shall be submitted in accordance with Section A.2 of the General Terms and Conditions of this permit.

E. Testing Requirements

- 1. Compliance with the emission limitations in section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:
 - a. Emission Limitation:
Fugitive PE from paved roadways and parking areas shall not exceed 1.4 tons per year.

Applicable Compliance Method:

Compliance with fugitive PE limitation shall be determined by using the emission factor equations in Section 13.2.1, in Compilation of Air Pollutant Emission

Emissions Unit ID: **F001**

Factors, AP-42, Fifth Edition, Volume 1 (revised 11/06) for paved roadways. Should further updates in AP-42 occur, the most current equations for paved roads shall be used. These emission limits were based on a maximum of 8,000 vehicle miles traveled per year, and a 95% control efficiency for PE.

b. Emission Limitation:

No visible PE from paved roadways and parking areas except for a period of time not to exceed one minute during any 60-minute period.

Applicable Compliance Method:

If required, visible particulate emissions shall be determined according to test Method 22 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources" as such appendix existed on July 1, 2002, with the modifications found in OAC 3745-17-03(B)(4).

Issued: 10/23/2007

- c. Emission Limitation:
Fugitive PE from unpaved roadways and parking areas shall not exceed 0.5 tons per year.

Applicable Compliance Method:

Compliance with fugitive PE limitation shall be determined by using the emission factor equations in Section 13.2.2, in Compilation of Air Pollutant Emission Factors, AP-42, Fifth Edition, Volume 1 (revised 11/06) for unpaved roadways. Should further updates in AP-42 occur, the most current equations for unpaved roads shall be used. These emission limits were based on a maximum of 4,150 vehicle miles traveled per year, and a 95% control efficiency for PE.

- d. Emission Limitation:
No visible PE from unpaved roadways and parking areas except for a period of time not to exceed three minutes during any 60-minute observation period.

Applicable Compliance Method:

If required, visible particulate emissions shall be determined according to test Method 22 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources" as such appendix existed on July 1, 2002, with the modifications found in OAC 3745-17-03(B)(4).

F. Miscellaneous Requirements

None

Issued: 10/23/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment -F002 - Wind erosion and maintenance of coal storage piles; Chapter 31 modification to increase throughput to 2,000,000 TPY; maximum surface area less than or equal to 3.0 acres (supercedes PTI No. 17-681, EU F002, issued on 2/28/90)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	Fugitive PE shall not exceed 21.8 tons per year. No visible PE except for one minute during any 60-minute period. The permittee shall implement best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.a through A.2.c).
OAC rule 3745-17-07(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a The permittee shall employ best available control measures while maintaining the coal storage piles and to prevent wind erosion from those piles, for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measures to ensure compliance: maintain sufficient moisture of the clean coal to prevent fugitive dust. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.b** For each storage pile, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the material handling operations until further observation confirms that use of the control measures is unnecessary. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.c** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05 and/or 3745-17-08(B).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

- For storage pile operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

<u>coal storage piles</u>	<u>minimum inspection frequency</u>
all	daily
- The above-mentioned inspections shall be performed during representative, normal operating conditions.
- No inspection shall be necessary for wind erosion from the surface of a storage pile or embankment when the pile or embankment is covered with snow and/or ice and for any storage pile or embankment activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

Issued: 10/23/2007

4. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for maintenance of the storage piles, and wind erosion from the surface of the storage piles and coal refuse embankment. The inspections shall be performed during representative, normal storage pile operating conditions.
5. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s):
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 5.d. shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency; and
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.
2. These reports shall be submitted in accordance with Section A.2 of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):

Emissions Unit ID: F002

- a. Emission Limitation:
Fugitive PE shall not exceed 21.8 tons per year.

Applicable Compliance Method:

Compliance with the annual emission limitation shall be demonstrated by the following one-time calculation based on the emission factors in the FIRE database (9/04) of 49.4 pounds of PE per hour for Source Classification Code (SCC) 30501046 and 760 pounds of PE per acre-year for SCC 305010149, clean coal stockpile surface area of 3.0 acres, and control efficiencies of 90% for watering/chemical dust suppression:

$$\begin{aligned}
 \text{PE} &= \text{[(wind erosion EF (pounds/acre-year)(surface area of coal storage pile (acres))] + [(pile maintenance EF (pounds/hour))(coal pile maintenance hours)]} / 2000 \text{ lbs/ton} \\
 &= \text{[(760)(3.0) + [(49.4)(8760)]} / 2000 \text{ lbs/ton} \\
 &= 217.5 \text{ TPY} \times (1 - 0.90) \\
 &= 21.8 \text{ TPY}
 \end{aligned}$$

- b. Emission Limitation:
No visible PE except for one minute during any 60-minute period.

Applicable Compliance Method:

If required, visible particulate emissions shall be determined according to test Method 22 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources" as such appendix existed on July 1, 2002, with the modifications found in OAC 3745-17-03(B)(4).

F. Miscellaneous Requirements

None

Issued: 10/23/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment -F003 - Material handling - loading of coal to barges (13,000,000 TPY), unloading of coal from barges (2,000,000 TPY), load-in of coal to storage pile from stacker (2,000,000 TPY), load-out of coal from storage pile to trucks (2,000,000 TPY), load-out of coal from storage pile to under-pile conveyor (2,000,000 TPY), loading of coal to rail cars from trucks (5,000,000 TPY), and one coal conveyor transfer point (15,000,000 TPY); Chapter 31 modification to increase throughput (supercedes PTI No. 17-681, EU F003, issued on 2/28/90 and modified PTI No. 17-727, EU F002, issued on 4/24/91)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	<p>Fugitive particulate emissions (PE) shall not exceed 3.2 tons per year.</p> <p>No visible PE except for one minute during any 60-minute period.</p> <p>The permittee shall implement best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b through A.2.d).</p>
OAC rule 3745-17-07(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B)	The emission limitations specified by this rule is less stringent than the emission limitations established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a The material handling operations that are covered by this permit and subject to the above-mentioned requirements are listed below:

loading of coal to barges

Issued: 10/23/2007

unloading of coal from barges
load-in of coal to storage pile from stacker
load-out of coal from storage pile to trucks
load-out of coal from storage pile to under-pile conveyor
loading of coal to rail cars from trucks
coal conveyor transfer point (barge loading/unloading)

- 2.b** The permittee shall employ best available control measures for the material handling operations listed above, for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measures to ensure compliance: maintain sufficient moisture to prevent fugitive dust and maintain enclosures. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** For each material handling operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the material handling operations until further observation confirms that use of the control measures is unnecessary.
- 2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05 and/or 3745-17-08(B).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. For material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

material handling operationsminimum inspection frequency

Emissions Unit ID: **F003**

loading of coal to barges	daily
unloading of coal from barges	daily
load-in of coal to storage pile from stacker	daily
load-out of coal from storage pile to trucks	daily
load-out of coal from storage pile to under-pile conveyor	daily
loading of coal to rail cars from trucks	daily
coal conveyor transfer point (barge loading/unloading)	daily

2. The above-mentioned inspections shall be performed during representative, normal operating conditions.
3. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 3.d. shall be kept separately for each of the material handling operations identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency; and
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.

These reports shall be submitted in accordance with Section A.2 of the General Terms and Conditions of this permit.

Issued: 10/23/2007

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission limitation:
Fugitive PE shall not exceed 3.2 tons per year.

Applicable Compliance Method:

Compliance with the annual emission limitation shall be demonstrated by the following one-time calculation based on the emission factors in AP-42 sections 13.2.4 (11/06), the maximum annual throughput of 41,000,000 TPY of clean coal, and a control efficiency of 90% for watering/chemical dust suppression and enclosures:

$$EF = k(0.0032)(U/5)^{1.3}/[(M/2)^{1.4}] = \text{lbs PE/ton}$$

Where:

$$k = 0.74$$

U = 8.7 (mph, mean wind speed, as submitted in application)

M = 4.5% (as submitted in application)

Throughput = see above (as submitted in application)

Transfer point = see above (as submitted in application)

$$\begin{aligned} PE &= [(\text{clean coal EF (pounds/ton)})(\text{max annual throughput (TPY)})]/2000 \\ &\quad \text{lbs/ton} \\ &= [(0.00156)(41,000,000 \text{ TPY})]/2000 \text{ lbs/ton} \\ &= 31.98 \text{ TPY} \times (1 - 0.90) \\ &= 3.2 \text{ TPY} \end{aligned}$$

- b. Emission Limitation:
No visible PE except for one minute during any 60-minute period.

Applicable Compliance Method:

Compliance with the visible PE limitation listed above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources").

F. Miscellaneous Requirements

Ohio Valley Transloading Co.
DTI Application: 06 08252

Facility ID: 0607110163

Emissions Unit ID: F003

None

Issued: 10/23/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment -F004 - Unloading of coal into truck and rail receiving hoppers; Chapter 31 modification to increase throughput to 3,000,000 TPY for truck unloading (end dump) and 12,000,000 for train unloading (bottom dump)(supercedes PTI No. 17-681, EU F004, issued on 2/28/90)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	Fugitive particulate emissions (PE) shall not exceed 1.2 tons per year. No visible PE except for one minute during any 60-minute period. The permittee shall implement best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b through A.2.d).
OAC rule 3745-17-07(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-08(B)	The emission limitations specified by this rule is less stringent than the emission limitations established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a The material handling operations that are covered by this permit and subject to the above-mentioned requirements are listed below:

Truck unloading of clean coal
 Train unloading of clean coal

- 2.b The permittee shall employ best available control measures for the material

Issued: 10/23/2007

handling operations listed above, for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measures to ensure compliance: maintain sufficient moisture to prevent fugitive dust and maintain enclosures. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.c** For each material handling operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the material handling operations until further observation confirms that use of the control measures is unnecessary.
- 2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05 and/or 3745-17-08(B).

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. For material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

<u>material handling operations</u>	<u>minimum inspection frequency</u>
Truck unloading of clean coal	daily
Train unloading of clean coal	daily

2. The above-mentioned inspections shall be performed during representative, normal operating conditions.
3. The permittee shall maintain records of the following information:

Issued: 10/23/2007

- a. the date and reason any required inspection was not performed;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s):
- c. the dates the control measure(s) was (were) implemented; and
- d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 3.d. shall be kept separately for the material handling operations identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency; and
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.

These reports shall be submitted in accordance with Section A.2 of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
Fugitive PE shall not exceed 1.2 tons per year.

Applicable Compliance Method:

Compliance with the annual emission limitation shall be demonstrated by the following one-time calculation based on the emission factors in AP-42 sections 13.2.4 (11/06), the maximum annual throughput of 15,000,000 TPY of clean

Emissions Unit ID: **F004**

coal, and a control efficiency of 90% for watering/chemical dust suppression and enclosures:

$$EF = k(0.0032)(U/5)^{1.3}/[(M/2)^{1.4}] = \text{lbs PE/ton}$$

Where:

$$k = 0.74$$

U = 8.7 (mph, mean wind speed, as submitted in application)

M = 4.5% (as submitted in application)

Throughput = see above (as submitted in application)

Transfer point = see above (as submitted in application)

$$\begin{aligned} PE &= [(\text{clean coal EF (pounds/ton)})(\text{max annual throughput (TPY)})]/2000 \\ &\quad \text{lbs/ton} \\ &= [(0.00156)(15,000,000 \text{ TPY})]/2000 \text{ lbs/ton} \\ &= 11.72 \text{ TPY} \times (1 - 0.90) \\ &= 1.2 \text{ TPY} \end{aligned}$$

- b. Emission Limitation:
No visible PE except for one minute during any 60-minute period.

Applicable Compliance Method:

If required, compliance with the visible PE limitation listed above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources").

F. Miscellaneous Requirements

None