



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
BELMONT COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-07449

DATE: 3/23/2004

AB and L Concrete and Supply
Walter Rhome
66760 Belmont Morristown Rd.
Morristown, OH 43759

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 3/23/2004
Effective Date: 3/23/2004**

FINAL PERMIT TO INSTALL 06-07449

Application Number: 06-07449
APS Premise Number: 0607970001
Permit Fee: **\$2500**
Name of Facility: AB and L Concrete and Supply
Person to Contact: Walter Rhome
Address: 66760 Belmont Morristown Rd.
Morristown, OH 43759

Location of proposed air contaminant source(s) [emissions unit(s)]:
**66760 Belmont Morristown Rd.
Morristown, Ohio**

Description of proposed emissions unit(s):
Portable Concrete Batch Plant.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

AB and L Concrete and Supply
PTI Application: 06-07449
Issued: 3/23/2004

Facility ID: 0607970001

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	22.5

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	
P901 - Portable, 150 cubic yard per hour concrete batch plant (cement silo, elevated storage bins, weigh hopper loading and transit-mix truck loading).	OAC rule 3745-31-05(A)(3)	OAC rule 3745-17-07 (A) OAC rule 3745-17-08 (B) OAC rule 3745-17-11
	OAC rule 3745-17-07 (B)(1)	

AB and L Concrete and Supply
PTI Application: 06-07449
Issued: 3/23/2004

Facility ID: 0607970001

Applicable Emissions
Limitations/Control Measures

There shall be no visible particulate emissions (PE) from the exhaust stacks.

The baghouses to the cement silo and the weigh hopper shall achieve an outlet emission rate of not greater than 0.030 grain of PE per dry standard cubic foot of exhaust gases.

Total PE shall not exceed 5.14 lb/hr.

Total PE shall not exceed 22.5 tons per year.

See A.2.a - A.2.d, below.

The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(B)(1).

Fugitive visible particulate emissions shall not exceed 20 per cent opacity as a three-minute average.

The emission limitations specified by these rules are less stringent than the emission limitations established pursuant to OAC rule 3745-31-05 (A)(3).

2. Additional Terms and Conditions

AB and L Concrete and Supply
PTI Application: 06-07449
Issued: 3/23/2004

Facility ID: 0607970001

2.a The operation(s) that are covered by this permit and subject to the above-mentioned requirements are listed below:

- i. Cement silo loading
- ii. Transfer of sand and aggregate to elevated bins
- iii. Weigh hopper loading of cement, sand and aggregate
- iv. Loading of transit-mix trucks

2.b The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

<u>material handling operation(s)</u>	<u>control measure(s)</u>
i. Cement silo loading	Cement weigh hopper dust collector (cartridge filter)
ii. Transfer of sand and aggregate to elevated bins	Adequate moisture to control fugitive emissions
iii. Weigh hopper loading of cement, sand and aggregate	Loading hood dust collection system (cartridge filter)
iv. Loading of transit-mix trucks	Loading hood enclosure (rubber boot) and water sprays

Nothing in this paragraph shall prohibit the permittee from employing additional control measures to ensure compliance.

2.c For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.

2.d Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

AB and L Concrete and Supply
PTI Application: 06-07449
Issued: 3/23/2004

Facility ID: 0607970001

B. Operational Restrictions

None.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the baghouse exhaust stacks serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. The color of the emissions;
 - b. The total duration of any visible emission incident; and
 - c. Any corrective actions taken to eliminate the visible emissions.

2. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive PE from the aggregate storage bins and cold aggregate elevator associated with this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. The color of the emissions;
 - b. Whether the emissions are representative of normal operations;
 - c. If the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. The total duration of any visible emission incident; and
 - e. Any corrective actions taken to eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

D. Reporting Requirements

1. The permittee shall submit semiannual written reports that (a) identify all days during which any

AB and L Concrete and Supply

PTI Application: 06-07449

Issued: 3/23/2004

Facility ID: 0607970001

visible particulate emissions were observed from the baghouse exhaust stacks serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions.

AB and L Concrete and Supply

PTI Application: 06-07449

Issued: 3/23/2004

Facility ID: 0607970001

These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible fugitive particulate emissions were observed from this emissions unit and (b) describe any corrective actions taken to minimize or eliminate the visible particulate emissions. These reports shall be submitted to the Ohio EPA Southeast District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.

E. Testing Requirements

1. Emission Limitation:

There shall be no visible particulate emissions from the exhaust stacks.

Compliance Method:

Compliance shall be demonstrated through Monitoring Requirement C.1 and Reporting Requirement D.1 and 2, above.

If required, compliance with the no visible emission limit from the exhaust of the fabric filter shall be determined using Test Method 22-like visible emission observations (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations).

2. Emission Limitation:

The baghouses to the cement silo and the weigh hopper shall achieve an outlet emission rate of not greater than 0.030 grain of PE per dry standard cubic foot of exhaust gases.

Compliance Method:

Compliance shall be demonstrated through Monitoring Requirement C.1 and Reporting Requirement D.2, above.

If required, compliance with this mass emission limitation shall be based on stack testing per OAC rule 3745-17-03(B)(7).

AB and L Concrete and Supply
PTI Application: 06-07449
Issued: 3/23/2004

Facility ID: 0607970001

3. Emission Limitation:

Particulate emissions (PE) shall not exceed 5.14 lbs/hr

AB and L Concrete and Supply

PTI Application: 06-07449

Issued: 3/23/2004

Facility ID: 0607970001

Compliance Method:

Compliance with the lbs/hr emission limitation shall be demonstrated by the following calculations using emission factors from AP 42, Compilation of Air Pollutant Emission Factors, Chapter 11, Tables 11.12-2 and 11.12-3(issued10/01).

Cement Silo Loading:

Total PE = (0.72 lb PE/ton) (33.3 tons/hr) (.005 control eff.) = 0.12 lb/hr

Transfer of sand and aggregate to elevated bins:

Sand: Total PE = (0.0015 lb PE/cu yd)(150 cu yd/hr) = 0.225 lb/hr

Aggr: Total PE = (0.0064 lb PE/cu yd)(150 cu yd/hr) = 0.96 lb/hr

Weigh Hopper Loading of cement, sand and aggregate:

Total PE = (0.0079 lb/cu yd)(150 cu yd/hr)(.005 control eff.) = 0.006 lb/hr

Loading of Transit-mix Trucks:

Total PE = (0.17 lb/cu yd)(150 cu yd/hr)(0.15 control eff.) = 3.825 lbs/hr

Total PE = 5.136 lbs PE/hr

4. Emission Limitation:

Particulate emissions (PE) shall not exceed 22.5 tons per year

Compliance Method:

Compliance with the TPY emission limitation shall be demonstrated by the following one time calculations using emission factors from AP 42, Compilation of Air Pollutant Emission Factors, Chapter 11, Tables 11.12-2 and 11.12-3 (issued10/01).

Cement Silo Loading: Total PE = 0.12 lb/hr (8760 hr/yr)(0.0005ton/lb) = 0.5 TPY

Transfer of sand and aggregate to elevated bins:

Sand: Total PE = 0.225 lb PE/hr (8760 hr/yr)(0.0005ton/lb) = 0.99 TPY

Aggr: Total PE = 0.96 lb PE/hr (8760 hr/yr)(0.0005ton/lb) = 4.20 TPY

Weigh Hopper Loading of cement, sand and aggregate: Total PE = 0.006 lb PE/hr (8760 hrs/yr) * (0.0005 ton/lb) = 0.03 TPY

AB and L Concrete and Supply

PTI Application: 06-07449

Issued: 3/23/2004

Facility ID: 0607970001

Loading of Transit-mix Trucks: Total PE = 3.825 lbs PE/hr (8760 hr/yr)(0.0005 ton/lb)
= 16.75 TPY

Total PE = 22.48 TPY

5. Emission Limitation:

Fugitive visible particulate emissions shall not exceed 20 per cent opacity as a three-minute average.

Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with Method 22 of 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

1. Pursuant to Ohio Administrative Code (OAC) rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria are met:
 - a. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;
 - b. the portable emissions unit is operating pursuant to a currently effective permit to install, permit to operate or registration;
 - c. the applicant has provided proper notice of intent to relocate the portable emissions unit to the Southeast District Office (SEDO) and the appropriate field office having jurisdiction over the new site within a minimum of thirty days prior to the scheduled relocation; and,
 - d. in the SEDO's and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
2. In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria of OAC rule 3745-31-05(F) are met:
 - a. the portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;

AB and L Concrete and Supply
PTI Application: 06-07449
Issued: 3/23/2004

Facility ID: 0607970001

- b. the portable emissions unit is equipped with best available technology;
- c. the portable emission unit owner has identified the proposed site to Ohio EPA;
- d. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;
- e. a public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;

AB and L Concrete and Supply

PTI Application: 06-07449

Issued: 3/23/2004

Facility ID: 0607970001

- f. the owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to the proposed site; and,
- g. the portable emissions unit owner has provided the Ohio EPA with fifteen days written notice of the relocation.

Any site approvals issued by the Ohio EPA, pursuant to this section, shall be valid for no longer than three years and are subject to renewal.

- 3. In order for the SEDO and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a "Notice of Intent to Relocate", within the specified time frame (30 or 15 days) prior to the relocation of the emissions unit with the SEDO (2195 Front Street, Logan, Ohio 43138) and the appropriate office having jurisdiction over the new site. Upon receipt of the notice, the SEDO and/or the appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.
- 4. The permittee should be advised that when portable emission units are located at a stationary source or at a source comprised of portable emission units, potential emissions from the portable emission units are included in the facility potential to emit calculations for Title V and PSD applicability.

The permittee shall include a potential to emit analysis of facility-wide emissions (including the portable sources) for the proposed relocation in the "Notice of Intent to Relocate".