



State of Ohio Environmental Protection Agency

05/30/08

**CERTIFIED MAIL**

**RE: Draft Chapter 3745-35 Permit To Operate**

Street Add

50 West T

Address:  
Center  
Box 1049

**F001 (TRUCK DUMPS) TRUCK DUMPS #1-6  
WITHCONTROLS**

THE ANDERSONS RIVER ELEVATOR (04-48-01-0495)  
STACY D SCHMIDT  
PO BOX 119  
MAUMEE, OH 43537

Dear STACY D SCHMIDT:

You are hereby notified that the Ohio Environmental Protection Agency Division of Air Pollution Control has recommended that the Director issue a draft permit for the emission unit(s) included in the enclosed draft permit document(s). The purpose of the draft permit document is to solicit public comments on the proposed permit. A public notice concerning the draft permit(s) (see enclosed copy) will appear in the "Ohio EPA Weekly Review" and the newspaper in the county where the emission unit(s) will be located. Comments from the public and any affected parties will be accepted by the field office within thirty (30) days of the date of publication in the newspaper.

A permit to operate may be issued in proposed or final form based on the preliminary determination, any written public comments received within thirty (30) days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting if one is requested.

If you have any questions about this draft permit, please contact the Toledo Div of Environmental Services at (419) 936-3015

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

cc: Toledo Div of Environmental Services  
File, DAPC PIER

PUBLIC NOTICE OF DRAFT  
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35  
AIR POLLUTION CONTROL PERMIT TO OPERATE FOR  
THE ANDERSONS RIVER ELEVATOR (OHIO EPA Facility ID: 04-48-01-0495)

On **05/30/08** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for the emissions unit(s) identified below:

Facility ID: 04-48-01-0495  
Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility Address: 440 KUHLMAN DRIVE  
TOLEDO, OH 43609

**Emissions Unit Description:** F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

**Emissions Unit Description:** F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

**Emissions Unit Description:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

**Emissions Unit Description:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

**Emissions Unit Description:** F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

**Emissions Unit Description:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(Phone) (419) 936-3015



State of Ohio Environmental Protection Agency

## Draft Permit To Operate An Emissions Unit

Effective Date: To be entered upon final issuance

Expiration Date: To be entered upon final issuance

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F001 (TRUCK DUMPS) TRUCK DUMPS #1-6  
WITHCONTROLS

## Part I: General Terms and Conditions

### 1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### 2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### 3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### 4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### 5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F001 (TRUCK DUMPS) TRUCK DUMPS #1-6  
WITHCONTROLS

safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

#### **6. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

#### **7. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

#### **8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

#### **9. Permit Renewal**

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the following Ohio EPA District Office or local air agency which has jurisdiction in the area in which the facility is located:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F001 (TRUCK DUMPS) TRUCK DUMPS #1-6  
WITHCONTROLS

It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.



Street Address:  
50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:  
Lazarus Gov. Center  
P.O. Box 1049

State of Ohio Environmental Protection Agency

**CERTIFIED MAIL**

**05/30/08**

**RE: Draft Chapter 3745-35 Permit To Operate  
F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH  
CONTROLS**

THE ANDERSONS RIVER ELEVATOR (04-48-01-0495)  
STACY D SCHMIDT  
PO BOX 119  
MAUMEE, OH 43537

Dear STACY D SCHMIDT:

You are hereby notified that the Ohio Environmental Protection Agency Division of Air Pollution Control has recommended that the Director issue a draft permit for the emission unit(s) included in the enclosed draft permit document(s). The purpose of the draft permit document is to solicit public comments on the proposed permit. A public notice concerning the draft permit(s) (see enclosed copy) will appear in the "Ohio EPA Weekly Review" and the newspaper in the county where the emission unit(s) will be located. Comments from the public and any affected parties will be accepted by the field office within thirty (30) days of the date of publication in the newspaper.

A permit to operate may be issued in proposed or final form based on the preliminary determination, any written public comments received within thirty (30) days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting if one is requested.

If you have any questions about this draft permit, please contact the Toledo Div of Environmental Services at (419) 936-3015

Sincerely,

*Michael W. Ahern*  
Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

cc: Toledo Div of Environmental Services  
File, DAPC PIER

PUBLIC NOTICE OF DRAFT  
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35  
AIR POLLUTION CONTROL PERMIT TO OPERATE FOR  
THE ANDERSONS RIVER ELEVATOR (OHIO EPA Facility ID: 04-48-01-0495)

On **05/30/08** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for the emissions unit(s) identified below:

Facility ID: 04-48-01-0495  
Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility Address: 440 KUHLMAN DRIVE  
TOLEDO, OH 43609

**Emissions Unit Description:** F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

**Emissions Unit Description:** F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

**Emissions Unit Description:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

**Emissions Unit Description:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

**Emissions Unit Description:** F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

**Emissions Unit Description:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(Phone) (419) 936-3015



State of Ohio Environmental Protection Agency

## **Draft Permit To Operate An Emissions Unit**

Effective Date: To be entered upon final issuance  
Expiration Date: To be entered upon final issuance

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

## **Part I: General Terms and Conditions**

### **1. Compliance Requirements**

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### **2. Permit to Install Requirement**

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **4. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### **5. Inspections and Information Requests**

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

## **6. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

## **7. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

## **8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

## **9. Permit Renewal**

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the following Ohio EPA District Office or local air agency which has jurisdiction in the area in which the facility is located:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.



Street Address:  
50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:  
Lazarus Gov. Center  
P.O. Box 1049

State of Ohio Environmental Protection Agency

05/30/08

**CERTIFIED MAIL**

**RE: Draft Chapter 3745-35 Permit To Operate  
F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH  
CONTROLS**

THE ANDERSONS RIVER ELEVATOR (04-48-01-0495)  
STACY D SCHMIDT  
PO BOX 119  
MAUMEE, OH 43537

Dear STACY D SCHMIDT:

You are hereby notified that the Ohio Environmental Protection Agency Division of Air Pollution Control has recommended that the Director issue a draft permit for the emission unit(s) included in the enclosed draft permit document(s). The purpose of the draft permit document is to solicit public comments on the proposed permit. A public notice concerning the draft permit(s) (see enclosed copy) will appear in the "Ohio EPA Weekly Review" and the newspaper in the county where the emission unit(s) will be located. Comments from the public and any affected parties will be accepted by the field office within thirty (30) days of the date of publication in the newspaper.

A permit to operate may be issued in proposed or final form based on the preliminary determination, any written public comments received within thirty (30) days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting if one is requested.

If you have any questions about this draft permit, please contact the Toledo Div of Environmental Services at (419) 936-3015

Sincerely,

*Michael W. Ahern*  
Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

cc: Toledo Div of Environmental Services  
File, DAPC PIER

PUBLIC NOTICE OF DRAFT  
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35  
AIR POLLUTION CONTROL PERMIT TO OPERATE FOR  
THE ANDERSONS RIVER ELEVATOR (OHIO EPA Facility ID: 04-48-01-0495)

On **05/30/08** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for the emissions unit(s) identified below:

Facility ID: 04-48-01-0495  
Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility Address: 440 KUHLMAN DRIVE  
TOLEDO, OH 43609

**Emissions Unit Description:** F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

**Emissions Unit Description:** F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

**Emissions Unit Description:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

**Emissions Unit Description:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

**Emissions Unit Description:** F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

**Emissions Unit Description:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(Phone) (419) 936-3015



State of Ohio Environmental Protection Agency

## **Draft Permit To Operate An Emissions Unit**

Effective Date: To be entered upon final issuance  
Expiration Date: To be entered upon final issuance

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

## Part I: General Terms and Conditions

### 1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### 2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### 3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### 4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### 5. Inspections and Information Requests

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

#### **6. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

#### **7. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

#### **8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

#### **9. Permit Renewal**

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the following Ohio EPA District Office or local air agency which has jurisdiction in the area in which the facility is located:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.



State of Ohio Environmental Protection Agency

**CERTIFIED MAIL**

**05/30/08**

**RE: Draft Chapter 3745-35 Permit To Operate**

Street Add

Address:  
Center  
Box 1049

50 West T

**F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7**

THE ANDERSONS RIVER ELEVATOR (04-48-01-0495)  
STACY D SCHMIDT  
PO BOX 119  
MAUMEE, OH 43537

Dear STACY D SCHMIDT:

You are hereby notified that the Ohio Environmental Protection Agency Division of Air Pollution Control has recommended that the Director issue a draft permit for the emission unit(s) included in the enclosed draft permit document(s). The purpose of the draft permit document is to solicit public comments on the proposed permit. A public notice concerning the draft permit(s) (see enclosed copy) will appear in the "Ohio EPA Weekly Review" and the newspaper in the county where the emission unit(s) will be located. Comments from the public and any affected parties will be accepted by the field office within thirty (30) days of the date of publication in the newspaper.

A permit to operate may be issued in proposed or final form based on the preliminary determination, any written public comments received within thirty (30) days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting if one is requested.

If you have any questions about this draft permit, please contact the Toledo Div of Environmental Services at (419) 936-3015

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

cc: Toledo Div of Environmental Services  
File, DAPC PIER

PUBLIC NOTICE OF DRAFT  
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35  
AIR POLLUTION CONTROL PERMIT TO OPERATE FOR  
THE ANDERSONS RIVER ELEVATOR (OHIO EPA Facility ID: 04-48-01-0495)

On **05/30/08** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for the emissions unit(s) identified below:

Facility ID: 04-48-01-0495  
Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility Address: 440 KUHLMAN DRIVE  
TOLEDO, OH 43609

**Emissions Unit Description:** F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

**Emissions Unit Description:** F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

**Emissions Unit Description:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

**Emissions Unit Description:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

**Emissions Unit Description:** F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

**Emissions Unit Description:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(Phone) (419) 936-3015



State of Ohio Environmental Protection Agency

## Draft Permit To Operate An Emissions Unit

Effective Date: To be entered upon final issuance  
Expiration Date: To be entered upon final issuance

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

## Part I: General Terms and Conditions

### 1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### 2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### 3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### 4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### 5. Inspections and Information Requests

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

#### **6. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

#### **7. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

#### **8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

#### **9. Permit Renewal**

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the following Ohio EPA District Office or local air agency which has jurisdiction in the area in which the facility is located:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.



Street Address:  
50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:  
Lazarus Gov. Center  
P.O. Box 1049

State of Ohio Environmental Protection Agency

**CERTIFIED MAIL**

**05/30/08**

**RE: Draft Chapter 3745-35 Permit To Operate  
F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS**

THE ANDERSONS RIVER ELEVATOR (04-48-01-0495)  
STACY D SCHMIDT  
PO BOX 119  
MAUMEE, OH 43537

Dear STACY D SCHMIDT:

You are hereby notified that the Ohio Environmental Protection Agency Division of Air Pollution Control has recommended that the Director issue a draft permit for the emission unit(s) included in the enclosed draft permit document(s). The purpose of the draft permit document is to solicit public comments on the proposed permit. A public notice concerning the draft permit(s) (see enclosed copy) will appear in the "Ohio EPA Weekly Review" and the newspaper in the county where the emission unit(s) will be located. Comments from the public and any affected parties will be accepted by the field office within thirty (30) days of the date of publication in the newspaper.

A permit to operate may be issued in proposed or final form based on the preliminary determination, any written public comments received within thirty (30) days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting if one is requested.

If you have any questions about this draft permit, please contact the Toledo Div of Environmental Services at (419) 936-3015

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

cc: Toledo Div of Environmental Services  
File, DAPC PIER

PUBLIC NOTICE OF DRAFT  
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35  
AIR POLLUTION CONTROL PERMIT TO OPERATE FOR  
THE ANDERSONS RIVER ELEVATOR (OHIO EPA Facility ID: 04-48-01-0495)

On **05/30/08** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for the emissions unit(s) identified below:

Facility ID: 04-48-01-0495  
Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility Address: 440 KUHLMAN DRIVE  
TOLEDO, OH 43609

**Emissions Unit Description:** F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

**Emissions Unit Description:** F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

**Emissions Unit Description:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

**Emissions Unit Description:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

**Emissions Unit Description:** F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

**Emissions Unit Description:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(Phone) (419) 936-3015



State of Ohio Environmental Protection Agency

## **Draft Permit To Operate An Emissions Unit**

Effective Date: To be entered upon final issuance  
Expiration Date: To be entered upon final issuance

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

## **Part I: General Terms and Conditions**

### **1. Compliance Requirements**

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### **2. Permit to Install Requirement**

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **4. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### **5. Inspections and Information Requests**

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

## **6. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

## **7. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

## **8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

## **9. Permit Renewal**

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the following Ohio EPA District Office or local air agency which has jurisdiction in the area in which the facility is located:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.



Street Address:  
50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:  
Lazarus Gov. Center  
P.O. Box 1049

State of Ohio Environmental Protection Agency

**CERTIFIED MAIL**

**05/30/08**

**RE: Draft Chapter 3745-35 Permit To Operate  
F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING**

THE ANDERSONS RIVER ELEVATOR (04-48-01-0495)  
STACY D SCHMIDT  
PO BOX 119  
MAUMEE, OH 43537

Dear STACY D SCHMIDT:

You are hereby notified that the Ohio Environmental Protection Agency Division of Air Pollution Control has recommended that the Director issue a draft permit for the emission unit(s) included in the enclosed draft permit document(s). The purpose of the draft permit document is to solicit public comments on the proposed permit. A public notice concerning the draft permit(s) (see enclosed copy) will appear in the "Ohio EPA Weekly Review" and the newspaper in the county where the emission unit(s) will be located. Comments from the public and any affected parties will be accepted by the field office within thirty (30) days of the date of publication in the newspaper.

A permit to operate may be issued in proposed or final form based on the preliminary determination, any written public comments received within thirty (30) days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting if one is requested.

If you have any questions about this draft permit, please contact the Toledo Div of Environmental Services at (419) 936-3015

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

cc: Toledo Div of Environmental Services  
File, DAPC PIER

PUBLIC NOTICE OF DRAFT  
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35  
AIR POLLUTION CONTROL PERMIT TO OPERATE FOR  
THE ANDERSONS RIVER ELEVATOR (OHIO EPA Facility ID: 04-48-01-0495)

On **05/30/08** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for the emissions unit(s) identified below:

Facility ID: 04-48-01-0495  
Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility Address: 440 KUHLMAN DRIVE  
TOLEDO, OH 43609

**Emissions Unit Description:** F001 (TRUCK DUMPS)  
TRUCK DUMPS #1-6 WITH CONTROLS

**Emissions Unit Description:** F002 (INTERNAL OPERATIONS)  
LEGS, CONVEYORS, AND CLEANERS WITH CONTROLS

**Emissions Unit Description:** F003 (RAIL LOADING AND UNLOADING)  
RAILCAR LOADING AND UNLOADING WITH CONTROLS

**Emissions Unit Description:** F004 (SHIPLOADING SPOUTS)  
SHIPLOADING SPOUTS #1-7

**Emissions Unit Description:** F005 (ROADWAYS AND PARKING AREA)  
ROADWAYS AND PARKING AREAS

**Emissions Unit Description:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(Phone) (419) 936-3015



State of Ohio Environmental Protection Agency

## **Draft Permit To Operate An Emissions Unit**

Effective Date: To be entered upon final issuance  
Expiration Date: To be entered upon final issuance

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

## **Part I: General Terms and Conditions**

### **1. Compliance Requirements**

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### **2. Permit to Install Requirement**

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **4. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### **5. Inspections and Information Requests**

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

## **6. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

## **7. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

## **8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

## **9. Permit Renewal**

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the following Ohio EPA District Office or local air agency which has jurisdiction in the area in which the facility is located:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.

§

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

This document constitutes issuance to:

Facility ID: 04-48-01-0495  
THE ANDERSONS RIVER ELEVATOR  
440 KUHLMAN DRIVE  
TOLEDO, OH 43609

of a permit to operate for:

F006 (SHIP UNLOADING)

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

## INTERMITTENT SHIP UNLOADING

You will be contacted six months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency identified below. This permit and the authorization to operate the air contaminant source (emissions unit) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC Chapter 3745-35 and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your permit:

Toledo Div of Environmental Services  
348 South Erie Street  
Toledo, OH 43604  
(419) 936-3015

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Facility Name: THE ANDERSONS RIVER ELEVATOR  
Facility ID: 04-48-01-0495  
Emissions Unit: F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

## Part I: General Terms and Conditions

### 1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

### 2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### 3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### 4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

### 5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the

**Facility Name:** THE ANDERSONS RIVER ELEVATOR  
**Facility ID:** 04-48-01-0495  
**Emissions Unit:** F006 (SHIP UNLOADING)  
INTERMITTENT SHIP UNLOADING

safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests,