



State of Ohio Environmental Protection Agency

RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
JEFFERSON COUNTY

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-06205

DATE: 7/11/00

Valley Converting Co Inc
Michael D Biasi
PO Box 279
Toronto, OH 43964

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

SEDO



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

FINAL PERMIT TO INSTALL 06-06205

Application Number: 06-06205
APS Premise Number: 0641180000
Permit Fee: **\$6000**
Name of Facility: Valley Converting Co Inc
Person to Contact: Michael D Biasi
Address: PO Box 279
Toronto, OH 43964

Location of proposed air contaminant source(s) [emissions unit(s)]:
421 Loretta Ave
Toronto, Ohio

Description of proposed emissions unit(s):
Boiler for process heat, this facility is previously identified with a NOVAA facility ID.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Valley Converting Co Inc
PTI Application: 06-06205
Issued: 7/11/00

Facility ID: 0641180000

Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Valley Converting Co Inc
 PTI Application: 06-06205
 Issued: 7/11/00

Facility ID: 0641180000

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	3.13
SO ₂	0.05
CO	3.21
OC	0.50
PM	0.27

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
B011 - Boiler for process heat.	OAC rule 3745-31-05	0.012 lb SO ₂ /hr maximum; 0.053 ton SO ₂ /yr maximum; 0.71 lb NO _x /hr maximum; 3.11 tons NO _x /yr maximum; 0.735 lb CO/hr maximum; 3.21 tons CO/yr maximum; 0.114 lb OC/hr maximum; 0.50 ton OC/yr maximum;
	40 CFR 60 Subpart Dc OAC rule 3745-18-06(A)	The emission limitations specified by these rules are less stringent than those established above;
	OAC rule 3745-17-10(B)(1)	0.020 lb PM/MMBtu actual heat input, maximum; 0.27 ton PM/yr maximum;
	OAC rule 3745-17-07(A)	20% opacity as a six minute average, except as provided by rule

2. Additional Terms and Conditions

- 2.a None

B. Operational Restrictions

Valley Converting Co Inc
PTI Application: 06-06205
Issued

Facility ID: 0641180000

Emissions Unit ID: **B011**

1. Valley Converting shall burn only natural gas in this emission unit.
2. Actual Btu input for boiler B011 shall not exceed 20.412 MMBtu/hr at any time.

C. Monitoring and/or Recordkeeping Requirements

1. Valley Converting shall maintain a daily log of the quantity of natural gas burned in this emission unit. The log shall include the following:
 - a. Volume of natural gas consumed (cubic feet);
 - b. Total hours of operation;
 - c. Actual Btu content of natural gas;
 - d. Average daily Btu input.

D. Reporting Requirements

1. Valley converting shall submit notification as required by 40 CFR 60.48c of the date of construction, anticipated startup and actual startup as provided by 40 CFR 60.7. This notification shall include the following:
 - a. Design heat input capacity and identification of fuels to be combusted
 - b. A copy of any federally enforceable requirement that limits the annual capacity factor for fuel or any mixture of fuels
 - c. The annual capacity factor at which the unit will be fired based on all fuels fired and based on each individual fuel fired
 - d. Notification if an emerging technology will be used for controlling SO₂ emissions
2. Valley Converting shall submit an annual exceedance report detailing excursions of B.1 and B.2, above. These reports shall include the following information:
 - a. Date of the exceedance;
 - b. Cause of the exceedance;
 - c. Measures taken to prevent additional exceedances.

E. Testing Requirements

1. Emission Limitation:

SO₂ emissions shall not exceed 0.012 lb/hr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the manufacturer supplied emission factor (0.0006 lb SO₂/MMbtu) by the maximum Btu input rate (20.412 MMBtu/hr).

2. Emission Limitation:

0.053 tons SO₂/yr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the hourly SO₂ emission rate (0.012 lb/hr) by 8760 hours/year and dividing by 2000 lb/ton.

3. Emission Limitation:

NO_x emissions shall not exceed 0.71 lb/hr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the manufacturer supplied emission factor (0.035 lb NO_x/MMBtu) by the maximum Btu input rate (20.412 MMBtu/hr).

4. Emission Limitation:

NO_x emissions shall not exceed 3.11 tons/yr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the hourly NO_x emission rate (0.71 lb NO_x/hr) by 8760 hr/yr and dividing by 2000 lb/ton.

5. Emission Limitation:

CO emissions shall not exceed 0.735 lb/hr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the manufacturer supplied emission factor (0.036 lb CO/MMBtu) by the maximum Btu input rate (20.412 MMBtu/hr).

6. Emission Limitation:

CO emissions shall not exceed 3.21 tons/yr.

Applicable Compliance Method:

Annual CO emissions are based on a maximum firing rate of 20.412 MMBtu/hr at 8760 hr/yr based on 0.036 lb CO/MMBtu.

7. Emission Limitation:

OC emissions shall not exceed 0.114 lb/hr.

Applicable Compliance Method:

Compliance shall be demonstrated by utilizing the manufacturer supplied emission factor of 2.74 lb OC/day. This factor shall be divided by 24 hr/day.

8. Emission Limitation:

OC emissions shall not exceed 0.50 ton/yr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the hourly emission rate of 0.114 lb OC/hr by 8760 hours/year and dividing by 2000 lb/ton.

9. Emission Limitation:

Particulate emissions shall not exceed 0.020 pound per MMBtu of actual heat input.

Applicable Compliance Method:

Compliance shall be determined by utilizing the manufacturer supplied emission factor of 0.003 lbs PM/MMBtu.

10. Emission Limitation:

Particulate emissions shall not exceed 0.27 ton/yr.

Applicable Compliance Method:

Compliance shall be determined by utilizing the manufacturer supplied emission factor of 1.47 lb PM/day and dividing by 24 hours/day. This number shall then be multiplied by 8760 hr/yr and

divided by 2000 lb/ton.

11. Emission Limitation:

Visible particulate emissions shall not exceed 20% opacity as a six-minute average, except as provided by rule.

Applicable Compliance Method:

Compliance shall be demonstrated by the method specified in OAC rule 3745-17-03(B)(1).

F. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 06-06205 Facility ID: 0641180000

FACILITY NAME Valley Converting Co Inc

FACILITY DESCRIPTION Boiler for process heat. CITY/TWP Toronto

SIC CODE 2631 SCC CODE 10300602 EMISSIONS UNIT ID B011

EMISSIONS UNIT DESCRIPTION Boiler #2.

DATE INSTALLED 11/00

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		0.06 lb/hr	0.27 TPY	0.020 lb/MMBtu	0.27 TPY
PM ₁₀					
Sulfur Dioxide		0.12 lb/hr	0.053 TPY	0.12 lb/hr	0.053 TPY
Organic Compounds		0.114 lb/hr	0.50 TPY	0.114 lb/hr	0.50 TPY
Nitrogen Oxides		0.714 lb/hr	3.11 TPY	0.714 lb/hr	3.11 TPY
Carbon Monoxide		0.735 lb/hr	3.2 TPY	0.735 lb/hr	3.2 TPY
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? Subpart Dc

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination BAT is low NO_x burners.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? NO!

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 06-06205 Facility ID: 0641180000

FACILITY NAME Valley Converting Co Inc

FACILITY DESCRIPTION Boiler for process heat. CITY/TWP Toronto

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to **airpti@epa.state.oh.us**

Please fill out the following. If the checkbox does not work, replace it with an 'X'

	<u>Electronic</u>	<u>Additional information File Name Convention (your PTI # plus this letter)</u>	<u>Hard Copy</u>	<u>None</u>
<u>Calculations (required)</u>	<input checked="" type="checkbox"/>	066205c.wpd	<input checked="" type="checkbox"/>	
<u>Modeling form/results</u>	<input type="checkbox"/>	0000000s.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>PTI Application (complete or partial)*</u>	<input type="checkbox"/>	0000000a.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>BAT Study</u>	<input type="checkbox"/>	0000000b.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>Other/misc.</u>	<input checked="" type="checkbox"/>	066205t.wpd	<input type="checkbox"/>	<input type="checkbox"/>

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

NSR Discussion

NONE

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

Synthetic Minor Determination and/or Netting Determination

Permit To Install ENTER PTI NUMBER HERE

- A. Source Description
- B. Facility Emissions and Attainment Status
- C. Source Emissions
- D. Conclusion

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS
Pollutant Tons Per Year

NEW SOURCE REVIEW FORM B

PTI Number: 06-06205

Facility ID: 0641180000

FACILITY NAME Valley Converting Co Inc

FACILITY DESCRIPTION	Boiler for process heat.	CITY/TWP	Toronto
	NOx	3.13	
	SO2	0.05	
	CO	3.21	
	OC	0.50	
	PM	0.27	