



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
MORGAN COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-07521

DATE: 7/29/2004

Miba Bearings US LLC
Gary Keefer Jr.
5037 N St Rt 60
McConnelsville, OH 43756

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 7/29/2004
Effective Date: 7/29/2004**

FINAL PERMIT TO INSTALL 06-07521

Application Number: 06-07521
APS Premise Number: 0658000017
Permit Fee: **\$400**
Name of Facility: Miba Bearings US LLC
Person to Contact: Gary Keefer Jr.
Address: 5037 N St Rt 60
McConnelsville, OH 43756

Location of proposed air contaminant source(s) [emissions unit(s)]:
**5037 N State Rt 60
McConnelsville, Ohio**

Description of proposed emissions unit(s):
Plating Degreaser.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

Miba Bearings US LLC
PTI Application: 06-07521
Issued: 7/29/2004

Facility ID: 0658000017

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

Miba Bearings US LLC
PTI Application: 06-07521
Issued: 7/29/2004

Facility ID: 0658000017

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	1.83

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
L005 - Open top vapor degreaser	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 1.83 TPY.</p> <p>See Section B.1 below.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-09(O)(3).</p>
	OAC rule 3745-21-09(O)(3)	See Sections A.2 and B.2 below.

The terms and conditions of this permit supersede the terms and conditions of PTI 06-04396, issued April 19, 1995.

2. Additional Terms and Conditions

- 2.a The open top vapor degreaser shall employ a cover and safety switches as described below:
 - i. A cover that can be opened and closed easily without disturbing the vapor zone.
 - ii. A condenser thermostat or any other device which shuts off the sump heat if the condenser coolant is either not circulating or too warm.
 - iii. A spray safety switch which shuts off the spray pump if the vapor level drops below any fixed spray nozzle.
 - iv. A vapor level control thermostat or any other device which shuts off the sump heat when the vapor level rises too high.

- v. A water flow switch, water pressure switch, or any other device which shuts off the sump heat if the water in a water-cooled condenser has no flow or no pressure, whichever is being monitored.

- 2.b** The permittee shall operate and maintain a refrigerated chiller for the open top vapor degreaser.

B. Operational Restrictions

- 1. The maximum annual solvent employed in this emissions unit shall not exceed 325 gallons.

NOTE: The number of gallons of solvent employed is the difference between the gallons of solvent received and the gallons of solvent shipped off site.

- 2. The open top vapor degreaser shall be operated and maintained in accordance with the following practices to minimize solvent evaporation from the unit:
 - a. Keep the cover closed at all times except when processing work loads through the degreaser.
 - b. Minimize solvent carry-out by:
 - i. Racking parts so that solvent drains freely and is not trapped.
 - ii. Moving parts in and out of the degreaser at less than 11 feet per minute.
 - iii. Holding the parts in the vapor zone at least 30 seconds or until condensation ceases, whichever is longer.
 - iv. Tipping out any pools of solvent on the cleaned parts before removal from the vapor zone.
 - v. Allowing parts to dry within the degreaser for at least 15 seconds or until visually dry, whichever is longer.
 - c. Clean only materials that are neither porous nor absorbent.
 - d. Occupy no more than one-half of the degreaser's open-top area with a workload.

- e. Always spray within the vapor level.
- f. Repair solvent leaks immediately, or shut down the degreaser.
- g. Store waste solvent only in covered containers.
- h. Operate the cleaner such that water cannot be visually detected in solvent exiting the water separator.
- i. Use no ventilation fans near the degreaser opening.
- j. When the cover is open, do not expose the open top vapor degreaser to drafts greater than 131 feet per minute, as measured between 3 and 6 feet upwind and at the same elevation as the tank lip.
- k. If a lip exhaust is used on the open top vapor degreaser, do not use a ventilation rate that exceeds 65 cubic feet per minute per square foot of degreaser open area, unless a higher rate is necessary to meet Occupational Safety and Health Administration requirements.
- l. Provide a permanent, conspicuous label, summarizing the operating procedures.

C. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall collect and record the following information each month:
 - a. The type of solvents employed in the vapor degreaser.
 - b. The number of gallons of each solvent employed [i.e. gallons solvent received - gallons solvent shipped off site].
 - c. The organic compound (OC) content of each solvent employed, in pounds per gallon.
 - d. The total monthly VOC emission rate for all solvents employed, in pounds [i.e. the summation of (b x c) for all solvents].
- 2. The permittee shall maintain records of all control equipment maintenance.

D. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports that identify any exceedance of the 1.83

Miba Bearings US LLC
PTI Application: 06 07521
Issued

Facility ID: 0658000017

Emissions Unit ID: **L005**

TPY VOC emission limitation, as well as the corrective actions that were taken to achieve compliance. Each report shall be submitted within 30 days after the deviation occurs.

2. The permittee shall submit deviation (excursion) reports that identify any exceedance of the 325 gallons/yr solvent restriction as specified in Section B.1., as well as the corrective actions that were taken to achieve compliance. Each report shall be submitted within 30 days after the deviation occurs.

E. Testing Requirements

1. Compliance with the emissions limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
VOC emissions shall not exceed 1.83 TPY

Applicable Compliance Method:
Compliance shall be based upon the record keeping as specified in Section C.1 of this permit and shall be the sum of the twelve monthly VOC emission rates for the calendar year, divided by 2000 lbs/ton.

2. Compliance with the operational restrictions in Section B.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Operational Restriction:
The maximum annual solvent employed in this emissions unit shall not exceed 325 gallons.

Applicable Compliance Method:
Compliance shall be based upon the record keeping as specified in Section C.1 of this permit and shall be the sum of the monthly gallons of solvent employed for the calendar year.

F. Miscellaneous Requirements

None.