



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
MUSKINGUM COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-07592

Fac ID: 0660000251

DATE: 9/21/2004

SRS Services
William Kelso Jr.
8376 West Pike
Hopewell, OH 43746

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 9/21/2004
Effective Date: 9/21/2004**

FINAL PERMIT TO INSTALL 06-07592

Application Number: 06-07592
Facility ID: 0660000251
Permit Fee: **\$600**
Name of Facility: SRS Services
Person to Contact: William Kelso Jr.
Address: 8376 West Pike
Hopewell, OH 43746

Location of proposed air contaminant source(s) [emissions unit(s)]:

**8376 West Pike
Hopewell, Ohio**

Description of proposed emissions unit(s):

Cremator.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS**A. Permit to Install General Terms and Conditions****1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

SRS Services

PTI Application: 06-07592

Issued: 9/21/2004

Facility ID: 0660000251

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	1.32
NOx	5.2

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

OAC rule 3745-17-07(A)

Operations, Property,
and/or Equipment

Applicable Rules/Requirements

N001 - Human cremator 150 pounds per hour human crematory	All 1801, OAC rule 3745-31-05(A)(3)
---	-------------------------------------

OAC rule 3745-17-09(B)

OAC rule 3745-17-09(C)

Applicable Emissions
Limitations/Control Measures

Visible particulate emissions shall not exceed 5% opacity except for 6 minutes in any continuous 60 minute period during which the opacity shall not exceed 10%.

Particulate emissions (PE) shall not exceed 0.66 ton/year.

Nitrogen oxide (NOx) emissions shall not exceed 0.6 pound/hr and 2.6 tons/year.

The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-09 (B) and 3745-17-09(C).

PE shall not exceed 0.10 pound per 100 pounds of charge.

This incinerator and all associated equipment and grounds shall be designed, operated and maintained so as to prevent the emission of objectionable odors.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).

2. Additional Terms and Conditions

- 2.a** The stack shall be designed to minimize any building down wash impacts from emissions and/or odors on employees and nearby residences. The design shall meet good engineering practices so as not to result in excessive concentrations of air contaminants and/or odors in locations at, near or in such a configuration as to affect any air intake for heating and cooling of buildings or at operable windows or doors.
- 2.b** The permittee shall not dispose of any ash from the cremation process, pursuant to ORC 3734.05(A)(1).

B. Operational Restrictions

1. The crematory shall not be charged until the temperature of the secondary combustion chamber reaches 1,600 degrees Fahrenheit. The secondary combustion chamber shall be designed for a 1-second (or more) retention time at 1,600 degrees Fahrenheit.
2. The secondary combustion chamber temperature shall be maintained at 1600 degrees Fahrenheit or greater during each cremation cycle.
3. The permittee shall inspect this incinerator semi-annually using preventive maintenance procedures recommended by the equipment manufacturer. Each inspection shall include a written log which documents the findings of the inspection and identifies any needed repairs to the unit. If repairs are needed, the incinerator shall not be operated if the operation would result in any exceedance of the emission limits detailed in this permit.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall operate and maintain a continuous temperature monitor and recorder for the secondary combustion chamber operating temperatures. The temperature monitor and recorder shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions, and applicable operating manual(s).
2. The permittee shall maintain copies of the records of the secondary combustion chamber temperature at the facility. Those records shall be made available for Ohio EPA or their representatives to review during normal working hours.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which provide the following information for each period during which the secondary combustion chamber temperature fell below the applicable limitations:
 - a. The date of the excursion;
 - b. The time interval over which the excursion occurred;
 - c. The temperature values during the excursion;
 - d. The cause(s) for the excursion; and
 - e. The corrective action which has been or will be taken to prevent similar excursions in the future.

This report shall be sent to the Ohio EPA, Southeast District Office within thirty (30) days of the excursion.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:
PE shall not exceed 0.10 pound per 100 pounds of charge.

Applicable Compliance Method:
Compliance has been demonstrated by the manufacturer's emission data of 0.118 lb PE/hr during cremation at 150 lbs/hr charge rate under test conditions for an identical emission unit. If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(8).
 - b. Emission Limitation:
PE shall not exceed 0.66 ton/yr

Applicable Compliance Method:
This limit is based on the maximum rated capacity of the emissions unit and continuous operation as shown in the following equation.

(150 pounds of waste per hour)(0.10 pounds particulate/100 pounds charged)(8,760 hours per year)(0.0005 ton per pound) = 0.66 ton per year

- c. Emissions Limitation:
Visible particulate emissions shall not exceed 5% opacity except for 6 minutes in any continuous 60 minute period during which the opacity shall not exceed 10%.

Applicable Compliance Method:

If required, compliance shall be demonstrated through visible emissions observation performed in accordance with 40 CFR Part 60, Appendix A, Method 9.

- d. Emissions Limitation:
Nitrogen oxide (NOx) emissions shall not exceed 0.6 pound/hr and 2.6 tons/year.

Applicable Compliance Method:

Compliance with the hourly emission limit has been demonstrated based on an emission rate of 0.58 lb/hr under test conditions for a similar emissions unit. If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 7. Compliance with the annual emission limit is determined by multiplying the lb/hr emission rate by the maximum operating hours of 8760 hrs/yr, and dividing by 2000 lbs/ton.

F. Miscellaneous Requirements

None.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	
N002 - Pet cremator PPJR, 75 pounds per hour animal crematory	OAC rule 3745-31-05(A)(3)	OAC rule 3745-17-07(A)
		OAC rule 3745-105-01(C)(2)
	OAC rule 3745-17-09(B)	
	OAC rule 3745-17-09(C)	

Applicable Emissions
Limitations/Control Measures

Visible particulate emissions shall not exceed 5% opacity except for 6 minutes in any continuous 60 minute period during which the opacity shall not exceed 10%.

Particulate emissions (PE) shall not exceed 0.66 ton/year.

Nitrogen oxide (NOx) emissions shall not exceed 0.6 pound/hr and 2.6 tons/year.

The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-09 (B) and 3745-17-09(C).

PE shall not exceed 0.20 pound per 100 pounds of charge.

This incinerator and all associated equipment and grounds shall be designed, operated and maintained so as to prevent the emission of objectionable odors.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).

Exempt. See Section A.2.a.

2. Additional Terms and Conditions

- 2.a** OAC rule 3745-105-01(C)(2) exempts pathological waste incinerators located at veterinary clinics and animal shelters from the requirements of OAC rule 3745-105. Although this unit is not located at one of the types of business specified, the intent of this rule was not to distinguish subject incinerators by location, but by the type of waste combusted. Therefore Ohio EPA has determined that, as characterized in the permittee's application for permit to install, the exemption in OAC rule 3745-105-01(C)(2) applies to this emissions unit.
- 2.b** The stack shall be designed to minimize any building down wash impacts from emissions and/or odors on employees and nearby residences. The design shall meet good engineering practices so as not to result in excessive concentrations of air contaminants and/or odors in locations at, near or in such a configuration as to affect any air intake for heating and cooling of buildings or at operable windows or doors.
- 2.c** The permittee shall not dispose of any ash from the cremation process, pursuant to ORC 3734.05(A)(1).

B. Operational Restrictions

1. The crematory shall not be charged until the temperature of the secondary combustion chamber reaches 1,600 degrees Fahrenheit. The secondary combustion chamber shall be designed for a 1-second (or more) retention time at 1,600 degrees Fahrenheit.
2. The secondary combustion chamber temperature shall be maintained at 1600 degrees Fahrenheit or greater during each cremation cycle.
3. The permittee shall inspect this incinerator semi-annually using preventive maintenance procedures recommended by the equipment manufacturer. Each inspection shall include a written log which documents the findings of the inspection and identifies any needed repairs to the unit. If repairs are needed, the incinerator shall not be operated if the operation would result in any exceedance of the emission limits detailed in this permit.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall operate and maintain a continuous temperature monitor and recorder for the secondary combustion chamber operating temperatures. The temperature monitor and recorder shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions, and applicable operating manual(s).

2. The permittee shall maintain copies of the records of the secondary combustion chamber temperature at the facility. Those records shall be made available for Ohio EPA or their representatives to review during normal working hours.

D. Reporting Requirements

2. The permittee shall submit deviation (excursion) reports which provide the following information for each period during which the secondary combustion chamber temperature fell below the applicable limitations:
 - a. The date of the excursion;
 - b. The time interval over which the excursion occurred;
 - c. The temperature values during the excursion;
 - d. The cause(s) for the excursion; and
 - e. The corrective action which has been or will be taken to prevent similar excursions in the future.

This report shall be sent to the Ohio EPA, Southeast District Office within thirty (30) days of the excursion.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:
PE shall not exceed 0.20 pound per 100 pounds of charge.

Applicable Compliance Method:

Compliance had been demonstrated by the manufacturer's emission data of 0.10 lb PE/hr during cremation at 70 lbs/hr charge rate under test conditions for an identical emission unit. If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(8).

- b. Emission Limitation:
PE shall not exceed 0.66 ton/yr

Applicable Compliance Method:

This limit is based on the maximum rated capacity of the emissions unit and continuous operation as shown in the following equation.

$(75 \text{ pounds of waste per hour})(0.20 \text{ pounds particulate}/100 \text{ pounds charged})(8,760 \text{ hours per year})(0.0005 \text{ ton per pound}) = 0.66 \text{ ton per year}$

c. Emissions Limitation:

Visible particulate emissions shall not exceed 5% opacity except for 6 minutes in any continuous 60 minute period during which the opacity shall not exceed 10%.

Applicable Compliance Method:

If required, compliance shall be demonstrated through visible emissions observation performed in accordance with 40 CFR Part 60, Appendix A, Method 9.

d. Emissions Limitation:

Nitrogen oxide (NO_x) emissions shall not exceed 0.6 pound/hr and 2.6 tons/year.

Applicable Compliance Method:

Compliance with the hourly emission limit has been demonstrated based on an emission rate of 0.58 lb/hr under test conditions for a similar emissions unit. If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 7. Compliance with the annual emission limit is determined by multiplying the lb/hr emission rate by the maximum operating hours of 8760 hrs/yr, and dividing by 2000 lbs/ton.

F. Miscellaneous Requirements

None.