



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
NOBLE COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-06910

DATE: 6/20/2002

Atlas America, Inc. - Brookfield 16 Sta.
Bruce Snyder
101 McQuiston Drive
Jackson Center, PA 16133

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 6/20/2002
Effective Date: 6/20/2002**

FINAL PERMIT TO INSTALL 06-06910

Application Number: 06-06910
APS Premise Number: 0661000038
Permit Fee: **\$200**
Name of Facility: Atlas America, Inc. - Brookfield 16 Sta.
Person to Contact: Bruce Snyder
Address: 101 McQuiston Drive
Jackson Center, PA 16133

Location of proposed air contaminant source(s) [emissions unit(s)]:
**SR 83 and CR 20
Caldwell, Ohio**

Description of proposed emissions unit(s):
208 hp Caterpillar natural gas fired engine and compressor.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Record keeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Atlas America, Inc. - Brookfield 16 Sta.
 PTI Application: 06-06910
 Issued: 6/20/2002

Facility ID: 0661000038

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	23.9
CO	27.8
OC	3.3
PE	0.74

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P001 - 208 hp natural gas fired compressor engine.	OAC rule 3745-31-05(A)(3)	Emissions of nitrogen oxides (NO _x) shall not exceed 5.4 lb/hour, 23.9 TPY.
		Emissions of carbon monoxide (CO) shall not exceed 6.3 lbs/hr, 27.8 TPY.
		Emissions of organic compounds (OC) shall not exceed 0.7 lb/hour, 3.3 TPY.
		No visible particulate emissions shall be exhausted from the stack.
	OAC rule 3745-17-11(B)(5)(a)	The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-11(B)(5)(a).
	OAC rule 3745-17-07 (A)	Particulate emissions (PE) shall not exceed 0.310 lb/mmBtu actual heat input (0.17 lb/hour at maximum rated capacity), 0.74 TPY. See A.I.2.a below.
		The emission limitation specified by this rule is less stringent than the emission limitation established

pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a** This particulate emission limitation shall be effective and federally enforceable on the date the U.S. EPA approves this particulate emission limitation as a revision to the Ohio SIP for particulate matter.

B. Operational Restrictions

1. The permittee shall burn only natural gas in this emissions unit.

C. Monitoring and/or Record keeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

3. Notice of Intent to Relocate

Pursuant to OAC Rule 3745-31-03 (A)(1)(p), the owner or operator of the portable or mobile source identified within this permit may relocate within the state of Ohio without first obtaining a Permit to Install providing that either a. or b. of the following is met:

- a. The company has demonstrated the following:
- i. The portable source is equipped with the best available control technology for such portable source;

- ii. The portable source is operating pursuant to a currently effective permit to operate;
 - iii. The applicant has provided proper notice of intent to relocate the portable source to the director within a minimum of thirty days prior to the scheduled relocation; and
 - iv. In the director's judgment, the proposed site is acceptable under rule 3745-15-07 of the Administrative Code, or
- b. The director has issued a site approval for the new location pursuant to rule 3745-31-05(F) of the Administrative Code.

In order for the director to determine compliance with all of the above criteria, the owner or operator of the portable or mobile source must file a "Notice of Intent to Relocate" at least 30 days prior to relocation of the emission unit with the Southeast District Office. Upon receipt of the notice, the director, or the director's authorized representative, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio Environmental Protection Agency approval prior to relocation of the source may result in fines and civil penalties.

4. Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:
- a. Construction date (no later than 30 days after such date);
 - b. Anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
 - c. Actual start-up date (within 15 days after such date); and
 - d. Date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Permit Management Unit
P. O. Box 163669
Columbus, Ohio 43216-3669

and

Southeast District Office of the Ohio EPA
 Division of Air Pollution Control
 2195 Front Street
 Logan, Ohio 43138

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emissions Limitation: Emissions of NO_x shall not exceed 5.4 lbs/hour, 23.9 TPY.

Applicable Compliance Method:

Compliance with the lb/hour NO_x emissions limitation shall be demonstrated by the use of manufacturer's test data as shown in the following equation.

$$(12.9 \text{ g/bhp-hr})(0.0022 \text{ lb/g})(0.525 \text{ MMBtu/hr}) / (0.00252 \text{ MMBtu/bhp-hr}) = 5.4 \text{ lbs/hr}$$

The annual emissions (TPY) shall be determined by multiplying the calculated lb/hour emissions by the actual operating hours of the emissions unit during the year and dividing by 2000 lbs/ton.

Emissions testing, if required, shall be conducted using the following test method: 40 CFR Part 60, Appendix A, Methods 1 - 4 and 7. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA Southeast District Office.

- b. Emissions Limitation: Emissions of CO shall not exceed 6.3 lbs/hr, 27.8 TPY.

Applicable Compliance Method:

Compliance with the lb/hour CO emissions limitation shall be demonstrated by the use of manufacturer's test data as shown in the following equation.

$$(13.7 \text{ g/bhp-hr})(0.0022 \text{ lb/g})(0.525 \text{ MMBtu/hr}) / (0.00252 \text{ MMBtu/bhp-hr}) = 6.3 \text{ lbs/hr}$$

The annual emissions (TPY) shall be determined by multiplying the calculated lb/hour emissions by the actual operating hours of the emissions unit during the year and dividing by 2000 lbs/ton.

Emissions testing, if required, shall be conducted using the following test method: 40 CFR Part 60, Appendix A, Methods 1 - 4 and 10. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA Southeast District Office.

- c. Emission Limitation: Emissions of OC shall not exceed 0.7 lb/hour, 3.3 TPY.

Applicable Compliance Method:

Compliance with the lb/hour OC emissions limitation shall be demonstrated by the use of manufacturer's test data as shown in the following equation.

$$(1.5 \text{ g/bhp-hr})(0.0022 \text{ lb/g})(0.525 \text{ MMBtu/hr})/(0.00252 \text{ MMBtu/bhp-hr}) = 0.7 \text{ lb/hr}$$

The annual emissions (TPY) shall be determined by multiplying the calculated lb/hour emissions by the actual operating hours of the emissions unit during the year and dividing by 2000 lbs/ton.

Emissions testing, if required, shall be conducted using the following test method: 40 CFR Part 60, Appendix A, Method 25A. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA Southeast District Office.

- d. Emission Limitation: No visible particulate emissions shall be exhausted from the stack.

Applicable Compliance Method:

If required, compliance with the visible emissions limitations shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.

- e. Emission Limitations: PE shall not exceed 0.310 lb/mmBtu actual heat input (0.17 lb/hour at maximum rated capacity), 0.74 TPY.

Applicable Compliance Method:

Compliance shall be based upon an emission factor of 0.0095 lb/mmBtu. This emission factor is specified in the U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.2, Table 3.2-3 (7/00).

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

Atlas America, Inc. - Brookfield 16 Sta.

Facility ID: 0661000038

PTI Application: 06-06010

Issued

Emissions Unit ID: **P001**

The annual emissions (TPY) shall be demonstrated by multiplying the calculated lb/hour emissions by the actual operating hours of the emissions unit during the year and dividing by 2000 lbs/ton.

F. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 06-06910 Facility ID: 0661000038

FACILITY NAME Atlas America, Inc. - Brookfield 16 Sta.

FACILITY DESCRIPTION 208 hp Caterpillar natural gas fired engine and compressor. CITY/TWP Caldwell

SIC CODE 1311 SCC CODE 2-02-002-54 EMISSIONS UNIT ID P001

EMISSIONS UNIT DESCRIPTION 208 hp natural gas fired compressor engine.

DATE INSTALLED 1/00

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		0.310 #/MMBtu	0.74	0.310 #/MMBtu	0.74
PM ₁₀					
Sulfur Dioxide					
Organic Compounds		0.7 #/hr	3.3	0.7 #/hr	3.3
Nitrogen Oxides		6.0 #/hr	26.2	6.0 #/hr	26.2
Carbon Monoxide		6.3 #/hr	27.8	6.3 #/hr	27.8
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? no

NESHAP? no

PSD? no

OFFSET POLICY? no

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Inherently clean - burns only natural gas.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____