

## Synthetic Minor Determination and/or Netting Determination

Permit To Install: 06-08328

### A. Source Description

Shelly Materials Fold 'N Go 43.0294 is a 350 TPH portable aggregate processing facility. The plant equipment includes one hopper, one secondary screener, and five conveyors powered by a John Deere 125 HP diesel engine that is mounted on the same chassis so it is integral to aggregate plant operations. The plant and associated engine have been designated emissions unit P901. Particulate emissions from load-in, load-out, and wind erosion of 3 storage piles (sand, gravel or limestone) that are portable with the aggregate processing plant are included as emissions unit F001. The aggregate processing equipment is planned to be installed at locations at which emissions associated with roadways and parking areas (considered stationary sources) are already covered by existing air permits, so no roadway emissions are covered in this PTI.

### B. Facility Emissions and Attainment Status

Shelly Materials Fold 'N Go 43.0294 is a portable source and is being permitted out of the Shelly Company's home office in Perry County, which is currently in attainment for all criteria pollutants. When the portable emissions units associated with this facility are located at a stationary source or at a source comprised of portable emissions units under common ownership and the same SIC code, the permittee will be required to consider the potential emissions from the portable emissions units in the facility potential to emit calculations for Title V and PSD applicability.

### C. Source Emissions

Shelly Materials has requested a limit on annual operating hours for P901 in order to restrict the federally enforceable potential to emit when this unit is co-located with other similar sources and to avoid state modeling. The operating hours will be limited to 1,790 hours per rolling, 12-month period. With the proposed restriction on hours of operation, total P901 stack emissions per 12-month rolling period will be limited to 24.9 tons of NO<sub>x</sub>, 5.4 tons of CO, 2.1 tons of VOC, 1.8 tons of PE, and 1.8 tons of SO<sub>2</sub>.

### D. Conclusion

The operational restrictions, emission limits, emissions testing, record keeping, and reporting requirements of this permit are sufficient to provide federally enforceable limitations to limit the potential to emit from P901. With final issuance of this permit, the facility-wide allowable emissions of the permitted sources will be 24.9 tons NO<sub>x</sub>, 5.4 tons CO, 2.1 tons of VOC, 1.8 tons of PE, and 1.8 tons of SO<sub>2</sub>. Since the unrestricted PTE of SO<sub>2</sub> is less than 10 tons per year, no BAT emissions limits have been established for this pollutant.



State of Ohio Environmental Protection Agency

**RE: DRAFT PERMIT TO INSTALL  
PERRY COUNTY**

**CERTIFIED MAIL**

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov.  
Center

**Application No:** 06-08328

**Fac ID:** 0664000125

**DATE:** 10/16/2007

Shelly Materials Fold N Go 43.0284  
Katherine Beach  
301 Frank Rd.  
Columbus, OH 43207

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43216-1049.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$1450** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Sincerely,

*Michael W. Ahern*

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section  
Division of Air Pollution Control

CC: USEPA

SEDO

WV

PUBLIC NOTICE

ISSUANCE OF DRAFT PERMIT TO INSTALL **06-08328** FOR AN AIR CONTAMINANT SOURCE  
FOR **Shelly Materials Fold N Go 43.0284**

On 10/16/2007 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Shelly Materials Fold N Go 43.0284**, located at **8775 Blackbird Lane, Thornville, Ohio**.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 06-08328:

**350 TPH portable aggregate processing plant w/ 125 HP John Deere diesel engine and aggregate storage piles**

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Bruce Weinberg, Ohio EPA, Southeast District Office, 2195 Front Street, Logan, OH 43138  
[(740)385-8501]



**Permit To Install  
Terms and Conditions**

**Issue Date: To be entered upon final issuance  
Effective Date: To be entered upon final issuance**

**DRAFT PERMIT TO INSTALL 06-08328**

Application Number: 06-08328  
Facility ID: 0664000125  
Permit Fee: **To be entered upon final issuance**  
Name of Facility: Shelly Materials Fold N Go 43.0284  
Person to Contact: Katherine Beach  
Address: 301 Frank Rd.  
Columbus, OH 43207

Location of proposed air contaminant source(s) [emissions unit(s)]:

**8775 Blackbird Lane  
Thornville, Ohio**

Description of proposed emissions unit(s):

**350 TPH portable aggregate processing plant w/ 125 HP John Deere diesel engine and aggregate storage piles.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Chris Korleski  
Director

Shelly Materials Fold N Go 43.0284

Facility ID: 0664000125

PTI Application: 06-08328

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

## **A. Permit to Install General Terms and Conditions**

### **1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

### **2. Reporting Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections,

**Shelly Materials Fold N Go 43.0284**

**Facility ID: 0664000125**

**PTI Application: 06-08328**

**Issued: To be entered upon final issuance**

conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental

**Shelly Materials Fold N Go 43.0284**

**Facility ID: 0664000125**

**PTI Application: 06-08328**

**Issued: To be entered upon final issuance**

Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of**

Shelly Materials Fold N Go 43.0284

Facility ID: 0664000125

PTI Application: 06-08328

Issued: To be entered upon final issuance  
Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

#### 14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

#### 15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

### B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO <sub>x</sub>	24.9
CO	5.4
VOC	2.1
PE	4.9
SO <sub>2</sub>	1.8

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - F001 - Aggregate storage piles maximum of 0.05 acres and throughput of 626,500 tons per year; includes load-in, load-out, and wind erosion (portable with Fold 'N Go 43.0294)**

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)(b)	See Section A.2.a.
OAC rule 3745-17-07(B)(6) (applicable only if this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08)	No visible particulate emissions from the material storage piles except for a period of time not to exceed 13 minutes during any 60-minute observation period.
OAC rule 3745-17-08(B) (applicable only if this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08)	Use of reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see A.2.b through A.2.e)

**2. Additional Terms and Conditions**

- 2.a The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the particulate emissions (PE) from this air contaminant source since the uncontrolled potential to emit for PE is less than ten tons per year.
- 2.b When this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08, the permittee shall employ reasonably available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. The permittee shall maintain minimal drop heights for

**Issued: To be entered upon final issuance**

front-end loaders, and use chemical stabilization/dust suppressants and/or watering/sprinkling systems at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.c** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- 2.d** When this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08, the permittee shall employ reasonably available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above mentioned applicable requirements. The permittee shall perform one or more of the following: chemical stabilization, watering/sprinkling systems/hoses, or covering the storage piles to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e** The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.

**B. Operational Restrictions**

None

**C. Monitoring and/or Recordkeeping Requirements**

- 1. Except as otherwise provided in this section, when this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

storage pile identification

all

minimum load-in inspection frequency

daily

2. Except as otherwise provided in this section, when this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

storage pile identification

all

minimum load-out inspection frequency

daily

3. Except as otherwise provided in this section, when this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

storage pile identification

all

minimum wind erosion inspection frequency

daily

4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

6. The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;

**Issued: To be entered upon final issuance**

- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in 6.d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

**D. Reporting Requirements**

- 1. The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
- 2. The deviation reports shall be submitted in accordance with Section A.2. of the General Terms and Conditions of this permit.

**E. Testing Requirements**

- 1. Compliance with the emission limitations in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - a. Emission Limitation:  
No visible particulate emissions from the material storage piles except for a period of time not to exceed 13 minutes during any 60-minute observation period.

**Issued: To be entered upon final issuance**

Applicable Compliance Method:

If required, compliance with the visible PE limitation listed above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources") as such appendix existed on July 1, 2002, with the modifications found in OAC 3745-17-03(B)(4).

**F. Miscellaneous Requirements**

1. At the discretion and following the approval of the director, the permittee may relocate the portable source within the State of Ohio without first obtaining a permit to install (PTI) providing the appropriate exemption requirements have been met. The director may issue a "Notice of Site Approval" for either of the following situations: the permittee notifies the director a minimum of 30 days prior to relocating pursuant to OAC rule 3745-31-03(A)(1)(p)(i); or the permittee identifies pre-disclosed location(s) that meet the criteria found in OAC rule 3745-31-05(E).
2. Pursuant to OAC rules 3745-31-03(A)(1)(p)(i), 3745-31-03(A)(1)(p)(ii), and 3745-31-05(E), the following criteria must be met for all portable facilities seeking approval for relocation:
  - a. the portable source must possess an issued permit to install (PTI) and demonstrate continuing compliance with any applicable best available technology determination and state and/or federal air pollution rule or law; and,
  - b. the portable source is operating pursuant to a currently effective PTI and/or any applicable permit to operate (PTO) and demonstrates continuing compliance with the requirements of the permit(s).
3. In order to relocate a portable source in accordance with OAC rule 3745-31-03(A)(1)(p)(i) (i.e. the 30-day option), the following additional criteria must be met:
  - a. the permittee has provided proper notice of intent to relocate the portable source to the permitting District Office/Local air agency a minimum of thirty days prior to the scheduled relocation;
  - b. the permitting District Office/Local air agency and the District Office/Local air agency having jurisdiction over the new site have determined that the emissions would not cause a nuisance in violation of OAC rule 3745-15-07, and that the relocation of the portable source would not result in the installation of a major

Emissions Unit ID: **F001**

stationary source or a modification of an existing major stationary source at the new site; and

- c. the director has issued a "Notice of Site Approval", stating that the proposed site is acceptable under OAC rule 3745-15-07, and that the relocation will not result in the installation or the modification of a major stationary source.

Using the 30-day option, the portable source may only be relocated upon receipt of the "Notice of Site Approval".

4. In order to relocate a portable source in accordance with OAC rules 3745-31-03(A)(1)(p)(ii) and 3745-31-05(E) (i.e. the 15-day option), the following additional criteria must be met:
  - a. the portable source owner has identified the proposed site(s) to the permitting District Office/Local air agency;
  - b. the owner of the proposed site(s) (if not the permittee) has provided the portable source owner with approval, or an equivalent declaration, that it is acceptable to move the portable source to the proposed site(s);
  - c. the permitting District Office/Local air agency and the District Office/Local air agency having jurisdiction over the new site have determined that the portable source will have an acceptable environmental impact at the proposed site(s);
  - d. a public notice, consistent with OAC rule 3745-47, has been published in the county where the proposed site(s) is/are located;
  - e. the permittee has provided the Ohio EPA with a minimum of a 15-day written notice of the relocation.

Using the 15-day option, the portable source may only be relocated upon receipt of the "Notice of Site Approval", and following submittal of the 15-day written notice of the relocation. Any site approvals issued pursuant to OAC rule 3745-05(E) shall be valid for no longer than 3 years and are subject to renewal. Also, pursuant to OAC rule 3745-31-05(F), the director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

5. Failure to submit said notification or failure to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.

**Issued: To be entered upon final issuance**

6. When a portable source is co-located at a stationary source, or is co-located with multiple portable sources, potential emissions from the portable source may be required to be combined for facility potential to emit calculations for Title V and PSD applicability. If the relocation of the portable source would result in the installation of a major source or the modification of a major source, as defined in OAC rule 3745-31-01 (KKK) and (III), the permittee shall submit an application and obtain a PTI for the new location prior to moving the portable source. Relocation of any portable source that results in the creation of a major source, as defined in OAC rule 3745- 77-01, must also meet all applicable requirements under the Title V program contained in OAC rule 3745-77, which may include the requirement to apply for a Title V permit.

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)****A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

**Operations, Property, and/or Equipment - P901 - Fold 'N Go 43.0284; 350 TPH portable aggregate processing plant w/ 1 screener, 1 hopper and 5 conveyors powered by a 125 HP John Deere diesel engine**

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
<b>Fold 'N Go 43.0284; 350 TPH portable aggregate processing plant</b>	
OAC rule 3745-31-05(C)	Particulate emissions (PE) shall not exceed 1.92 tons per year.  See Section A.2.a.
OAC rule 3745-17-07(B)(1) (applicable only if this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08)	Visible PE of fugitive dust shall not exceed twenty percent opacity as a three-minute average.
OAC rules 3745-17-08(B) (applicable only if this emissions unit is located in an area identified in Appendix A of OAC rule 3745-17-08)	Use of reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.  See Sections A.2.b through A.2.d.
40 CFR 60 Subpart OOO (applicable when co-located at an affected facility as defined in 40 CFR Part 60.670)	Visible emissions of fugitive dust discharging from the screener, hopper, transfer points or conveyors shall not exceed 10% opacity.
125 HP John Deere diesel engine	
OAC rule 3745-31-05(A)(3)	Nitrogen oxides (NOx) emissions shall not exceed 27.8 pounds per hour.

**Issued: To be entered upon final issuance**

OAC rule 3745-31-05(C) (Synthetic minor to avoid state modeling and to avoid Title V requirements associated with relocation of a portable source with other similar sources)	NOx emissions shall not exceed 24.9 tons per rolling, 12-month period.  Carbon monoxide (CO) emissions shall not exceed 5.4 tons per rolling, 12-month period.  Volatile organic compound (VOC) emissions shall not exceed 2.1 tons per rolling, 12-month period.  Sulfur dioxide (SO <sub>2</sub> ) emissions shall not exceed 1.8 tons per rolling, 12-month period.  PE shall not exceed 1.8 tons per rolling, 12-month period.
OAC rule 3745-31-05(C)	CO emissions shall not exceed 5.4 tons per year.  VOC emissions shall not exceed 2.1 tons per year.  PE shall not exceed 1.8 tons per year.  See Section A.2.a.
OAC rule 3745-31-05(A)(3)(b)	See Section A.2.e.
OAC rule 3745-17-11(B)(5)(a)	Particulate emissions shall not exceed 0.310 pound/million Btu actual heat input.
OAC rule 3745-17-07(A)(1)	Visible particulate emissions from any stack shall not exceed 20% opacity as a 6 minute average, except as provided by the rule.
OAC rule 3745-18-06(G)	This emissions unit is exempt from the requirements of OAC rule 3745-18-06(G) pursuant to OAC rule 3745-18-06(B).
OAC rule 3745-21-08(B)	See Section A.2.f.

**2. Additional Terms and Conditions**

- 2.a** Permit to Install 06-08328 for this air contaminant source takes into account the following voluntary restriction (including the use of any applicable air pollution control equipment) as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements for PE, CO and VOC under OAC rule 3745-31-05(A)(3):
- i. the maximum number of annual operating hours for this emissions unit shall not exceed 1,790 hours.

**Issued: To be entered upon final issuance**

ii. wet suppression.

**2.b** The material handling operations that are covered by this permit and subject to the above-mentioned requirements are listed below:

Load in to hopper  
Secondary screener (1)  
Conveyor transfer points (6)

**2.c** The permittee shall employ reasonably available control measures for the material handling operations listed above, for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to maintain sufficient moisture content of the material, using water sprays as necessary, to maintain compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

**2.d** For each material handling operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the material handling operations until further observation confirms that use of the control measures is unnecessary.

**2.e** The Best Available Technology (BAT) requirements under 3745-31-05(A)(3) do not apply to the SO<sub>2</sub> emissions from this air contaminant source since the uncontrolled potential to emit for SO<sub>2</sub> and particulate emissions is less than ten tons per year.

**2.f** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B).

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

**B. Operational Restrictions**

1. The permittee shall only burn low sulfur No. 2 diesel fuel, containing no greater than 0.5% sulfur by weight, in this emissions unit.
2. The permittee has requested a federally enforceable limitation on operating hours for the purposes of limiting potential to emit to avoid state modeling and to avoid Title V requirements associated with relocation of a portable source with other similar sources. Therefore, the maximum number of operating hours for emissions unit P901 shall not exceed 1,790 hours as a rolling, 12-month summation. To ensure compliance during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours specified in the following table:

<u>Month(s)</u>	<u>Maximum Cumulative Operating Hours</u>
1-1	537
1-2	1,074
1-3	1,611
1-4	1,790
1-5	1,790
1-6	1,790
1-7	1,790
1-8	1,790
1-9	1,790
1-10	1,790
1-11	1,790
1-12	1,790

After the first 12 calendar months of operation following the startup of emissions unit P901, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

**C. Monitoring and/or Recordkeeping Requirements**

1. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

<u>material handling operation(s)</u>	<u>minimum inspection frequency</u>
all	daily

**Issued: To be entered upon final issuance**

The above-mentioned inspections shall be performed during representative, normal operating conditions.

2. For material handling operations, the permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. the dates the control measures were implemented; and,
  - d. on a calendar quarter basis, the total number of days the control measures were implemented.

The information in 2.d. shall be kept separately for each material handling operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

3. For each day during which the permittee burns a fuel other than low sulfur No. 2 or diesel fuel, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
4. The permittee shall maintain monthly records of the following information:
  - a. The operating hours for each month.
  - b. Beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling, 12-month summation of the hours of operation.
  - c. During the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative operating hours for each calendar month.

**D. Reporting Requirements**

1. For material handling operations, the permittee shall submit deviation reports that identify any of the following occurrences:

Emissions Unit ID: **P901**

- a. each day during which an inspection was not performed by the required frequency; and,
- b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.

These reports shall be submitted in accordance with the reporting requirements specified in Part 1 - General Terms and Conditions, Section A of this permit.

2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than diesel fuel was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
3. The permittee shall submit deviation (excursion) reports which identify the following exceedances:
  - a. The rolling, 12-month hours of operation limitation;
  - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative hours of operation.

These reports shall be submitted in accordance with the reporting requirements specified in Part 1 - General Terms and Conditions, Section A of this permit.

4. Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at appropriate times:
  - a. construction date (no later than 30 days after such date);
  - b. actual start-up date (within 15 days after such date); and,
  - c. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency  
DAPC- Permit Management Unit  
50 West Town Street, Suite 700  
PO Box 1049  
Columbus, Ohio 43216-1049

**Issued: To be entered upon final issuance**  
and

Ohio EPA Southeast District Office  
Division of Air Pollution Control  
2195 Front Street  
Logan, Ohio 43138.

**E. Testing Requirements**

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:  
Visible PE of fugitive dust shall not exceed twenty percent opacity as a three-minute average.

Applicable Compliance Method:

If required, compliance shall be determined using Method 9 as set forth in 40 CFR Part 60 Appendix A, as such appendix existed on July 1, 2002 and the modifications listed in paragraphs (B)(3)(a) and (B)(3)(b) of OAC rule 3745-17-03.

- b. Emission Limitation:  
Visible emissions of fugitive dust discharging from the screener, hopper, transfer points or conveyors shall not exceed 10% opacity.

Applicable Compliance Method:

If required, compliance shall be determined using Method 9 as set forth in 40 CFR Part 60 Appendix A, as such appendix existed on July 1, 2002 (see Section E.2).

- c. Emission Limitation:  
NOx emissions shall not exceed 27.8 pounds per hour.  
NOx emissions shall not exceed 24.9 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the lbs/hr emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.3-1, 10/1996 (4.41 lb/MMBtu) by the maximum rated capacity of P901 (6.3 MMBtu/hr). Compliance

**Issued: To be entered upon final issuance**

with the rolling 12-month limitation is demonstrated by multiplying the actual annual hours of operation for the rolling 12-month period (as recorded pursuant to Section C.4) by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance with the pounds per hour emission limitation in accordance with the methods and procedures specified in Methods 1-4 and 7 of 40 CFR Part 60, Appendix A.

- d. Emission Limitation:  
CO emissions shall not exceed 5.4 tons per year.  
CO emissions shall not exceed 5.4 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the tons per year emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.3-1, 10/1996 (0.95 lb/MMBtu) by the maximum rated capacity of P901 (6.3 MMBtu/hr) multiplied by the actual annual hours of operation for the calendar year, then dividing by 2000 lbs/ton. Compliance with the rolling 12-month limitation is demonstrated by multiplying the actual annual hours of operation for the rolling 12-month period (as recorded pursuant to Section C.4) by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

- e. Emission Limitation:  
VOC emissions shall not exceed 2.1 tons per year.  
VOC emissions shall not exceed 2.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the tons per year emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.3-1, 10/1996 (0.36 lb/MMBtu) by the maximum rated capacity of P901 (6.3 MMBtu/hr) multiplied by the actual annual hours of operation for the calendar year, then dividing by 2000 lbs/ton. Compliance with the rolling 12-month limitation is demonstrated by multiplying the actual annual hours of operation for the rolling 12-month period (as recorded pursuant to Section C.4) by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

- f. Emission Limitation:  
SO<sub>2</sub> emissions shall not exceed 1.8 tons per rolling, 12-month period.

Applicable Compliance Method:

Emissions Unit ID: **P901**

Compliance with rolling, 12-month emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.3-1, 10/1996 (0.29 lb/MMBtu) by the maximum rated capacity of P901 (6.3 MMBtu/hr) multiplied by the actual annual hours of operation for the rolling, 12-month period, then dividing by 2000 lbs/ton.

- g. Emission Limitation:  
PE shall not exceed 1.8 tons per year.  
PE shall not exceed 1.8 tons per rolling, 12-month period

Applicable Compliance Method:

Compliance with the tons per year emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.3-1, 10/1996 (0.0.31 lb/MMBtu) by the maximum rated capacity of P901 (6.3 MMBtu/hr) multiplied by the actual annual hours of operation for the calendar year, then dividing by 2000 lbs/ton. Compliance with the rolling 12-month limitation is demonstrated by multiplying the actual annual hours of operation for the rolling 12-month period (as recorded pursuant to Section C.4) by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

- f. Emission Limitation:  
Particulate emissions shall not exceed 0.310 lb/million Btu actual heat input.

Applicable Compliance Method:

Compliance shall be based upon an emission factor of 0.31 lb/million Btu. This emission factor is specified in the U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.3, Table 3.3-1 (10/96).

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

- g. Emission Limitation:  
Visible particulate emissions from any stack shall not exceed 20% opacity as a 6-minute average, except as provided by the rule.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with Method 9 of 40 CFR 60 , Appendix A.

**Issued: To be entered upon final issuance**

2. Performance testing shall be conducted as required in 40 CFR Part 60 Subpart OOO when this emissions unit is initially located at an affected facility pursuant to 40 CFR Part 60.670. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
  - a. The emission testing shall be conducted within 180 days of start-up of the emissions unit at an affected facility.
  - b. The emissions testing shall be conducted to demonstrate compliance with the visible emission limitations for fugitive emissions for each screening operation, transfer point, and conveyor as specified in Section A.2.b of this permit, and in accordance with the requirements of 40 CFR Part 60.675.
  - c. The following test method(s) shall be employed to demonstrate compliance with the allowable emission rate(s): for visible emissions, Method 9 of 40 CFR 60, Appendix A.
  - d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Ohio EPA, Southeast District Office.
  - e. No later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emissions test(s).
  - f. Personnel from the Ohio EPA, Southeast District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
  - g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Southeast District Office within 30 days following completion of test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Southeast

District Office.

## F. Miscellaneous Requirements

1. At the discretion and following the approval of the director, the permittee may relocate the portable source within the State of Ohio without first obtaining a permit to install (PTI) providing the appropriate exemption requirements have been met. The director may issue a "Notice of Site Approval" for either of the following situations: the permittee notifies the director a minimum of 30 days prior to relocating pursuant to OAC rule 3745-31-03(A)(1)(p)(i); or the permittee identifies pre-disclosed location(s) that meet the criteria found in OAC rule 3745-31-05(E).
2. Pursuant to OAC rules 3745-31-03(A)(1)(p)(i), 3745-31-03(A)(1)(p)(ii), and 3745-31-05(E), the following criteria must be met for all portable facilities seeking approval for relocation:
  - a. the portable source must possess an issued permit to install (PTI) and demonstrate continuing compliance with any applicable best available technology determination and state and/or federal air pollution rule or law; and,
  - b. the portable source is operating pursuant to a currently effective PTI and/or any applicable permit to operate (PTO) and demonstrates continuing compliance with the requirements of the permit(s).
3. In order to relocate a portable source in accordance with OAC rule 3745-31-03(A)(1)(p)(i) (i.e. the 30-day option), the following additional criteria must be met:
  - a. the permittee has provided proper notice of intent to relocate the portable source to the permitting District Office/Local air agency a minimum of thirty days prior to the scheduled relocation;
  - b. the permitting District Office/Local air agency and the District Office/Local air agency having jurisdiction over the new site have determined that the emissions would not cause a nuisance in violation of OAC rule 3745-15-07, and that the relocation of the portable source would not result in the installation of a major stationary source or a modification of an existing major stationary source at the new site; and
  - c. the director has issued a "Notice of Site Approval", stating that the proposed site is acceptable under OAC rule 3745-15-07, and that the relocation will not result

**Issued: To be entered upon final issuance**

in the installation or the modification of a major stationary source.

Using the 30-day option, the portable source may only be relocated upon receipt of the "Notice of Site Approval".

4. In order to relocate a portable source in accordance with OAC rules 3745-31-03(A)(1)(p)(ii) and 3745-31-05(E) (i.e. the 15-day option), the following additional criteria must be met:
  - a. the portable source owner has identified the proposed site(s) to the permitting District Office/Local air agency;
  - b. the owner of the proposed site(s) (if not the permittee) has provided the portable source owner with approval, or an equivalent declaration, that it is acceptable to move the portable source to the proposed site(s);
  - c. the permitting District Office/Local air agency and the District Office/Local air agency having jurisdiction over the new site have determined that the portable source will have an acceptable environmental impact at the proposed site(s);
  - d. a public notice, consistent with OAC rule 3745-47, has been published in the county where the proposed site(s) is/are located;
  - e. the permittee has provided the Ohio EPA with a minimum of a 15-day written notice of the relocation.

Using the 15-day option, the portable source may only be relocated upon receipt of the "Notice of Site Approval", and following submittal of the 15-day written notice of the relocation. Any site approvals issued pursuant to OAC rule 3745-05(E) shall be valid for no longer than 3 years and are subject to renewal. Also, pursuant to OAC rule 3745-31-05(F), the director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

5. Failure to submit said notification or failure to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.
6. When a portable source is co-located at a stationary source, or is co-located with multiple portable sources, potential emissions from the portable source may be required to be combined for facility potential to emit calculations for Title V and PSD applicability. If the relocation of the portable source would result in the installation of a major source or the modification of a major source, as defined in OAC rule 3745-31-01, the permittee shall submit an application and obtain a PTI for the new location prior to

**Shelly Materials Fold N Go 43.0284**

**DTI Application: 06 08220**

**Facility ID: 0664000125**

**Emissions Unit ID: P901**

moving the

**Issued: To be entered upon final issuance**

portable source. Relocation of any portable source that results in the creation of a major source, as defined in OAC rule 3745- 77-01, must also meet all applicable requirements under the Title V program contained in OAC rule 3745-77, which may include the requirement to apply for a Title V permit.

Shelly Materials Fold N Go 43.0284  
 PTI Application: 06-08328  
 Issued: To be entered upon final issuance

Facility ID: 0664000125

Emissions Unit ID: P901

SIC CODE 1422 SCC CODE 30502007 EMISSIONS UNIT ID F001

EMISSIONS UNIT DESCRIPTION Aggregate storage piles (portable with Fold N Go 43.0294)

DATE INSTALLED upon PTI issuance

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter			1.2		
PM <sub>10</sub>					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No

NESHAP? No

PSD? No

OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

N/A

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ \_\_\_\_\_

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? \_\_\_\_\_ YES X NO

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_

