



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:
Lazarus Gov. Center

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

**RE: DRAFT PERMIT TO INSTALL MODIFICATION
PERRY COUNTY
Application No: 06-08395
Fac ID: 0664960071**

CERTIFIED MAIL

DATE: 4/8/2008

Shelly Materials Portable Gen 21.0294
Katherine Beach
301 Frank Road
Columbus, OH 43207

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install modification for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit modification. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit modification should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.



A Permit to Install modification may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install modification a fee of **\$ 100** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Permit Issuance and Data Management Section at (614) 644-3631.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

SEDO

WV

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

Issue Date: To be entered upon final issuance

DRAFT MODIFICATION OF PERMIT TO INSTALL 06-08395

Application Number: 06-08395
Facility ID: 0664960071
Permit Fee: **To be entered upon final issuance**
Name of Facility: Shelly Materials Portable Gen 21.0294
Person to Contact: Katherine Beach
Address: 301 Frank Road
Columbus, OH 43207

Location of proposed air contaminant source(s) [emissions unit(s)]:

**8775 Blackbird Lane
Thornville, Ohio**

Description of proposed emissions unit(s):

Separate emissions unit B001 from PTI No. 08-4400 and rename P001; reduce permit allowables and add synthetic minor restrictions.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

PERRY COUNTY

PUBLIC NOTICE

**ISSUANCE OF DRAFT PERMIT TO INSTALL 06-08395 FOR AN AIR CONTAMINANT SOURCE
FOR Shelly Materials Portable Gen 21.0294**

On 4/8/2008 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Shelly Materials Portable Gen 21.0294**, located at **8775 Blackbird Lane, Thornville, Ohio**.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 06-08395:

Separate emissions unit B001 from PTI No. 08-4400 and rename P001; reduce permit allowables and add synthetic minor restrictions.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Bruce Weinberg, Ohio EPA, Southeast District Office, 2195 Front Street, Logan, OH 43138
[(740)385-8501]

Shelly Materials Portable Gen 21.0294

Facility ID: 0664960071

PTI Application: 06-08395

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections,

conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental

Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

Shelly Materials Portable Gen 21.0294

Facility ID: 0664960071

PTI Application: 06-08395

Issued: To be entered upon final issuance

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only) TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	24.91
CO	5.71
SO ₂	4.19
PE	0.72
VOC	0.74

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - P001 - Shelly Materials Generator 21.0294, a 804.6 HP portable diesel-fired generator; administrative modification to correct power rating, limit the annual hours of operation and revise the emissions unit number; supercedes modified PTI No. 08-4400 issued June 11, 2002 for EU B001

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	<p>Nitrogen oxides (NO_x) emissions shall not exceed 19.31 pounds per hour.</p> <p>Carbon monoxide (CO) emissions shall not exceed 4.43 pound per hour.</p> <p>Sulfur dioxide (SO₂) emissions shall not exceed 3.25 pounds per hour.</p> <p>Organic compound (OC) emissions shall not exceed 0.57 pound per hour.</p> <p>Visible particulate emissions (PE) from any stack serving this emissions unit shall not exceed 10% opacity as a six-minute average.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-11(B)(5)(b).</p>

Issued: To be entered upon final issuance

OAC rule 3745-31-05(C) (Synthetic minor to avoid state modeling and to avoid Title V requirements associated with relocation of a portable source with other similar sources)	NO _x emissions shall not exceed 24.91 tons per rolling, 12-month period. CO emissions shall not exceed 5.71 tons per rolling, 12-month period. SO ₂ emissions shall not exceed 4.19 tons per rolling, 12-month period. OC emissions shall not exceed 0.74 ton per rolling, 12-month period. PE shall not exceed 0.72 ton per rolling, 12-month period.
OAC rule 3745-17-07(A)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-11(B)(5)(b)	PE shall not exceed 0.062 pound/million Btu of actual heat input.
OAC rule 3745-18-06(G)	This emissions unit is exempt from the requirements of OAC rule 3745-18-06(G) pursuant to OAC rule 3745-18-06(B).
OAC rule 3745-21-08(B)	See Section A.2.a.

2. Additional Terms and Conditions

- 2.a** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B).

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

B. Operational Restrictions

1. The permittee shall only burn diesel fuel, containing less than 0.5% sulfur by weight, in this emissions unit.

Emissions Unit ID: **P001**

2. The maximum number of operating hours for emissions unit P001 shall not exceed 2,580 hours as a rolling, 12-month summation. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours specified in the following table:

<u>Month(s)</u>	<u>Maximum Cumulative Operating Hours</u>
1-1	720
1-2	1,440
1-3	2,160
1-4	2,580
1-5	2,580
1-6	2,580
1-7	2,580
1-8	2,580
1-9	2,580
1-10	2,580
1-11	2,580
1-12	2,580

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than diesel fuel, containing less than 0.5% sulfur by weight, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall maintain monthly records of the following information:
 - a. the operating hours for each month;
 - b. beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling, 12-month summation of the hours of operation; and
 - c. during the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative operating hours for each calendar month.

Issued: To be entered upon final issuance

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than diesel fuel, containing less than 0.5% sulfur by weight, was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The permittee shall submit deviation (excursion) reports which identify the following exceedances:
 - a. the rolling, 12-month hours of operation limitation; and
 - b. for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative hours of operation.

These reports shall be submitted in accordance with the reporting requirements specified in Part 1 - General Terms and Conditions, Section A of this permit.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
Nitrogen oxides (NO_x) emissions shall not exceed 19.31 pounds per hour.
NO_x emissions shall not exceed 24.91 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the lbs/hr emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.4-1, 10/1996 (0.024 lb/Hp-hr) by the maximum rated capacity of P001 (804.6 HP). Compliance with the rolling, 12-month period emission limitation is demonstrated by multiplying the actual rolling, 12-month summation of hours of operation by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

If required, NO_x emissions shall be determined according to test Methods 1 - 4, and 7 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA,

Emissions Unit ID: P001

Southeast District Office.

- b. Emission Limitation:
Carbon monoxide (CO) emissions shall not exceed 4.43 pound per hour.
CO emissions shall not exceed 5.71 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the lbs/hr emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.4-1, 10/1996 (0.0055 lb/Hp-hr) by the maximum rated capacity of P001 (804.6 HP). Compliance with the rolling, 12-month period emission limitation is demonstrated by multiplying the actual rolling, 12-month summation of hours of operation by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

If required, CO emissions shall be determined according to test Methods 1 - 4, and 10 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

- c. Emission Limitation:
Sulfur dioxide (SO₂) emissions shall not exceed 3.25 pounds per hour.
SO₂ emissions shall not exceed 4.19 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the lbs/hr emission limitation shall be demonstrated by multiplying the emission factor of 0.00809(S) lb/hp-hr from AP-42, Table 3.4-1 (10/1996) by the maximum rated capacity of P001 (804.6 HP). Compliance with the rolling, 12-month period emission limitation is demonstrated by multiplying the actual rolling, 12-month summation of hours of operation by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

If required, SO₂ emissions shall be determined according to test Methods 1 - 4, and 6 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

- d. Emission Limitation:
Organic compound (OC) emissions shall not exceed 0.57 pounds per hour.
OC emissions shall not exceed 0.74 ton per rolling, 12-month period.

Issued: To be entered upon final issuance

Applicable Compliance Method:

Compliance with the lbs/hr emission limitation shall be demonstrated by multiplying the emission factor from AP-42, Table 3.4-1, 10/1996 (0.0007 lb/Hp-hr) by the maximum rated capacity of P001 (804.6 HP). Compliance with the rolling, 12-month period emission limitation is demonstrated by multiplying the actual rolling, 12-month summation of hours of operation by the lbs/hr emission calculation, then dividing by 2000 lbs/ton.

If required, OC emissions shall be determined according to test Methods 1 - 4, and 18, 25, or 25A as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

e. Emission Limitation:

PE shall not exceed 0.062 pound/million Btu of actual heat input.

PE shall not exceed 0.72 ton per rolling, 12-month period.

Applicable Compliance Method:

Compliance with the pound/million Btu emission limitation is demonstrated by using the emissions factor for lb/million Btu from AP-42, Table 3.4-1 (10/96). Compliance with the rolling, 12-month period emission limitation is demonstrated by multiplying the actual rolling, 12-month summation of hours of operation and the emission factor for PE from AP-42, Table 3.4-1 (10/96) of 0.0007 lb/hp-hr by the maximum rated capacity of P001 (804.6 HP), then dividing by 2000 lbs/ton.

If required, particulate emissions shall be determined according to test Methods 1 - 5, as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources", and the procedures specified in OAC rule 3745-17-03(B)(10). Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

f. Emission Limitation:

Visible PE from any stack serving this emissions unit shall not exceed 10% opacity as a six-minute average.

Applicable Compliance Method:

Emissions Unit ID: P001

If required, visible particulate emissions shall be determined according to USEPA Method 9.

F. Miscellaneous Requirements

1. At the discretion and following the approval of the director, the permittee may relocate the portable source within the State of Ohio without first obtaining a permit to install (PTI) providing the appropriate exemption requirements have been met. The director may issue a "Notice of Site Approval" for either of the following situations: the permittee notifies the director a minimum of 30 days prior to relocating pursuant to OAC rule 3745-31-03(A)(1)(p)(i); or the permittee identifies pre-disclosed location(s) that meet the criteria found in OAC rule 3745-31-05(E).
2. Pursuant to OAC rules 3745-31-03(A)(1)(p)(i), 3745-31-03(A)(1)(p)(ii), and 3745-31-05(E), the following criteria must be met for all portable facilities seeking approval for relocation:
 - a. the portable source must possess an issued permit to install (PTI) and demonstrate continuing compliance with any applicable best available technology determination and state and/or federal air pollution rule or law; and,
 - b. the portable source is operating pursuant to a currently effective PTI and/or any applicable permit to operate (PTO) and demonstrates continuing compliance with the requirements of the permit(s).
3. In order to relocate a portable source in accordance with OAC rule 3745-31-03(A)(1)(p)(i) (i.e. the 30-day option), the following additional criteria must be met:
 - a. the permittee has provided proper notice of intent to relocate the portable source to the permitting District Office/Local air agency a minimum of thirty days prior to the scheduled relocation;
 - b. the permitting District Office/Local air agency and the District Office/Local air agency having jurisdiction over the new site have determined that the emissions would not cause a nuisance in violation of OAC rule 3745-15-07, and that the relocation of the portable source would not result in the installation of a major stationary source or a modification of an existing major stationary source at the new site; and
 - c. the director has issued a "Notice of Site Approval", stating that the proposed site

Issued: To be entered upon final issuance

is acceptable under OAC rule 3745-15-07, and that the relocation will not result in the installation or the modification of a major stationary source.

Using the 30-day option, the portable source may only be relocated upon receipt of the "Notice of Site Approval".

4. In order to relocate a portable source in accordance with OAC rules 3745-31-03(A)(1)(p)(ii) and 3745-31-05(E) (i.e. the 15-day option), the following additional criteria must be met:
 - a. the portable source owner has identified the proposed site(s) to the permitting District Office/Local air agency;
 - b. the owner of the proposed site(s) (if not the permittee) has provided the portable source owner with approval, or an equivalent declaration, that it is acceptable to move the portable source to the proposed site(s);
 - c. the permitting District Office/Local air agency and the District Office/Local air agency having jurisdiction over the new site have determined that the portable source will have an acceptable environmental impact at the proposed site(s);
 - d. a public notice, consistent with OAC rule 3745-47, has been published in the county where the proposed site(s) is/are located;
 - e. the permittee has provided the Ohio EPA with a minimum of a 15-day written notice of the relocation.

Using the 15-day option, the portable source may only be relocated upon receipt of the "Notice of Site Approval", and following submittal of the 15-day written notice of the relocation. Any site approvals issued pursuant to OAC rule 3745-05(E) shall be valid for no longer than 3 years and are subject to renewal. Also, pursuant to OAC rule 3745-31-05(F), the director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

5. Failure to submit said notification or failure to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.
6. When a portable source is co-located at a stationary source, or is co-located with multiple portable sources, potential emissions from the portable source may be required to be combined for facility potential to emit calculations for Title V and PSD

Shelly Materials Portable Gen 21.0294**Facility ID: 0664960071**

PTI Application 00 00007

Emissions Unit ID: **P001**

applicability. If the relocation of the portable source would result in the installation of a major source or the modification of a major source, as defined in OAC rule 3745-31-01 (LLL) and (JJJ), the permittee shall submit an application and obtain a PTI for the new location prior to moving the portable source. Relocation of any portable source that results in the creation of a major source, as defined in OAC rule 3745- 77-01, must also meet all applicable requirements under the Title V program contained in OAC rule 3745-77, which may include the requirement to apply for a Title V permit.

NEW SOURCE REVIEW FORM B

PTI Number: 06-08395 Facility ID: 0664960071

FACILITY NAME Shelly Materials Portable Gen 21.0294

FACILITY DESCRIPTION Separate emissions unit B001 from CITY/TWP Thornville
 PTI No. 08-4400 and rename P001;
 revise permit allowables and add
 synthetic minor restrictions

SIC CODE 1422 SCC CODE 2-02-004-01 EMISSIONS UNIT ID P001

EMISSIONS UNIT DESCRIPTION Shelly Materials Generator 21.0294, a 804.6 HP portable diesel-fired generator;
 administrative modification to correct power rating, limit the annual hours of
 operation and revise the emissions unit number; supercedes modified PTI No.
 08-4400 issued June 11, 2002 for EU B001

DATE INSTALLED 7/23/02 (admin mod)

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		0.56 lb/hr	0.72	0.062 lb/million Btu	0.72
PM ₁₀					
Sulfur Dioxide		3.25 lbs/hr	4.19	3.25 lbs/hr	4.19
Organic Compounds		0.57 lb/hr	0.74	0.57 lb/hr	0.74
Nitrogen Oxides		19.31 lbs/hr	24.91	19.31 lbs/hr	24.91
Carbon Monoxide		4.43 lbs/hr	5.71	4.43 lbs/hr	5.71
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No

NESHAP? No

PSD? No

OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Compliance with mass emissions rates for all criteria pollutants and visible emission limitations; use of diesel fuel containing less than 0.5% by weight of sulfur

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*?

YES

NO

IDENTIFY THE AIR CONTAMINANTS: